

1  
Ag84Ah  
c.2

# A Checklist of Names for 3,000 Vascular Plants of Economic Importance

1971 JUN 15 P 4 18  
DISSEMINATION RECORDS  
USDA LIBRARY  
NATIONAL RESEARCH CENTER



United States  
Department of  
Agriculture

PREPARED BY  
Agricultural  
Research  
Service

Agriculture  
Handbook  
Number 505



A CHECKLIST OF NAMES  
FOR 3,000 VASCULAR PLANTS  
OF ECONOMIC IMPORTANCE

By Edward E. Terrell

Agriculture Handbook No. 505

Agricultural Research Service  
UNITED STATES DEPARTMENT OF AGRICULTURE

Washington, D.C.

Issued May 1977

## ACKNOWLEDGMENTS

I thank the following botanists for their suggestions on the nomenclature and taxonomy of certain plant groups: G. Buchheim, Hunt Botanical Library, Pittsburgh, Pa.: W. J. Dress and P. A. Hyppio, L. H. Bailey Hortorium, Ithaca, N.Y.; H. S. Gentry, Desert Botanical Garden, Phoenix, Ariz.; C. B. Heiser, Jr., Indiana University, Bloomington; C. F. Reed, Reed Herbarium, Baltimore, Md.; J. D. Sauer, University of California at Los Angeles; B. G. Schubert, Arnold Arboretum of Harvard University, Cambridge, Mass.; E. S. Ayensu, F. R. Fosberg, D. B. Lellinger, D. H. Nicolson, R. W. Read, and D. C. Wasshausen, Smithsonian Institution, Washington, D.C.; and the following botanists in the U.S. Department of Agriculture: R. A. Darrow, Vegetation Control Division, Fort Detrick, Md.; P. A. Fryxell, Texas A. and M. University, College Station; E. L. Little, Jr., Forest Service, Washington, D.C.; T. R. Dudley and F. G. Meyer, U.S. National Arboretum, Washington, D.C.; and A. S. Barclay, Medicinal Plant Resources Laboratory, and J. A. Duke and C. R. Gunn, Plant Taxonomy Laboratory, Plant Genetics and Germplasm Institute, Beltsville, Md. The technical assistance of Delia Barnes and Janet Kluve, University of California at Davis, is also appreciated.

## CONTENTS

	Page
Common names.....	1
Family names.....	2
Abbreviations for authors.....	2
Symbols and abbreviations.....	3
Part I. Scientific and common names.....	3
Part II. Common and scientific names.....	126
Literature cited.....	189
Appendix.....	196

A CHECKLIST OF NAMES  
FOR 3,000 VASCULAR PLANTS  
OF ECONOMIC IMPORTANCE

By Edward E. Terrell<sup>1/</sup>

This checklist provides up-to-date scientific names for over 3,000 taxa of economically important vascular plants. Included also are approximately 700 synonyms. Common names are given for most of the taxa. The checklist is arranged alphabetically by scientific name (part I) and by common name (part II). Scientific names follow the regulations in the "International Code of Botanical Nomenclature" (Stafleu et al. 1972).<sup>2/</sup>

The precursor of this checklist was a list of 1,000 world crop species (Duke and Terrell 1974). To these have been added many other species mentioned in various publications on economic plants and weeds. The present list includes many major and minor crop plants grown anywhere in the world for food, fiber, or medicine, many common weeds, and other miscellaneous species, especially those used for timber or ornament. The word "economic" refers here to plants of negative as well as of positive value and thus includes weeds.

Many authoritative floras, monographs, and other references were consulted to determine correct scientific names. Although many of the references cited here are floras and other secondary sources, they indicate which taxonomic opinion was followed or point the way to primary sources. Some unsubstantiated name changes were not included pending future confirmations. For brevity, the authors of individual parts of "Flora Europaea" and other large floras usually are not given. Specialists were consulted for certain genera, as noted in the acknowledgments. Scientific and common names of American trees generally follow Little (1953). Other especially helpful nonfloristic, nonrevisionary works included Mansfeld (1959), Encke and Buchheim (1972), and, for economic data, Purseglove (1968, 1972). "Hortus Third" was published by the L. H. Bailey Hortorium staff in December 1976 when this checklist was nearly ready for publication. It provided additional changes in scientific names, although I did not follow it if other authoritative data disagreed with any particular change.

COMMON NAMES

There are no official regulations for the choice and spelling of common names, and this publication purposely avoids any attempt to standardize common

---

<sup>1/</sup>Plant Taxonomy Laboratory, Plant Genetics and Germplasm Institute, Northeastern Region, Agricultural Research Service, Beltsville, Md.

<sup>2/</sup>The year after the authors' names refers to Literature Cited, p. 189.

names. Sometimes a particular common name has been used for more than one taxon. When two or more common names are listed for one taxon, the order in which they appear does not imply an order of preference. Although names were obtained from a great variety of sources, many of the weed names were taken from the "Composite List of Weeds" (Weed Science Society of America 1971).

In selecting spellings and hyphenizations, the suggestions of Little (1953), Rickett (1965), Hamilton (1969), and Wyman (1974) provided some guidance. Misapplied or fanciful names are hyphened, e.g., Jerusalem-cherry, ram's-horn. Names are frequently compounded, e.g., orchardgrass; however, when long or awkward compounds result, hyphens are inserted, e.g., morning-glory, brown-eyed-susan. The names mustard, cress, and rocket refer here to any member of the Brassicaceae, and bean and pea to any Fabaceae, not just to certain genera. The names ivy and jute do not refer to any particular plant family.

#### FAMILY NAMES

The choice of family names follows traditional lines, as in "Gray's Manual" (Fernald 1950) and "Zander" (Encke and Buchheim 1972). For uniformity and in accordance with some recent taxonomic practice, alternative family names with "--aceae" endings were adopted for eight families; however, the older family names are still valid and may be used if desired (Article 18, note 3, Stafleu et al. 1972). The alternative family names are Apiaceae for Umbelliferae, Arecaceae for Palmae, Asteraceae for Compositae, Brassicaceae for Cruciferae, Clusiaceae for Guttiferae, Fabaceae for Leguminosae, Lamiaceae for Labiateae, and Poaceae for Gramineae.

#### ABBREVIATIONS FOR AUTHORS

Names of authors (authorities or describers of species and other taxa) are abbreviated, following usual practice. There are no regulated or internationally uniform abbreviations; however, many of these abbreviations are fairly well standardized. Some names have two or three accepted abbreviations, e.g., Beauv., P. Beauv., or P. B. for A. M. F. J. Palisot de Beauvois. The abbreviations in this checklist are not necessarily used internationally and those in modern publications differ from one publication to another. Authors' names, dates, and abbreviations are listed in several publications, including Bailey (1949), Fernald (1950), Munz and Keck (1968), and Encke and Buchheim (1972).

When certain scientific names have "ex" connecting two authors' names, the first author proposed the name but did not publish it; later another person published the same name and usually cited the first author. Recommendation 46C (Stafleu et al. 1972) allows optional omission of the name of the proposing author. In the present checklist, both authors' names are given for the sake of completeness, except Oryzopsis miliacea (see appendix). However, users of this checklist may wish to omit the proposing author's name and thus shorten and simplify the scientific name, e.g., Bouteloua gracilis (Willd. ex H.B.K.) Lag. ex Griffiths becomes Bouteloua gracilis (H.B.K.) Griffiths.

## SYMBOLS AND ABBREVIATIONS

=	precedes correct name but does not necessarily imply nomenclatural equality
( )	encloses species names in part I to denote synonyms
auct.	author(s)
auct. non L.	in the sense of other authors besides Linnaeus
Br.	British
commun.	oral or written communication (see appendix)
cv.	cultivar
f.	forma
in part	in part I indicates common names used for more than one species; following scientific names, indicates that original description applied only partly to the taxon
incl.	including
[NC]	scientific name is controversial
nom. ambig.	ambiguous or confused name
sens. auct.	in the sense of various authors
sens. lat.	in the broad sense
spp.	species (plural)
subsp.	subspecies (singular)
syn.	synonym
[TN]	see Taxonomic and Nomenclatural Notes (appendix)
var.	variety
X	hybrid or hybrid binomial

## PART I. SCIENTIFIC AND COMMON NAMES

*Abelmoschus* (Malvaceae) [TN]  
*esculentus* (L.) Moench--okra  
*manihot* (L.) Medik.  
*moschatus* Medik.--ambrette

*Aberia* (Flacourtiaceae)  
*(gardneri* Clos) = *Dovyalis hebecarpa*

*Abies* (Pinaceae) [TN]  
*alba* Mill.--silver fir  
*balsamea* (L.) Mill.--balsam fir  
*concolor* (Gord. & Glend.) Lindl. ex Hildebr.--white fir  
*grandis* (Dougl. ex D. Don) Lindl.--grand fir, lowland white f.  
*lasiocarpa* (Hook.) Nutt.--subalpine fir, alpine f.  
*magnifica* A. Murr.--California red fir  
*procera* Rehd.--noble fir

*Abrus* (Fabaceae)  
*precatorius* L.--precatory bean, jequirity b., rosary pea, crab's-eyes

*Abutilon* (Malvaceae)  
*(avicennae* Gaertn.) = *A. theophrasti*

*Abutilon* (continued)  
*theophrasti* Medik.--velvetleaf, China jute, butterprint

*Acacia* (Fabaceae) [TN]  
albida Del.--apple-ring acacia  
(arabica (Lam.) Willd.) = *A. nilotica*  
auriculiformis A. Cunn. ex Benth.  
baileyana F. v. Muell.--Cootamundra wattle  
berlandieri Benth.--guajillo  
catechu (L. f.) Willd.--black cutch, catechu  
dealbata Link--silver wattle  
decurrans (Wendl.) Willd.--green wattle--[TN]  
(decurrans (Wendl.) Willd. var. *mollis* Lindl.) = *A. mearnsii*  
farnesiana (L.) Willd.--huisache, sweet acacia, cassie  
greggii A. Gray--catclaw acacia, catclaw  
mearnsii De Wild.--black wattle--[TN]  
melanoxyylon R. Br.--blackwood  
*nilotica* (L.) Del.--babul--[TN]  
pycnantha Benth.--golden wattle  
rehmanniana Schinz  
senegal (L.) Willd.--gum arabic (in part), Senegal gum, kher  
seyal Del.--shittim-wood  
(verek Guill. & Perr.) = *A. senegal*

*Acalypha* (Euphorbiaceae)  
hispida Burm. f.--chenille copperleaf  
rhomboidea Raf.--rhombic copperleaf  
virginica L.--Virginia copperleaf  
wilkesiana Muell.-Arg.--painted copperleaf

*Acer* (Aceraceae)  
circinatum Pursh--vine maple  
macrophyllum Pursh--bigleaf maple  
negundo L.--boxelder, box-elder, ash-leaved maple  
nigrum Michx. f.--black maple  
pensylvanicum L.--striped maple  
platanoides L.--Norway maple  
pseudo-platanus L.--sycamore maple  
rubrum L.--red maple  
saccharinum L.--silver maple, soft m., white m.  
saccharum Marsh.--sugar maple, rock m., hard m.  
spicatum Lam.--mountain maple

*Achillea* (Asteraceae)  
*ageratifolia* (Sibth. & Sm.) Boiss.--[TN]  
*millefolium* L.--yarrow

*Achras* (Sapotaceae)  
(*Achras lucuma* Blanco) = *Pouteria sapota*  
(*Achras mammosa* L.) = *Pouteria sapota*  
(*Achras zapota* L.) = *Manilkara zapota*  
(*Achras zapotilla* (Jacq.) Nutt.) = *Manilkara zapota*

*Acioa* (Chrysobalanaceae)  
*barteri* Engler

*Aconitum* (Ranunculaceae)  
(*lycoctonum* auct.) = *A. vulparia*  
*napellus* L.--aconite, monkshood, friar's-cap  
*vulparia* Reichenb.--wolfsbane--[TN]

*Acorus* (Araceae)  
*calamus* L.--sweetflag, calamus, flagroot

*Acroceras* (Poaceae)  
*macrum* Stapf--Nile grass

*Acrocomia* (Arecaceae)  
*totai* Mart.--gru-gru palm, totai p.  
*vinifera* Oerst.

*Actinidia* (Actinidiaceae)  
*chinensis* Planch.--Chinese-gooseberry, kiwi

*Adansonia* (Bombacaceae)  
*digitata* L.--baobab, monkey-bread

*Adenocarpus* (Fabaceae)  
*decorticans* Boiss.--flatpod

*Adenostoma* (Rosaceae)  
*fasciculatum* Hook. & Arn.--chamise

*Adhatoda* (Acanthaceae)  
(*vasica* Nees) = *Justicia adhatoda* L.

*Aechmea* (Bromeliaceae)  
*chantinii* (Carr.) Baker  
*orlandiana* L. B. Sm.

*Aegilops* (Poaceae)  
*cylindrica* Host--jointed goatgrass  
*triuncialis* L.--barb goatgrass

*Aegle* (Rutaceae)  
*marmelos* (L.) Corr.--Indian bael, bael tree

*Aegopodium* (Apiaceae)  
*podagraria* L.--bishop's goutweed, goutweed

*Aerva* (Amaranthaceae)  
*lanata* (L.) Juss.

*Aeschynomene* (Fabaceae)  
*americana* L.--joint-vetch

*Aeschynomene* (continued)

(*bispinosa* Jacq.) = *Sesbania bispinosa*  
*elaphroxylon* (Guill. & Perr.) Taub.--ambatch

*Aesculus* (Hippocastanaceae)

*californica* (Spach) Nutt.--California buckeye  
*glabra* Willd.--Ohio buckeye  
*hippocastanum* L.--horsechestnut  
*octandra* Marsh.--yellow buckeye  
*pavia* L.--red buckeye  
*turbinata* Bl.--Japanese horsechestnut

*Aframomum* (Zingiberaceae) [TN]

(*granum-paradisi* K. Schum.) = *A. sceptrum*  
*melegueta* K. Schum.--Melegueta-pepper  
*sceptrum* (Oliv. & Hanb.) K. Schum.--grains-of-paradise, baboon-spice

*Afzelia* (Fabaceae)

*africana* Sm. ex Pers.  
*bella* Harms

*Agapanthus* (Amaryllidaceae)

*africanus* (L.) Hoffmagg.--lily-of-the-Nile

*Agathis* (Araucariaceae)

*dammara* (Lamb.) L. C. Rich.

*Agathosma* (Rutaceae) [TN]

*betulina* (Berg.) Pillans--buchu  
*crenulata* (L.) Pillans--buchu

*Agave* (Agavaceae) [TN]

*americana* L.--century-plant  
*atrovirens* Karw. ex Salm-Dyck--maguey  
*cantala* Roxb.--cantala  
*fourcroydes* Lem.--henequen  
(*heteracantha* Zucc.) = *A. xylonacantha*  
*lecheguilla* Torr.--lechuguilla, tula istle, Tampico fiber  
*sisalana* Perr.--sisal  
*xylonacantha* Salm-Dyck

*Ageratum* (Asteraceae)

*houstonianum* Mill.--ageratum  
(*mexicanum* Sims) = *A. houstonianum*

*Aglaonema* (Araceae)

*modestum* Schott ex Engl.--Chinese evergreen

*Agropyron* (Poaceae) [TN]

*cristatum* (L.) Gaertn.--fairway crested wheatgrass  
*dasystachyum* (Hook.) Scribn.--thickspike wheatgrass  
*desertorum* (Fisch. ex Link) Schult.--standard crested wheatgrass

*elongatum* (Host) Beauv.--tall wheatgrass  
(*inerme* (Scribn. & Sm.) Rydb.) = *A. spicatum* f. *inerme*  
*intermedium* (Host) Beauv. var. *intermedium*--intermediate wheatgrass  
*intermedium* var. *trichophorum* (Link) Halac.--pubescent wheatgrass  
*repens* (L.) Beauv.--quackgrass, couchgrass, couch (Br.), twitch (Br.)  
*riparium* Scribn. & Sm.--streambank wheatgrass  
*sibiricum* (Willd.) Beauv.--Siberian wheatgrass  
*smithii* Rydb.--western wheatgrass  
*spicatum* (Pursh) Scribn. & Sm.--bluebunch wheatgrass  
*spicatum* f. *inerme* (Scribn. & Sm.) Beetle--beardless wheatgrass  
*trachycaulum* (Link) Malte ex H. F. Lewis--slender wheatgrass  
(*trichophorum* (Link) Richt.) = *A. intermedium* var. *trichophorum*

**Agrostemma (Caryophyllaceae)**

*githago* L.--corn cockle

**Agrostis (Poaceae)**

(*alba* sens. Amer. auct.) = *A. gigantea*  
*canina* L.--velvet bentgrass  
*gigantea* Roth--redtop--[TN]  
(*nigra* With.) = *A. gigantea*  
(*palustris* Huds.) = *A. stolonifera* var. *palustris*  
*scabra* Willd.--rough bentgrass  
(*semiverticillata* (Forsk.) C. Chr.) = *Polypogon semiverticillatus*  
(*spica-venti* L.) = *Apera spica-venti*  
*stolonifera* L.--(sens. lat. incl.) var. *palustris* (Huds.) Farw.--  
creeping bentgrass  
(*stolonifera* var. *major* (Gaud.) Farw.) = *A. gigantea*  
*tenuis* Sibth.--colonial bentgrass, browntop, Rhode Island bentgrass

**Ailanthus (Simaroubaceae)**

*altissima* (Mill.) Swingle--tree-of-heaven, ailanthus

**Albizia (Fabaceae) [TN]**

*carbonaria* Britt.  
*chinensis* (Osb.) Merr.  
(*falcata* (L.) Backer) = *A. falcataria*  
*falcataria* (L.) Fosb.--[TN]  
*ferruginea* (Guill. & Perr.) Benth.  
*julibrissin* Durazz.--silktree *albizia*, silktree, mimosa  
*lebbeck* (L.) Benth.--lebbeck  
*odoratissima* (L. f.) Benth.  
*procera* (Roxb.) Benth.  
(*stipulata* (Roxb.) Boiv.) = *A. chinensis*  
*zygia* (DC.) Macbr.

(*Albizzia*) = *Albizia*

**Alcea (Malvaceae)**

*rosea* L.--hollyhock

*Alchemilla* (Rosaceae)  
*orbiculata* Ruiz & Pavon

*Aleurites* (Euphorbiaceae)  
*fordii* Hemsl.--tung-oil-tree  
*moluccana* (L.) Willd.--candlenut, candleberry  
*montana* (Lour.) Wils.--mu-oil-tree  
(*triloba* J. R. & G. Forst.) = *A. moluccana*  
*trisperma* Blanco--Philippine tung

*Alhagi* (Fabaceae) [TN]  
(*camelorum* Fisch.) = *A. pseudalhagi*  
*pseudalhagi* (Bieb.) Desv.--camelthorn

*Alkanna* (Boraginaceae)  
*tinctoria* (L.) Tausch--alkanna

*Allamanda* (Apocynaceae)  
*cathartica* L.--allamanda

*Allanblackia* (Clusiaceae)  
*floribunda* Oliv.

*Alliaria* (Brassicaceae)  
(*officinalis* Andr. ex Bieb.) = *A. petiolata*  
*petiolata* (Bieb.) Cavara & Grande--garlic mustard--[TN]

*Allium* (Amaryllidaceae) [TN]  
*ampeloprasum* L.--(sens. lat. incl.) leek, elephant garlic,  
great-headed g., kurrat  
(*ampeloprasum* var. *porrum* (L.) Regel) = *A. ampeloprasum*  
(*ascalonicum* L.) = *A. cepa*  
*bakeri* Regel  
*canadense* L.--wild onion  
*cepa* L.--(sens. lat. incl.) onion, shallot, potato o.,  
multiplier o., top o., tree o., Egyptian o.  
(*cepa* var. *aggregatum* G. Don) = *A. cepa*  
(*cepa* var. *proliferum* (Moench) Aschers.) = *A. cepa*  
(*cepa* var. *solaninum* Alef.) = *A. cepa*  
(*cepa* var. *viviparum* (Metz.) Alef.) = *A. cepa*  
*cepa* X *A. fistulosum*--Beltsville bunching onion  
*chinense* G. Don--rakkyo  
*fistulosum* L.--Welsh onion, Japanese bunching o.  
(*porrum* L.) = *A. ampeloprasum*  
*sativum* L.--garlic  
*schoenoprasum* L.--chives  
(*sibiricum* L.) = *A. schoenoprasum*  
*tricoccum* Ait.--wild leek, ramp  
*tuberosum* Rottl. ex Spreng.--Chinese chives, oriental garlic  
*vineale* L.--wild garlic, field g.

*Alnus* (Betulaceae) [TN]

*glutinosa* (L.) Gaertn.--European alder  
*incana* (L.) Moench--white alder  
*rubra* Bong.--red alder  
*rugosa* (DuRoi) Spreng.--speckled alder  
*serrulata* (Ait.) Willd.--hazel alder  
*sinuata* (Regel) Rydb.--Sitka alder

*Alocasia* (Araceae)

(*alba* Schott) = *A. macrorrhiza* (L.) G. Don  
(*crassifolia* Engler) = *A. macrorrhiza* (L.) G. Don  
*macrorrhiza* (L.) G. Don--giant taro, giant alocasia--[TN]  
(*macrorrhiza* (L.) Schott) = *A. macrorrhiza* (L.) G. Don

*Aloe* (Liliaceae) [TN]

*arborescens* Mill.--candelabra aloe  
*barbadensis* Mill.--Barbados aloe, Mediterranean a., true a.--[NC], [TN]  
*ferox* Mill.--Cape aloe  
*perryi* Baker  
(*vera* (L.) Webb) = *A. barbadensis*  
(*vulgaris* Lam.) = *A. barbadensis*

*Alopecurus* (Poaceae)

*arundinaceus* Poir.--creeping foxtail  
*geniculatus* L.--water foxtail  
*pratensis* L.--meadow foxtail

*Aloysia* (Verbenaceae)

*lycioides* Cham.--whitebrush  
*triphylla* (L'Hér.) Britt.--lemon verbena

*Alpinia* (Zingiberaceae)

*galanga* (L.) Willd.--greater galanga  
*officinarum* Hance--lesser galanga

*Alternanthera* (Amaranthaceae)

(*amoena* (Lem.) Voss) = *A. ficoidea*  
*brasiliana* (L.) Ktze.  
*ficoidea* (L.) R. Br. ex Roem. & Schult.  
*hasslerana* Chod. ex Chod. & Hassl.  
*philoxeroides* (Mart.) Griseb.--alligatorweed  
*sessilis* (L.) R. Br. ex DC.

*Althaea* (Malvaceae)

*officinalis* L.--marsh-mallow  
(*rosea* (L.) Cav.) = *Alcea rosea*

*Alysicarpus* (Fabaceae)

*vaginalis* (L.) DC.--alyceclover, oneleaf-clover

*Alyssum* (Brassicaceae)

(*maritimum* (L.) Lam.) = *Lobularia maritima*  
(*saxatile* L.) = *Aurinia saxatilis*

*Amaranthus* (Amaranthaceae) [TN]  
albus L.--tumble pigweed, tumbleweed  
blitoides S. Wats.--prostrate pigweed  
caudatus L.--love-lies-bleeding, Inca-wheat  
cruentus L.  
deflexus L.  
dubius Mart. ex Thell.  
(edulis Speg.) = *A. caudatus*  
(gangeticus L.) = *A. tricolor*  
graecizans L.  
hybridus L.--smooth pigweed  
hypochondriacus L.--princess-feather  
(leucocarpus S. Wats.) = *A. hypochondriacus*  
lividus L.--livid amaranth, wild blite  
palmeri S. Wats.--careless-weed, Palmer amaranth  
(paniculatus L.) = *A. cruentus*  
retroflexus L.--redroot pigweed, rough p.  
spinosus L.--spiny amaranth  
tricolor L.--Chinese amaranth, tampala  
viridis L.--slender amaranth

*Ambrosia* (Asteraceae) [TN]  
artemisiifolia L.--common ragweed  
grayi (A. Nels.) Shinners--woollyleaf bursage  
peruviana Willd.  
psilostachya DC.--western ragweed  
tomentosa Nutt.--skeletonleaf bursage  
trifida L.--giant ragweed, buffaloweed

*Amelanchier* (Rosaceae)  
alnifolia (Nutt.) Nutt.--Saskatoon serviceberry  
arborea (Michx. f.) Fern.--downy serviceberry  
laevis Wieg.--Allegheny serviceberry

*Amherstia* (Fabaceae)  
nobilis Wall.--pride-of-Burma

*Ammi* (Apiaceae)  
(copticum L.) = *Trachyspermum ammi*  
majus L.--greater ammi  
visnaga (L.) Lam.--toothpick ammi, khella

*Ammocallis* (Apocynaceae)  
(rosea (L.) Small) = *Catharanthus roseus*

*Ammophila* (Poaceae)  
arenaria (L.) Link--European beachgrass, marram grass (Br.)  
breviligulata Fern.--American beachgrass

*Amomum* (Zingiberaceae)  
compactum Soland. ex Maton--round cardamom  
(kepulaga Sprague & Burk.) = *A. compactum*

*Amorphophallus* (Araceae)  
*campanulatus* (Roxb.) Bl. ex Decne.--whitespot giant arum  
*rivieri* Dur.--devil's-tongue

*Amygdalus* (Rosaceae)  
(*communis* L.) = *Prunus dulcis*  
(*dulcis* Mill.) = *Prunus dulcis*

*Amyris* (Rutaceae)  
*balsamifera* L.--balsam amyris  
*elemifera* L.--sea amyris

*Anacardium* (Anacardiaceae)  
*occidentale* L.--cashew

*Anacharis* (Hydrocharitaceae)  
(*canadensis* (Michx.) Planch.) = *Elodea canadensis*  
(*densa* (Planch.) Marie-Vict.) = *Egeria densa*

*Anagallis* (Primulaceae)  
*arvensis* L.--scarlet pimpernel

*Ananas* (Bromeliaceae)  
*comosus* (L.) Merr.--pineapple

*Anaphalis* (Asteraceae)  
*margaritacea* (L.) Benth. & Hook. f.--pearly everlasting

*Andropogon* (Poaceae) [TN]  
(*annulatus* Forsk.) = *Dichanthium annulatum*  
(*barbinodis* Lag.) = *Bothriochloa barbinodis*  
*bicornis* L.--West Indian foxtailgrass, ridging grass  
(*caucasicus* Trin.) = *Bothriochloa caucasica*  
(*citratus* DC.) = *Cymbopogon citratus*  
(*flexuosus* Nees ex Steud.) = *Cymbopogon flexuosus*  
(*furcatus* Muhl.) = *A. gerardii*  
*gayanus* Kunth  
*gerardii* Vitt.--big bluestem  
*hallii* Hack.--sand bluestem  
(*intermedius* R. Br.) = *Bothriochloa intermedia*  
(*ischaemum* L.) = *Bothriochloa ischaemum*  
(*martinii* Roxb.) = *Cymbopogon martinii*  
(*nardus* L.) = *Cymbopogon nardus*  
(*nodosus* (Willem.) Nash) = *Dichanthium aristatum*  
(*pertusus* (L.) Willd.) = *Bothriochloa pertusa*  
*rhizomatus* Swallen  
(*saccharoides* Sw.) = *Bothriochloa saccharoides*  
(*scoparius* Michx.) = *Schizachyrium scoparium*  
(*sericeus* R. Br.) = *Dichanthium sericeum*  
*virginicus* L.--broomsedge

Anemone (Ranunculaceae)  
hupehensis var. japonica (Thunb.) Bowles & Stearn--Japanese anemone  
nemorosa L.--European wood anemone

Anethum (Apiaceae)  
graveolens L.--dill

Angelica (Apiaceae)  
archangelica L.--garden angelica

Annona (Annonaceae)  
cherimola Mill.--cherimoya  
diversifolia Saff.--ilama  
glabra L.--pond-apple  
montana Macfad.--mountain soursop  
muricata L.--soursop  
reticulata L.--custard-apple, bullock's-heart, corazon  
senegalensis Pers.--wild custard-apple  
squamosa L.--sugar-apple, sweetsop

Anoda (Malvaceae)  
cristata (L.) Schlecht.--spurred anoda

Anogeissus (Combretaceae)  
latifolia (Roxb. ex DC.) Wall. ex Bedd.--gum ghatti

Antelaea (Meliaceae)  
(azadirachta (L.) Adelbert) = Azadirachta indica

Anthemis (Asteraceae)  
arvensis L.--corn chamomile  
cotula L.--mayweed, dogfennel, stinking m., mayweed chamomile  
(nobilis L.) = Chamaemelum nobile  
tinctoria L.--yellow chamomile

Anthoxanthum (Poaceae)  
odoratum L.--sweet vernalgrass

Anthriscus (Apiaceae)  
cerefolium (L.) Hoffm.--chervil  
(longirostris Bertol.) = A. cerefolium

Anthyllis (Fabaceae)  
vulneraria L.--kidney-vetch

Antidesma (Euphorbiaceae)  
bunius (L.) Spreng.--bignay, Chinese laurel, salamander-tree

Antirrhinum (Scrophulariaceae)  
majus L.--snapdragon

Apera (Poaceae)

*spica-venti* (L.) Beauv.--windgrass, loose silky bent (Br.)

*Aphelandra* (Acanthaceae)  
*squarrosa* Nees--zebra-plant

*Apios* (Fabaceae)  
*americana* Medik.--American potatobean

*Apium* (Apiaceae)  
(*dulce* Mill.) = *A. graveolens* var. *dulce*  
*graveolens* L. var. *dulce* (Mill.) Pers.--celery  
*graveolens* var. *rapaceum* (Mill.) Gaudich.--celeriac, turnip-rooted  
celery, knob c., celery-root  
*leptophyllum* (Pers.) F. v. Muell. ex Benth.--wild celery, slender c.  
(*petroselinum* L.) = *Petroselinum crispum*  
(*rapaceum* Mill.) = *A. graveolens* var. *rapaceum*

*Apocynum* (Apocynaceae)  
*androsaemifolium* L.--spreading dogbane  
*cannabinum* L.--hemp dogbane, Indian hemp

*Aquilegia* (Ranunculaceae)  
*vulgaris* L.--European columbine

*Arabidopsis* (Brassicaceae)  
*thaliana* (L.) Heynh.--mouse-ear cress

*Arachis* (Fabaceae)  
*hypogaea* L.--peanut, groundnut, goober, mani

*Aralia* (Araliaceae)  
*cordata* Thunb.--udo, spikenard, oudo  
(*edulis* Sieb. & Zucc.) = *A. cordata*  
*spinosa* L.--devil's-walkingstick, Hercules-club

*Araucaria* (Araucariaceae)  
*angustifolia* (Bertol.) Ktze.--Parana-pine  
*araucana* (Mol.) K. Koch--monkey-puzzle-tree  
*bidwillii* Hook.--bunya-bunya  
*cunninghamii* D. Don--Moreton Bay-pine

*Araujia* (Asclepiadaceae)  
*sericofera* Brot.--bladder-flower

*Arbutus* (Ericaceae)  
*menziesii* Pursh--Pacific madrone

*Archangelica* (Apiaceae)  
(*officinalis* Hoffm.) = *Angelica archangelica*

*Arctium* (Asteraceae) [TN]  
*lappa* L.--great burdock, edible b.

*Arctium* (continued)  
minus Bernh.--common burdock, lesser b.

*Arctostaphylos* (Ericaceae)  
*uva-ursi* (L.) Spreng.--bearberry

*Areca* (Arecaceae) [TN]  
catechu L.--betel-nut, betel palm, areca-nut  
(cathecu L.) = *A. catechu*

*Arecastrum* (Arecaceae)  
*romanzoffianum* (Cham.) Becc.--queen palm

*Arenaria* (Caryophyllaceae)  
*serpyllifolia* L.--thymeleaf sandwort

*Arenga* (Arecaceae)  
*pinnata* (Wurmb) Merr.--sugar palm  
(*saccharifera* Labill.) = *A. pinnata*

*Argemone* (Papaveraceae)  
*mexicana* L.--Mexican pricklepoppy, Mexican prickly-poppy

*Argyreia* (Convolvulaceae) [TN]  
*nervosa* (Burm. f.) Boj.--elephant-climber  
(*speciosa* (L. f.) Sweet) = *A. nervosa*

*Aristoclesia* (Clusiaceae)  
(*esculenta* (Arr. Cam.) Stuntz) = *Platonia esculenta*

*Armoracia* (Brassicaceae)  
(*lapathifolia* Gilib. ex Usteri) = *A. rusticana*  
*rusticana* Gaertn., Mey. & Scherb.--horseradish--[TN]

*Arnica* (Asteraceae)  
*montana* L.--arnica, European a.

*Arracacia* (Apiaceae)  
(*esculenta* DC.) = *A. xanthorrhiza*  
*xanthorrhiza* Bancroft--arracacha, Peruvian-carrot

*Arrhenatherum* (Poaceae)  
*elatius* (L.) Beauv. ex J. & C. Presl--tall oatgrass--[TN]  
(*elatius* Mert. & Koch) = *A. elatius* (L.) Beauv. ex J. & C. Presl

*Artemisia* (Asteraceae)  
*abrotanum* L.--southernwood, southern wormwood  
*absinthium* L.--wormwood, absinthe w., *absinthium*, absinthe  
*annua* L.--annual wormwood  
*arbuscula* Nutt.--low sagebrush  
*californica* Less.--California sagebrush  
*cana* Pursh--silver sagebrush

cina Berg & Schmidt--santonica  
douglasiana Bess.  
dracunculus L.--tarragon  
frigida Willd.--fringed sagebrush  
ludoviciana Nutt.--Louisiana wormwood, western mugwort  
maritima L.--sea wormwood  
tridentata Nutt.--big sagebrush  
vulgaris L.--mugwort

Arthropodium (Araliaceae)  
(pinnatum (Lam.) C. B. Clarke) = Polyscias rumphiana

Artocarpus (Moraceae) [TN]  
altilis (Parkins.) Fosb.--breadfruit  
(champeden (Lour.) Spreng.) = A. integer  
(champeden (Lour.) Stokes) = A. integer  
(communis J. R. Forst.) = A. altilis  
elasticus Reinw. ex Bl.  
heterophyllus Lam.--jackfruit, jack  
hirsutus Lam.  
integer (Thunb.) Merr.--chempedak  
(integrifolius auct. non L. f.) = A. heterophyllus  
(integrifolius L. f.) = A. integer  
mariannensis Trecul  
rigidus Bl.--monkey jack  
tamaran Becc.

Arum (Araceae)  
(esculentum L.) = Colocasia esculenta

Arundinaria (Poaceae) [TN]  
amabilis McClure--Tonkin cane, Tonkin bamboo  
gigantea (Walt.) Muhl. subsp. gigantea--giant cane  
gigantea subsp. tecta (Walt.) McClure--switch cane  
(longifolia Fourn.) = Bambusa longifolia  
simonii (Carr.) A. & C. Riv.--Simon bamboo  
(tecta (Walt.) Muhl.) = A. gigantea subsp. tecta

Arundo (Poaceae)  
donax L.--giant reed

Asclepias (Asclepiadaceae)  
curassavica L.--bloodflower milkweed, false ipecac  
subulata Decne.--desert milkweed  
syriaca L.--common milkweed  
verticillata L.--eastern whorled milkweed

Asimina (Annonaceae)  
triloba (L.) Dunal--pawpaw

Asparagus (Liliaceae)  
africanus Lam.  
densiflorus (Kunth) Jessop--[TN]

*Asparagus* (continued)  
    *officinalis* L.--garden asparagus  
    (*sprengeri* Regel) = *A. densiflorus* cv. *Sprengerii*

*Asperula* (Rubiaceae)  
    (*odorata* L.) = *Galium odoratum*

*Asphodelus* (Liliaceae)  
    *albus* Mill.  
    (*sphaerocarpus* Gren. & Godr.) = *A. albus*

*Aster* (Asteraceae)  
    *ericoides* L.--heath aster

*Astragalus* (Fabaceae)  
    *cicer* L.--cicer milkvetch  
    *edulis* Dur. ex Bunge  
    *gummifer* Labill.--gum tragacanth (in part)  
    *mollissimus* Torr.--woolly loco

*Atriplex* (Chenopodiaceae)  
    *canescens* (Pursh) Nutt.--fourwing saltbush, chamisa  
    *confertifolia* (Torr. & Frem.) S. Wats.--shadscale  
    *halimus* L.  
    (*hastata* L.) = *A. patula* subsp. *hastata*  
    *hortensis* L.--garden orach, orach, orache  
    *nummularia* Lindl.--old man saltbush  
    *patula* L. subsp. *hastata* (L.) Hall & Clem.--halberdleaf orach--[TN]  
    *patula* subsp. *patula*--spreading orach  
    (*patula* var. *hastata* (L.) A. Gray) = *A. patula* subsp. *hastata*

*Atropa* (Solanaceae)  
    *bella-donna* L.--belladonna, deadly nightshade

*Attalea* (Arecaceae)  
    (*cohune* Mart.) = *Orbignya cohune*  
    *funifera* Mart. ex Spreng.--Bahia piassaba palm

*Aucuba* (Cornaceae)  
    *japonica* Thunb.--Japanese aucuba

*Aurinia* (Brassicaceae)  
    *saxatilis* (L.) Desv.--basket-of-gold

*Avena* (Poaceae)  
    *abyssinica* Hochst. ex A. Rich.--Abyssinian oat  
    (*barbata* Brot.) = *A. barbata* Pott ex Link  
    *barbata* Pott ex Link--slender oat  
    *byzantina* K. Koch--red oat, Mediterranean o., Algerian o.  
    (*elatior* L.) = *Arrhenatherum elatius*  
    *fatua* L.--wild oat  
    *nuda* L.--naked oat

*sativa* L.--oat, oats, common o.  
*sterilis* L.--animated oat  
*strigosa* Schreb.--bristle oat, sand o., small o.

*Averrhoa* (Oxalidaceae)  
bilimbi L.--bilimbi  
carambola L.--carambola, starfruit

*Avicennia* (Avicenniaceae)  
africana Beauv.  
germinans (L.) L.--black mangrove  
(nitida Jacq.) = *A. germinans*

*Axonopus* (Poaceae)  
affinis Chase--carpetgrass  
compressus (Sw.) Beauv.--tropical carpetgrass  
purpusii (Mez) Chase  
scoparius (Fluegge) Hitchc.

*Axyris* (Chenopodiaceae)  
amaranthoides L.--Russian pigweed

*Azadirachta* (Meliaceae)  
indica A. Juss.--neem, margosa

*Azolla* (Salviniaceae)  
caroliniana Willd.--azolla, waterfern

*Baccaurea* (Euphorbiaceae)  
motleyana (Muell.-Arg.) Muell.-Arg.--rambai  
racemosa (Bl.) Muell.-Arg.--menteng, kapundung  
ramiflora Lour.  
(sapida (Roxb.) Muell.-Arg.) = *B. ramiflora*

*Bacopa* (Scrophulariaceae)  
monnierii (L.) Pennell

*Bactris* (Arecaceae)  
gasipaes H.B.K.--peach palm

*Baeckea* (Myrtaceae)  
frutescens L.

*Baillonella* (Sapotaceae)  
toxisperma Pierre

*Balanites* (Zygophyllaceae)  
aegyptiaca (L.) Del.--desert-date

*Balsamita* (Asteraceae)  
(major Desf.) = *Chrysanthemum balsamita*

Bambusa (Poaceae)  
  beecheiana Munro  
  longifolia (Fourn.) McClure  
  longispiculata Gamble ex Brandis  
  multiplex (Lour.) Raeusch.--hedge bamboo  
  polymorpha Munro  
  textilis McClure  
  tulda Roxb.  
  tuldoides Munro--puntingpole bamboo  
  vulgaris Schrad. ex Wendl.

Banisteriopsis (Malpighiaceae)  
  caapi (Spruce ex Griseb.) Morton--ayahuasca, caapi, yajé  
  inebrians Morton--caapi  
  quitensis (Niedz.) Morton

Baphia (Fabaceae)  
  nitida Lodd.--camwood, barwood

Barbara (Brassicaceae)  
  (praecox (Sm.) R. Br.) = B. verna  
  verna (Mill.) Aschers.--early wintercress  
  vulgaris R. Br.--yellow rocket, wintercress, upland cress

Barleria (Acanthaceae)  
  opaca (Vahl) Nees--kwahu

Barosma (Rutaceae)  
  (betulina (Berg.) Bartl. & Wendl. f.) = Agathosma betulina  
  (crenulata (L.) Hook.) = Agathosma crenulata  
  (serratifolia (Curt.) Willd.) = Agathosma crenulata

Basella (Basellaceae)  
  alba L.--Malabar-spinach, vine-spinach  
  (rubra L.) = B. alba

Bassia (Sapotaceae)  
  (butyracea Roxb.) = Madhuca butyracea  
  (latifolia Roxb.) = Madhuca indica  
  (longifolia L.) = Madhuca longifolia

Bauhinia (Fabaceae)  
  esculenta Burchell--camel's-foot, gemsbok bean  
  (fassoglensis Schweinf.) = Tylosema fassoglensis  
  purpurea L.--purple bauhinia

Beaumontia (Apocynaceae)  
  grandiflora (Roxb.) Wall.--herald's-trumpet

Beckmannia (Poaceae)  
  syzigachne (Steud.) Fern.--sloughgrass

Bellis (Asteraceae)

*perennis* L.--English daisy

**Benincasa** (Cucurbitaceae)  
(*cerifera* Savi) = *B. hispida*  
*hispida* (Thunb.) Cogn.--waxgourd

**Berberis** (Berberidaceae)  
*canadensis* Mill.--American barberry  
*thunbergii* DC.--Japanese barberry  
*vulgaris* L.--European barberry

**Berteroia** (Brassicaceae)  
*incana* (L.) DC.--hoary alyssum

**Bertholletia** (Lecythidaceae)  
*excelsa* Humb. & Bonpl.--brazilnut, Brazil-nut

**Beta** (Chenopodiaceae) [TN]  
*vulgaris* L.--(sens. lat. incl.) (1) Beet Group: beet, garden b.,  
beetroot (Br.); sugar beet; mangel, mangold; (2) Cicla Group:  
chard, Swiss c.  
(*vulgaris* var. *cicla* L.) = *B. vulgaris* (Cicla Group)

**Betula** (Betulaceae)  
*alleghaniensis* Britt.--yellow birch  
*lenta* L.--sweet birch, black b.  
(*lutea* Michx. f.) = *B. alleghaniensis*  
*papyrifera* Marsh.--paper birch  
*pendula* Roth--European white birch  
*pubescens* Ehrh.

**Bidens** (Asteraceae)  
*bipinnata* L.--Spanish needles, beggarticks  
*cernua* L.--nodding beggarticks  
*comosa* (A. Gray) Wieg.--leafybract beggarticks  
*connata* Muhl.--purplestem beggarticks  
*frondosa* L.--devils beggarticks  
*pilosa* L.--hairy beggarticks  
*polylepis* Blake--coreopsis beggarticks  
*vulgata* Greene--tall beggarticks

**Bixa** (Bixaceae)  
*orellana* L.--annatto

**Blighia** (Sapindaceae)  
*sapida* Koen.--akee

**Blumea** (Asteraceae)  
*balsamifera* (L.) DC.--Nagi camphor  
*lacera* (Burm. f.) DC.

*Boehmeria* (Urticaceae)  
*nivea* (L.) Gaudich.--ramie

*Boerhavia* (Nyctaginaceae)  
*diffusa* L.

*Bombax* (Bombacaceae)  
*ceiba* L.--red silk-cotton  
(*malabaricum* DC.) = *Salmalia malabarica*  
(*pentandrum* L.) = *Ceiba pentandra*

*Borago* (Boraginaceae)  
*officinalis* L.--borage

*Borassus* (Arecaceae)  
*aethiopum* Mart.  
*flabellifer* L.--Palmyra palm, African fan p.

*Boronia* (Rutaceae)  
*megastigma* Nees ex Bartl.--sweet boronia

*Boscia* (Capparaceae)  
*senegalensis* (Pers.) Lam. ex Poir.

*Boswellia* (Burseraceae)  
*carteri* Birdw.--frankincense

*Bothriochloa* (Poaceae) [TN]  
*barbinodis* (Lag.) Herter--cane bluestem  
*caucasica* (Trin.) C. E. Hubb.--Caucasian bluestem  
*decipiens* (Hack.) C. E. Hubb.  
*insculpta* (Hochst.) A. Camus--sweet-pitted grass  
*intermedia* (R. Br.) A. Camus  
*ischaemum* (L.) Keng var. *ischaemum*--yellow bluestem  
*ischaemum* var. *songarica* (Rupr. ex Fisch. & Mey.) Celar. & Harlan--  
King Ranch bluestem  
*pertusa* (L.) A. Camus--comagueyana, hurricane grass, pitted bluestem  
*saccharoides* (Sw.) Rydb.--silver bluestem

*Bouchea* (Verbenaceae)  
*prismatica* (L.) Ktze.

*Bouteloua* (Poaceae)  
*curtipendula* (Michx.) Torr.--side-oats grama  
*eriopoda* (Torr.) Torr.--black grama  
*gracilis* (Willd. ex H.B.K.) Lag. ex Griffiths--blue grama--[TN]  
*hirsuta* Lag.--hairy grama

*Bouvardia* (Rubiaceae)  
*longiflora* (Cav.) H.B.K.

*Brachiaria* (Poaceae)  
*brizantha* (Hochst. ex A. Rich.) Stapf--palisade grass, signal g.

*decumbens* Stapf  
*deflexa* (Schumach.) C. E. Hubb. ex Robyns  
*mutica* (Forsk.) Stapf--paragrass, Para grass  
*ramosa* (L.) Stapf--browntop millet

*Brachypodium* (Poaceae)  
*pinnatum* (L.) Beauv.--chalk false brome (Br.), torgrass (Br.)  
*sylvaticum* (Huds.) Beauv.--slender false brome (Br.)

*Brasenia* (Nymphaeaceae)  
*schreberi* J. F. Gmel.--watershield

*Brassica* (Brassicaceae) [TN]  
(*alba* (L.) Rabenh.) = *Sinapis alba*  
(*alboglabra* L. H. Bailey) = *B. oleracea* (Alboglabra Group)  
(*arvensis* (L.) Rabenh.) = *Sinapis arvensis*  
(*campestris* L.) = *B. rapa*  
*carinata* A. Br.--Abyssinian mustard  
(*caulorapa* (DC.) Pasq.) = *B. oleracea* (Gongylodes Group)  
(*chinensis* L.) = *B. rapa* (Chinensis Group)  
(*hirta* Moench) = *Sinapis alba*  
*juncea* (L.) Czern. & Coss.--Indian mustard, mustard greens--[TN]  
(*kaber* (DC.) Wheeler) = *Sinapis arvensis*  
(*napobrassica* (L.) Mill.) = *B. napus* (Napobrassica Group)  
*napus* L.--rape, colza  
    Napobrassica Group--rutabaga, swede  
    Pabularia Group--Siberian kale, Hanover-salad  
(*napus* var. *napobrassica* (L.) Reichenb.) = *B. napus* (Napobrassica Group)  
*narinosa* L. H. Bailey--broad-beaked mustard  
*nigra* (L.) Koch--black mustard  
*oleracea* L.--wild cabbage  
    Acephala Group--collards, borecole, kale  
    Alboglabra Group--Chinese kale  
    Botrytis Group--broccoli, cauliflower  
    Capitata Group--cabbage, savoy c.  
    Gemmifera Group--brussels-sprouts  
    Gongylodes Group--kohlrabi  
    Italica Group--sprouting broccoli, asparagus b.  
    Tronchuda Group--tronchuda kale, tronchuda cabbage  
(*oleracea* var. *acephala* DC.) = *B. oleracea* (Acephala Group)  
(*oleracea* var. *botrytis* L.) = *B. oleracea* (Botrytis Group)  
(*oleracea* var. *capitata* L.) = *B. oleracea* (Capitata Group)  
(*oleracea* var. *gemmifera* DC.) = *B. oleracea* (Gemmifera Group)  
(*oleracea* var. *gongylodes* L.) = *B. oleracea* (Gongylodes Group)  
(*oleracea* var. *italica* Plenck) = *B. oleracea* (Italica Group)  
*parachinensis* L. H. Bailey--false pak-choi  
(*pekinensis* (Lour.) Rupr.) = *B. rapa* (Pekinensis Group)  
(*perviridis* (L. H. Bailey) L. H. Bailey) = *B. rapa* (Perviridis Group)  
*rapa* L.  
    Chinensis Group--pak-choi  
    Pekinensis Group--pe-tsai, Chinese cabbage  
    Perviridis Group--spinach mustard  
    Rapifera Group--turnip

*Brassica* (continued)

Ruvo Group--ruvo kale

(septiceps (L. H. Bailey) L. H. Bailey) = *B. rapa* (Rapifera Group)

*Briza* (Poaceae)

humilis Bieb.

maxima L.--big quaking grass

media L.--perennial quaking grass

minor L.--little quaking grass

(spicata Sibth. & Sm.) = *B. humilis*

*Bromelia* (Bromeliaceae)

(comosa L.) = *Ananas comosus*

*Bromus* (Poaceae)

arenarius Labill.--Australian chess, sand brome

arvensis L.--field brome

biebersteinii Roem. & Schult.

(briziformis Fisch. & Mey.) = *B. briziformis*

briziformis Fisch. & Mey.--rattlesnake chess, rattlesnake brome

carinatus Hook. & Arn.--California brome

(catharticus Vahl) = *B. unioloides*

commutatus Schrad.--hairy chess

erectus Huds.--meadow brome, upright b. (Br.)

(haenkeanus (Presl) Kunth) = *B. unioloides*

inermis Leyss.--smooth brome

japonicus Thunb. ex Murr.--Japanese brome, Japanese chess

madritensis L.--Spanish brome, compact b., Madrid b.

marginatus Nees ex Steud.--mountain brome

mollis L.--soft chess, soft brome

racemosus L.

rigidus Roth--ripgut brome, ripgut grass

rubens L.--red brome, foxtail chess, foxtail b.

secalinus L.--cheat, cheatgrass, chess, rye brome (Br.)

sterilis L.--poverty brome, barren b., sterile b.

tectorum L.--downy brome, downy chess, cheatgrass, drooping b. (Br.)

unioloides H.B.K.--rescue grass--[TN]

(willdenowii Kunth) = *B. unioloides*

*Brosimum* (Moraceae) [TN]

alicastrum Sw. subsp. alicastrum--ramon, breadnut

alicastrum subsp. bolivarensis (Pitt.) C. C. Berg

(aubletii Poepp. & Endl.) = *B. guianense*

guianense (Aubl.) Huber

(uleanum Mildbr.) = *B. alicastrum* subsp. *bolivarensis*

utile (H.B.K.) Pitt.--cow-tree

*Broussonetia* (Moraceae)

papyrifera (L.) Vent.--paper-mulberry

*Browallia* (Solanaceae)

speciosa Hook.

*Brugmansia* (Solanaceae) [TN]  
  *arborea* (L.) Lagerheim  
  *candida* Pers.  
  *sanguinea* (Ruiz & Pavon) D. Don  
  *suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl

*Brunnichia* (Polygonaceae)  
  *cirrhosa* Gaertn.--redvine, buckwheat-vine

*Brya* (Fabaceae)  
  *ebenus* (L.) DC.--coccus wood, American ebony, West Indian e.

*Buchanania* (Anacardiaceae)  
  *latifolia* Roxb.--chirauli-nut

*Buchloë* (Poaceae)  
  *dactyloides* (Nutt.) Engelm.--buffalograss

*Bulnesia* (Zygophyllaceae)  
  *sarmienti* Lorentz ex Griseb.--balsamo

*Bumelia* (Sapotaceae)  
  *lanuginosa* (Michx.) Pers.--gum bumelia

*Bursera* (Burseraceae)  
  *simaruba* (L.) Sarg.--gumbo-limbo

*Butea* (Fabaceae)  
  *monosperma* (Lam.) Taub.--Bengal kino

*Butyrospermum* (Sapotaceae) [TN]  
  *paradoxum* (Gaertn. f.) Hepper subsp. *parkii* (G. Don) Hepper--  
    shea-butter, butterseed  
  (*parkii* (G. Don) Kotschy) = *B. paradoxum* subsp. *parkii*

*Buxus* (Buxaceae)  
  *microphylla* Sieb. & Zucc.--littleleaf boxwood  
  *sempervirens* L.--common boxwood, Turkish b.

*Byrsinima* (Malpighiaceae)  
  *coccolobifolia* H.B.K.  
  *crassifolia* (L.) H.B.K.  
  *lucida* (Mill.) DC.--plumberry, locustberry  
  *spicata* (Cav.) DC.

*Cabomba* (Nymphaeaceae)  
  *caroliniana* A. Gray--fanwort, cabomba

*Cacabus* (Solanaceae)  
  *prostratus* Bernh.

Cacao (Sterculiaceae)  
(*bicolor* (Humb. & Bonpl.) Poir.) = *Theobroma bicolor*

Cadaba (Capparaceae)  
*farinosa* Forsk.

Caesalpinia (Fabaceae)  
bonduc (L.) Roxb.--yellow nickers, gray nickerbean  
coriaria (Jacq.) Willd.--divi-divi  
echinata Lam.--brazilwood  
pulcherrima (L.) Sw.--pride-of-Barbados, paradise-flower  
sappan L.--sappanwood  
spinosa (Mol.) Ktze.--tara

Cajanus (Fabaceae)  
cajan (L.) Huth--pigeon pea--[TN]  
(*cajan* (L.) Millsp.) = *C. cajan* (L.) Huth  
(*indicus* Spreng.) = *C. cajan* (L.) Huth

Cakile (Brassicaceae)  
*edentula* (Bigel.) Hook. subsp. *edentula*--American sea-rocket

Caladium (Araceae)  
*bicolor* (Ait.) Vent.

Calamovilfa (Poaceae)  
*longifolia* (Hook.) Scribn.--prairie sandreed

Calamus (Arecaceae)  
deérratus Mann & Wendl.  
rotang L.--rattan

Calathea (Marantaceae)  
*allouia* (Aubl.) Lindl.--leren, sweet corm-root, allouya  
*lutea* (Aubl.) G. F. W. Mey.--cauassu, cachibou

Calendula (Asteraceae)  
*officinalis* L.--pot-marigold

Calliandra (Fabaceae)  
*cumingii* Benth.  
*haematocephala* Hassk.  
*surinamensis* Benth.

Callicarpa (Verbenaceae)  
*americana* L.--American beautyberry, French-mulberry

Callistemon (Myrtaceae)  
*citrinus* (Curt.) Stapf--crimson bottlebrush  
*rigidus* R. Br.

Callistephus (Asteraceae)

- chinensis* (L.) Nees--China-aster
- Calluna* (Ericaceae)  
*vulgaris* (L.) Hull--heather
- Calocarpum* (Sapotaceae)  
(*mammosum* Pierre) = *Pouteria sapota*  
(*sapota* (Jacq.) Merr.) = *Pouteria sapota*  
(*viride* Pitt.) = *Pouteria viridis*
- Calocedrus* (Cupressaceae) [TN]  
*decurrans* (Torr.) Florin--incense-cedar
- Caloncoba* (Flacourtiaceae)  
*echinata* (Oliv.) Gilg
- Calonyction* (Convolvulaceae)  
(*aculeatum* (L.) House) = *Ipomoea alba*
- Calophyllum* (Clusiaceae)  
(*antillanum* Britt.) = *C. brasiliense*  
*brasiliense* Camb.--maria  
*inophyllum* L.--Indian laurel, laurelwood, tamanu, ati
- Calopogonium* (Fabaceae)  
*mucunoides* Desv.
- Caltha* (Ranunculaceae)  
*palustris* L.--marsh-marigold
- Calycophyllum* (Rubiaceae)  
*candidissimum* (Vahl) DC.--degame, dagame
- Camassia* (Liliaceae)  
*quamash* (Pursh) Greene--common camas
- Camelina* (Brassicaceae)  
*microcarpa* Andr. ex DC.--smallseed falseflax  
*sativa* (L.) Crantz--largeseed falseflax
- Camellia* (Theaceae)  
*japonica* L.--common camellia  
*sasanqua* Thunb.--sasanqua camellia  
*sinensis* (L.) Ktze.--tea  
*sinensis* var. *assamica* (Mast.) Kitamura--Assam tea  
(*thea* Link) = *C. sinensis*  
(*theifera* Griff.) = *C. sinensis*
- Campanula* (Campanulaceae)  
*rapunculus* L.--rampion

*Campsis* (Bignoniaceae)  
*radicans* (L.) Seem. ex Bur.--trumpet-creeper, trumpet-vine--[TN]

*Camptotheca* (Nyssaceae)  
*acuminata* Decne.

*Cananga* (Annonaceae)  
*odorata* (Lam.) Hook. f. & Thoms.--ylang-ylang

*Canarium* (Burseraceae)  
*indicum* L.--Java-almond, kanari  
*schweinfurthii* Engler  
*strictum* Roxb.--black damar

*Canavalia* (Fabaceae) [TN]  
*ensiformis* (L.) DC.--jackbean, horsebean, swordbean  
*gladiata* (Jacq.) DC.--swordbean  
*maritima* (Aubl.) Thou.  
*plagiosperma* Piper--oblique-seed jackbean  
(*rosea* (Sw.) DC.) = *C. maritima*  
*virosa* (Roxb.) Wight & Arn.

*Canella* (Canellaceae)  
(*alba* Murr.) = *C. winterana*  
*winterana* (L.) Gaertn.--canella

*Canna* (Cannaceae)  
*edulis* Ker--Queensland arrowroot, edible canna, gruya

*Cannabis* (Moraceae)  
*sativa* L.--marijuana, marihuana, hemp

*Caperonia* (Euphorbiaceae)  
*castaneifolia* (L.) St. Hil.  
*palustris* (L.) St. Hil.

*Capparis* (Capparaceae)  
*corymbosa* Lam.  
(*rupestris* Sibth. & Sm.) = *C. spinosa*  
*spinosa* L.--caper

*Capsella* (Brassicaceae)  
*bursa-pastoris* (L.) Medik.--shepherd's-purse, shepherdspurse

*Capsicum* (Solanaceae) [TN]  
*annuum* L. var. *annuum*--bell pepper, green p., mango p., paprika p.,  
chili p.  
*annuum* var. *glabriusculum* (Dunal) Heiser & Pickersgill--chilipiquin,  
bird pepper  
*baccatum* L. var. *pendulum* (Willd.) Eshbaugh--aji  
*chinense* Jacq.--aji  
*frutescens* L.--tabasco pepper, bird p., chili p.

(pendulum Willd.) = *C. baccatum* var. *pendulum*  
*pubescens* Ruiz & Pavon--rocoto

*Carapa* (Meliaceae)  
*guianensis* Aubl.--crabwood

*Cardaria* (Brassicaceae)  
*draba* (L.) Desv.--hoary cress

*Carduus* (Compositae)  
*acanthoides* L.--plumeless thistle  
*nutans* L.--musk thistle

*Carica* (Caricaceae)  
*papaya* L.--papaya  
*pubescens* Lenné & K. Koch--mountain papaya

*Carissa* (Apocynaceae) [TN]  
*carandas* L.--karanda  
*edulis* Vahl--Egyptian carissa  
(*grandiflora* (E. Mey.) A. DC.) = *C. macrocarpa*  
*macrocarpa* (Eckl.) A. DC.--Natal-plum

*Carludovica* (Cyclanthaceae)  
*palmata* Ruiz & Pavon--Panama hat palm

*Carnegiea* (Cactaceae)  
(*gigantea* (Engelm.) Britt. & Rose) = *Cereus giganteus* Engelm.

*Carpinus* (Betulaceae)  
*betulus* L.--European hornbeam  
*caroliniana* Walt.--American hornbeam, blue beech

*Carthamus* (Asteraceae)  
*tinctorius* L.--safflower

*Carum* (Apiaceae)  
*carvi* L.--caraway  
(*copticum* (L.) Benth. & Hook. f. ex C. B. Clarke) = *Trachyspermum ammi*  
(*petroselinum* Benth. & Hook. f.) = *Petroselinum crispum*  
(*velenovskyi* Rohl.) = *C. carvi*

*Carya* (Juglandaceae)  
(*alba* (L.) K. Koch) = *C. tomentosa*  
*cordiformis* (Wangenh.) K. Koch--bitternut hickory, pignut  
*glabra* (Mill.) Sweet--pignut hickory  
*illinoensis* (Wangenh.) K. Koch--pecan--[TN]  
(*illinoiensis* (Wangenh.) K. Koch) = *C. illinoensis*  
*laciniosa* (Michx. f.) Loud.--shellbark hickory  
*myristiciformis* (Michx. f.) Nutt.--nutmeg hickory  
(*oliviformis* (Michx.) Nutt.) = *C. illinoensis*  
*ovata* (Mill.) K. Koch--shagbark hickory

*Carya* (continued)

(pecan (Marsh.) Engl. & Graebn.) = *C. illinoensis*  
*texana* Buckl.--black hickory  
*tomentosa* (Poir.) Nutt.--mockernut hickory

*Caryocar* (Caryocaraceae) [TN]

*amygdaliferum* Mutis--achotillo  
*brasiliense* Camb.--pequi  
*nuciferum* L.--souari-nut

*Caryophyllus* (Myrtaceae)

(*aromaticus* L.) = *Syzygium aromaticum*

*Caryota* (Arecaceae)

*urens* L.--fishtail palm

*Casimiroa* (Rutaceae)

*edulis* Llave & Lex.--white sapote, Mexican-apple

*Cassia* (Fabaceae) [TN]

(*acutifolia* Del.) = *C. senna*  
*alata* L.--ringworm-bush  
(*angustifolia* Vahl) = *C. senna*  
*auriculata* L.--avaram  
*fasciculata* Michx.--partridge pea  
*fistula* L.--Indian-laburnum, purging cassia, golden-shower  
*floribunda* Cav.  
*grandis* L. f.  
(*laevigata* Willd.) = *C. floribunda*  
(*marginata* Roxb.) = *C. roxburghii*  
*mimosoides* L.  
*obtusifolia* L.--sicklepod  
*occidentalis* L.--coffee senna, negro-coffee  
(*robusta* (Pollard) Heller) = *C. fasciculata*  
*roxburghii* DC.  
*senna* L.--Alexandrian senna  
*siamea* Lam.--Siamese senna  
*sturtii* R. Br.  
*tora* L.--sickle senna

*Cassytha* (Lauraceae)

*filiformis* L.

*Castanea* (Fagaceae)

(*americana* (Michx.) Raf.) = *C. dentata*  
(*bungeana* Bl.) = *C. mollissima*  
*crenata* Sieb. & Zucc.--Japanese chestnut  
*dentata* (Marsh.) Borkh.--American chestnut  
(*formosana* (Hayata) Hayata) = *C. mollissima*  
(*japonica* Bl.) = *C. crenata*  
*mollissima* Bl.--Chinese chestnut  
(*pubinervis* (Hassk.) Schneid.) = *C. crenata*

*pumila* (L.) Mill.--Allegheny chinkapin (chinquapin)  
*sativa* Mill.--European chestnut  
(*stricta* Sieb. & Zucc.) = *C. crenata*  
(*vesca* Gaertn.) = *C. sativa*  
(*vulgaris* Lam.) = *C. sativa*

Castanopsis (Fagaceae)  
*chrysophylla* (Dougl.) A. DC.--golden chinkapin (chinquapin)  
*sempervirens* (Kell.) Dudl.--Sierra chinkapin (chinquapin), bush c.,  
California c.

Castilla (Moraceae) [TN]  
*elastica* Sessé subsp. *elastica*--castilloa rubber  
*elastica* subsp. *costaricana* (Liebm.) C. C. Berg  
(*panamensis* O. F. Cook) = *C. elastica* subsp. *costaricana*  
*ulei* Warb.--caucho rubber

Casuarina (Casuarinaceae)  
*equisetifolia* J. R. & G. Forst.--beefwood-tree, Australian-pine

Catalpa (Bignoniaceae) [TN]  
*bignonioides* Walt.--southern catalpa, Indian bean c.  
*speciosa* (Warder ex Barney) Warder ex Engelm.--northern catalpa,  
catawba-tree, western c.

Catha (Celastraceae) [TN]  
*edulis* (Vahl) Forsk. ex Endl.--khat

Catharanthus (Apocynaceae)  
*roseus* (L.) G. Don--Madagascar periwinkle, bright-eyes

Cecropia (Urticaceae)  
*peltata* L.--trumpet-tree

Cedrela (Meliaceae)  
*odorata* L.--Spanish-cedar, West Indian-cedar, cigar-box-cedar, cedro

Ceiba (Bombacaceae)  
*acuminata* (S. Wats.) Rose  
*aesculifolia* (H.B.K.) Britten & Baker--pochote  
*pentandra* (L.) Gaertn.--kapok, silk-cotton-tree, ceiba

Celastrus (Celastraceae)  
(*edulis* Vahl) = Catha edulis

Celosia (Amaranthaceae) [TN]  
*argentea* L.  
*cristata* L.--cockscomb

Celtis (Ulmaceae)  
*occidentalis* L.--hackberry  
*pallida* Torr.--granjeno, desert hackberry

*Celtis* (continued)  
*reticulata* Torr.--netleaf hackberry

*Cenchrus* (Poaceae) [TN]  
*biflorus* Roxb.  
*brownii* Roem. & Schult.  
*ciliaris* L.--buffelgrass  
*echinatus* L.--southern sandbur, hedgehog grass  
*incertus* M. A. Curtis--field sandbur, burgrass  
*longispinus* (Hack.) Fern.--longspine sandbur  
(*pauciflorus* Benth.) = *C. incertus*  
*setigerus* Vahl  
*tribuloides* L.--dune sandbur

*Centaurea* (Asteraceae)  
*cyanus* L.--cornflower  
*diffusa* Lam.--diffuse knapweed  
*jacea* L.--brown knapweed  
*maculosa* Lam.--spotted knapweed  
*nigra* L.--black knapweed  
*repens* L.--Russian knapweed  
*solstitialis* L.--yellow starthistle

*Centaurium* (Gentianaceae)  
*erythraea* Rafn--centaury  
(minus auct.) = *C. erythraea*

*Centella* (Apiaceae)  
*asiatica* (L.) Urb.--Asiatic pennywort

*Centrosema* (Fabaceae)  
*plumieri* (Turp. ex Pers.) Benth.  
*pubescens* Benth.

*Cephaelis* (Rubiaceae)  
*ipecacuanha* (Brot.) A. Rich.--ipecac

*Cephalanthus* (Rubiaceae)  
*occidentalis* L.--buttonbush

*Cephalonema* (Tiliaceae)  
(*polyandrum* K. Schum. ex Sprague) = *Clappertonia polyandra*

*Cerastium* (Caryophyllaceae)  
*arvense* L.--field chickweed  
*vulgatum* L.--mouse-ear chickweed

*Cerasus* (Rosaceae)  
(*laurocerasus* (L.) Loisel.) = *Prunus laurocerasus*

*Ceratonia* (Fabaceae)  
*siliqua* L.--carob, St. John's-bread

- Ceratophyllum* (Ceratophyllaceae)  
*demersum* L.--coontail
- Ceratotheca* (Pedaliaceae)  
*sesamoides* Endl.--false sesame, bungu
- Cercis* (Fabaceae)  
*canadensis* L.--eastern redbud
- Cereus* (Cactaceae)  
*giganteus* Engelm.--saguaro
- Ceroxylon* (Arecaceae)  
*alpinum* Bonpl. ex DC.--wax palm  
(*andicola* Humb. & Bonpl.) = *C. alpinum*
- Cestrum* (Solanaceae)  
*nocturnum* L.--night jessamine
- Chaenorrhinum* (Scrophulariaceae)  
*minus* (L.) Lange--dwarf snapdragon
- Chaerophyllum* (Apiaceae)  
*bulbosum* L.--turnip-rooted chervil
- Chamaebatia* (Rosaceae)  
*foliolosa* Benth.--bearmat
- Chamaebatiaria* (Rosaceae)  
*millefolium* (Torr.) Maxim.--fernbrush
- Chamaecyparis* (Cupressaceae)  
*lawsoniana* (A. Murr.) Parl.--Port-Orford-cedar  
*nootkatensis* (D. Don) Spach--Alaska-cedar  
*obtusa* (Sieb. & Zucc.) Sieb. & Zucc. ex Endl.--Hinoki false cypress  
*thyoides* (L.) B.S.P.--Atlantic white-cedar, southern white-cedar
- Chamaedorea* (Arecaceae)  
*elegans* Mart.--parlor palm
- Chamaemelum* (Asteraceae)  
*nobile* (L.) All.--chamomile, garden c., Roman c.
- Chamaerops* (Arecaceae)  
*humilis* L.--European fan palm
- Chasmanthium* (Poaceae) [TN]  
*latifolium* (Michx.) Yates
- Cheiranthus* (Brassicaceae)  
*cheiri* L.--wallflower

*Chelidonium* (Papaveraceae)  
*majus* L.--greater celandine

*Chenopodium* (Chenopodiaceae)

- album L.--lambsquarters, lamb's-quarters
- amaranticolor Coste & Reyn.
- ambrosioides L.--Mexican tea, wormseed
- bonus-henricus L.--perennial goosefoot, Good-King-Henry
- botrys L.--Jerusalem-oak goosefoot
- giganteum D. Don
- murale L.--nettleleaf goosefoot  
(nuttalliae Safford) = *C. quinoa*
- pallidicaule Aellen
- polyspermum L.--many-seeded goosefoot
- quinoa Willd.--quinoa
- rubrum L.--red goosefoot

*Chloris* (Poaceae) [TN]

- gayana Kunth--rhodesgrass, Rhodes grass
- radiata (L.) Sw.--radiate fingergrass
- verticillata Nutt.--windmill grass, tumble windmill g.
- virgata Sw.--feather fingergrass

*Chlorogalum* (Liliaceae)

- pomeridianum (DC.) Kunth--soap-plant, amole

*Chlorophora* (Moraceae) [TN]

- excelsa (Welw.) Benth.--African teak
- tinctoria (L.) Gaudich. ex Benth. & Hook. f.--fustic-mulberry

*Chondrodendron* (Menispermaceae)

- tomentosum Ruiz & Pavon--pareira

*Chrozophora* (Euphorbiaceae)

- tinctoria (L.) A. Juss.--giradol

*Chrysalidocarpus* (Arecaceae)

- lutescens (Bory) Wendl.--Madagascar palm

*Chrysanthemum* (Asteraceae)

- balsamita L.--costmary
- carinatum Schousb.--chopsuy greens, shungiku
- cinerariifolium (Trevir.) Vis.--pyrethrum
- coccineum Willd.--Persian insect-flower
- coronarium L.
- indicum L.
- leucanthemum L.--oxeye daisy
- morifolium Ramat.--florist's chrysanthemum  
(roseum Adam) = *C. coccineum*
- spatiosum Bailey
- (vulgare (L.) Bernh.) = *Tanacetum vulgare*

*Chrysobalanus* (Chrysobalanaceae)

icaco L.--cocoplum, icaco

Chrysophyllum (Sapotaceae)

(africanum A. DC.) = C. delevoyi

cainito L.--star-apple

delevoyi De Wild.--African star-apple

Chrysothamnus (Asteraceae)

nauseosus (Pall.) Britt.--rubber rabbitbrush

viscidiflorus (Hook.) Nutt.--Douglas rabbitbrush

Cicer (Fabaceae)

arietinum L.--chickpea, garbanzo

(lens Willd.) = Lens culinaris

Cichorium (Asteraceae)

endivia L.--endive

intybus L.--chicory

Cicuta (Apiaceae)

maculata L.--spotted waterhemlock

Cinchona (Rubiaceae)

calisaya Wedd.--quinine

officinalis L.--quinine

pubescens Vahl--quinine

(succirubra Pav. ex Kl.) = C. pubescens

Cinnamomum (Lauraceae) [TN]

aromaticum Nees--cassia

burmannii (Nees) Bl.--padang-cassia

camphora (L.) J. S. Presl--camphor-tree

(cassia Nees ex Bl.) = C. aromaticum

tamala (Buch.-Ham.) Nees & Oberm.--Indian-bark

verum J. S. Presl--cinnamon

(zeylanicum Garc. ex Bl.) = C. verum

Cirsium (Asteraceae)

arvense (L.) Scop.--Canada thistle

vulgare (Savi) Ten.--bull thistle

Cissus (Vitaceae)

rhombifolia Vahl--grape ivy

Citrullus (Cucurbitaceae)

colocynthis (L.) Schrad.--colocynth

(lanatus (Thunb.) Mansf.) = C. lanatus (Thunb.) Matsum. & Nakai

lanatus (Thunb.) Matsum. & Nakai--watermelon--[TN]

lanatus var. citroides (Bailey) Mansf.--citron (melon), preserving  
melon, stock m.

(vulgaris Schrad.) = C. lanatus

(vulgaris var. citroides Bailey) = C. lanatus var. citroides

Citrus (Rutaceae) [TN]

aurantiifolia (Christm.) Swingle--lime  
aurantium L.--sour orange, Seville o.  
(aurantium var. sinensis L.) = C. sinensis  
grandis (L.) Osb.--pummelo, shaddock  
limon (L.) Burm. f.--lemon  
(limonum Risso) = C. limon  
medica L.--citron  
mitis Blanco  
(nobilis Andr.) = C. reticulata  
X nobilis Lour.--king orange  
paradisi Macfad.--grapefruit  
paradisi X C. reticulata--tangelo  
reticulata Blanco--tangerine, mandarin  
reticulata X C. sinensis--temple orange, tangors  
sinensis (L.) Osb.--sweet orange  
tachibana (Makino) Tanaka--tachibana orange  
(trifoliata L.) = Poncirus trifoliata  
(vulgaris Risso) = C. aurantium

Cladium (Cyperaceae)

jamaicense Crantz--sawgrass  
mariscoides (Muhl.) Torr.--smooth sawgrass

Clappertonia (Tiliaceae)

ficifolia (Willd.) Decne.--bole-bole  
polyandra (K. Schum.) Becherer

Clausena (Rutaceae)

dentata (Willd.) Roem.  
lansium (Lour.) Skeels--wampi

Claytonia (Portulacaceae) [TN]

perfoliata Donn ex Willd.--miner's-lettuce, winter purslane  
virginica L.--spring-beauty

Cleome (Capparaceae)

hasslerana Chod.--spiderflower  
spinosa Jacq.--spiny spiderflower  
viscosa L.--wild caia

Clidemia (Melastomataceae)

hirta (L.) D. Don--soapbush, curse

Clitoria (Fabaceae)

laurifolia Poir.  
ternatea L.--butterfly pea, Asian pigeon-wings

Cnicus (Asteraceae)

benedictus L.--blessed thistle

Cnidoscolus (Euphorbiaceae)

*aconitifolius* (Mill.) I. M. Johnst.--chaya, copapayo  
*chayamansa* McVaugh--chaya  
*stimulosus* (Michx.) Engelm. & A. Gray--bullnettle  
*texanus* (Muell.-Arg.) Small--Texas bullnettle  
*urens* (L.) Arthur

*Coccinia* (Cucurbitaceae) [TN]  
*grandis* (L.) Voigt--ivy gourd  
(*indica* Wight & Arn.) = *C. grandis*

*Coccoloba* (Polygonaceae)  
*uvifera* (L.) L.--seagrape

*Coccothrinax* (Arecaceae)  
*argentata* (Jacq.) Bailey--Florida silver palm

*Cochlearia* (Brassicaceae)  
(*armoracia* L.) = *Armoracia rusticana*

*Cocos* (Arecaceae)  
(*coronata* Mart.) = *Syagrus coronata*  
*nucifera* L.--coconut

*Codiaeum* (Euphorbiaceae)  
*variegatum* (L.) Bl.--garden croton

*Coelococcus* (Arecaceae)  
(*amicarum* (Wendl.) W. F. Wight) = *Metroxylon amicarum*

*Coffea* (Rubiaceae) [TN]  
*arabica* L.--coffee  
*bengalensis* Roxb. ex Heyne & Willd.--Bengal coffee  
*canephora* Pierre ex Froehner--robusta coffee  
*congensis* Froehner--Congo coffee  
(*dewevrei* De Wild. & Dur.) = *C. liberica*  
(*excelsa* A. Chev.) = *C. liberica*  
*liberica* Bull ex Hiern--liberica coffee  
(*robusta* Linden ex De Wild.) = *C. canephora*  
*stenophylla* G. Don

*Coix* (Poaceae)  
*lacryma-jobi* L.--Job's-tears, adlay, adlay millet

*Cola* (Sterculiaceae) [TN]  
*acuminata* (Beauv.) Schott & Endl.  
*anomala* K. Schum.  
*nitida* (Vent.) Schott & Endl.  
*pachycarpa* K. Schum.  
*verticillata* (Thonn.) Stapf ex A. Chev.

*Colchicum* (Liliaceae)  
*autumnale* L.--autumn crocus, meadow saffron

*Coleus* (Lamiaceae)  
    *amboinicus* Lour.--Indian borage  
    *barbatus* (Andrews) Benth.  
    *blumei* Benth.--coleus  
    (*dysentericus* Baker) = *Solenostemon rotundifolius*  
    (*esculentus* (N. E. Br.) Taylor) = *Plectranthus esculentus*  
    *parviflorus* Benth.--ratala, country-potato--[TN]  
    (*rotundifolius* (Poir.) A. Chev. & E. Perrot) = *Solenostemon rotundifolius*  
    (*tuberosus* (Bl.) Benth.) = *C. parviflorus*

*Colocasia* (Araceae)  
    (*antiquorum* Schott) = *C. esculenta*  
    *esculenta* (L.) Schott--taro, dasheen, eddoe

*Colocynthis* (Cucurbitaceae)  
    (*citrullus* (L.) Ktze.) = *Citrullus lanatus*  
    (*vulgaris* Schrad.) = *Citrullus colocynthis*

*Commelina* (Commelinaceae)  
    *benghalensis* L.  
    *coelestis* Willd.  
    *communis* L.--dayflower  
    *diffusa* Burm. f.  
    *tuberosa* L.  
    *virginica* L.

*Comptonia* (Myricaceae)  
    *peregrina* (L.) J. M. Coulter--sweetfern

*Conium* (Apiaceae)  
    *maculatum* L.--poison-hemlock

*Conocarpus* (Combretaceae)  
    *erectus* L.--button mangrove

*Conringia* (Brassicaceae)  
    *orientalis* (L.) Dumort.--hare's-ear mustard

*Consolida* (Ranunculaceae) [TN]  
    *ambigua* (L.) P. W. Ball & Heywood--larkspur  
    *orientalis* (Gay) Schrod.  
    *regalis* S. F. Gray

*Convallaria* (Liliaceae)  
    *majalis* L.--lily-of-the-valley

*Convolvulus* (Convolvulaceae)  
    *arvensis* L.--field bindweed  
    *scammonia* L.--scammony  
    *sepium* L.--hedge bindweed

*Conyza* (Asteraceae)

*canadensis* (L.) Cronq.--horseweed, hogweed, butterweed

*Copaifera* (Fabaceae)

*multijuga* Hayne

*officinalis* (Jacq.) L.--copaiba

*Copernicia* (Arecaceae)

*alba* Morong

(*australis* Becc.) = *C. alba*

(*cerifera* (Arr. Cam.) Mart.) = *C. prunifera*

*prunifera* (Mill.) H. E. Moore--carnauba wax palm

*Corchorus* (Tiliaceae)

*aestuans* L.

*capsularis* L.--white jute

*olitorius* L.--nalta jute, tussa j.

*orinocensis* H.B.K.

*tridens* L.

*trilocularis* L.

*Cordyline* (Agavaceae)

*terminalis* (L.) Kunth--ti

*Coreopsis* (Asteraceae)

*tinctoris* Nutt.--plains coreopsis

*Coriandrum* (Apiaceae)

*sativum* L.--coriander

*Cornus* (Cornaceae)

*canadensis* L.--bunchberry

*drummondii* C. A. Mey.--roughleaf dogwood

*florida* L.--flowering dogwood

*Coronilla* (Fabaceae)

*emerus* L.--scorpion-senna

*varia* L.--crownvetch, trailing c.

*Coronopus* (Brassicaceae)

*didymus* (L.) Sm.--swinecress

*Corozo* (Arecaceae)

(*oleifera* (H.B.K.) Bailey) = *Elaeis oleifera*

*Cortaderia* (Poaceae)

*selloana* (Schult.) Aschers. & Graebn.--pampasgrass

*Corylus* (Betulaceae)

*americana* Walt.--American hazel

*avellana* L.--European filbert

*chinensis* Franch.--Chinese hazel, Chinese filbert

*colurna* L.--Turkish hazel, Turkish filbert

*Corylus* (continued)

*cornuta* Marsh.--beaked hazel  
*cornuta* var. *californica* (A. DC.) Sharp--California hazel  
*ferox* Wall.--Himalayan hazel  
*heterophylla* Fisch. ex Besser--Siberian hazel  
*maxima* Mill.--giant filbert  
(*rostrata* Ait.) = *C. cornuta*  
*tibetica* Batal.--Tibetan hazel

*Cotinus* (Anacardiaceae)

*coggygria* Scop.--common smoke-tree

*Coumarouna* (Fabaceae)

(*odora* Aubl.) = *Dipteryx odorata*

*Couroupita* (Lecythidaceae)

*guianensis* Aubl.--cannonball-tree

*Crambe* (Brassicaceae)

*abyssinica* Hochst. ex R. E. Fries--crambe, colewort  
*hispanica* L.  
*maritima* L.--seakale

*Crassocephalum* (Asteraceae)

*rubens* (Juss. ex Jacq.) S. Moore

(*Crataeva*) = *Crateva*

*Crateva* (Capparaceae)

(*adansonii* Oliv.) = *C. religiosa*  
*religiosa* G. Forst.

*Crepis* (Asteraceae)

*tectorum* L.--narrowleaf hawksbeard

*Crescentia* (Bignoniaceae)

*alata* H.B.K.--morrito  
*cujete* L.--calabash

*Crocus* (Iridaceae)

*sativus* L.--saffron crocus

*Crotalaria* (Fabaceae) [TN]

*alata* D. Don  
*bialata* Schrank  
*brevidens* Benth. var. *brevidens*  
*brevidens* var. *intermedia* (Kotschy) Polhill  
*breviflora* DC.  
(*intermedia* Kotschy) = *C. brevidens* var. *intermedia*  
*juncea* L.--sunn hemp  
*lanceolata* E. Mey.--lanceleaf crotalaria  
(*mucronata* Desv.) = *C. pallida*

*mysorensis* Roth  
*pallida* Ait.--smooth crotalaria  
*paulina* Schrank  
*retusa* L.  
*spectabilis* Roth--showy crotalaria  
(*striata* DC.) = *C. pallida*  
(*usaramoënsis* Baker f.) = *C. zanzibarica*  
*vitellina* Ker  
*zanzibarica* Benth.

**Croton** (Euphorbiaceae)  
*capitatus* Michx.--woolly croton  
*eluteria* (L.) Sw.--cascarilla  
*tiglum* L.--purging croton

**Cryptotaenia** (Apiaceae)  
*canadensis* (L.) DC.--honewort  
*japonica* Hassk.

**Cucumeropsis** (Cucurbitaceae)  
(*edulis* (Hook. f.) Cogn.) = *C. mannii*  
*mannii* Naud.

**Cucumis** (Cucurbitaceae) [TN]  
*anguria* L.--West Indian gherkin  
(*c colocynthis* L.) = *Citrullus colocynthis*  
*dipsaceus* Ehrenb. ex Spach--hedgehog gourd, teasel g.  
*ficifolius* A. Rich.  
*melo* L.--(sens. lat. incl.) melons, muskmelon, cantaloupe, honeydew,  
casaba  
*metuliferus* E. Mey. ex Naud.--African horned cucumber  
*prophetarum* L.  
*sativus* L.--cucumber

**Cucurbita** (Cucurbitaceae) [TN]  
(*andreana* Naud.) = *C. maxima*  
*ficifolia* Bouché--figleaf gourd, Malabar g.  
*foetidissima* H.B.K.--buffalo gourd  
*maxima* Duch.--(incl.) pumpkins, squashes, marrows  
(*maxima* var. *turbaniformis* Alef.) = *C. maxima*  
*mixta* Pang.--(incl.) pumpkins, squashes  
*moschata* (Duch.) Duch. ex Poir.--(incl.) pumpkins, squashes  
*pepo* L.--(sens. lat. incl.) pumpkins, squashes, marrows  
(*siceraria* Mol.) = *Lagenaria siceraria*  
*texana* A. Gray--wild marrow, Texas gourd

**Cuminum** (Apiaceae)  
*cyminum* L.--cumin  
(*odorum* Salisb.) = *C. cyminum*

**Cupressus** (Cupressaceae)  
*sempervirens* L.--Italian cypress

*Curcuma* (Zingiberaceae)  
amada Roxb.--mango-ginger, amada  
angustifolia Roxb.  
domestica Val.--turmeric--[NC], [TN]  
(longa L.) = *C. domestica*  
zedoaria (Christm.) Roscoe--shoti, zedoary--[TN]

*Cuscuta* (Convolvulaceae)  
approximata Bab.--smallseed dodder  
campestris Yuncker--field dodder  
coryli Engelm.--hazel dodder  
epilinum Weihe--flax dodder  
epithymum (L.) L.--clover dodder  
gronovii Willd.--swamp dodder  
indecora Choisy--largeseed dodder

*Cyamopsis* (Fabaceae)  
(*psoraloides* DC.) = *C. tetragonoloba*  
*tetragonoloba* (L.) Taub.--guar, clusterbean

*Cycas* (Cycadaceae)  
*circinalis* L.--queen sago

*Cyclamen* (Primulaceae)  
*persicum* Mill.--florist's cyclamen

*Cyclanthera* (Cucurbitaceae)  
*pedata* (L.) Schrad.  
(*pedata* var. *edulis* (Naud.) Cogn.) = *C. pedata*

*Cydonia* (Rosaceae)  
*oblonga* Mill.--quince

*Cymbalaria* (Scrophulariaceae)  
*muralis* Gaertn., Mey. & Scherb.--Kenilworth ivy

*Cymbopogon* (Poaceae) [TN]  
*citratus* (DC.) Stapf--West Indian lemongrass  
*flexuosus* (Nees ex Steud.) W. Wats.--East Indian lemongrass  
*martinii* (Roxb.) W. Wats.--rosha grass, palmarosa  
*nardus* (L.) Rendle--citronella grass  
*schoenanthus* (L.) Spreng.--camel grass  
*winteranus* Jowitt

*Cynanchum* (Asclepiadaceae)  
*vincetoxicum* (L.) Pers.--white swallow-wort, swallow-wort

*Cynara* (Asteraceae)  
*cardunculus* L.--cardoon  
*scolymus* L.--globe artichoke, artichoke

*Cynodon* (Poaceae)

*dactylon* (L.) Pers.--bermudagrass, Bermuda grass, devilgrass  
*dactylon* var. *aridus* Harlan & deWet--giant bermudagrass--[TN]  
*nlemfuensis* Vanderyst  
*plectostachyus* (K. Schum.) Pilg.--stargrass  
*transvaalensis* Burtt Davy--African bermudagrass

*Cynoglossum* (Boraginaceae)  
    *amabile* Stapf & Drumm.--Chinese forget-me-not  
    *officinale* L.--hound's-tongue

*Cynosurus* (Poaceae)  
    *cristatus* L.--crested dogtail grass

*Cyperus* (Cyperaceae)  
    *alternifolius* L.--umbrella-plant  
    *brevifolius* (Rottb.) Hassk.--green kyllinga  
    *dentatus* Torr.  
    *diffusus* Vahl  
    *esculentus* L.--yellow nutsedge, chufa, tigernut  
    *ferax* L. C. Rich.  
    *papyrus* L.--papyrus  
    *rotundus* L.--purple nutsedge, nutsedge, nutgrass  
    *strigosus* L.--false nutsedge  
    *tenerrimus* Liebm.

*Cyphomandra* (Solanaceae)  
    *betacea* (Cav.) Sendt.--tree-tomato  
    *costaricensis* Donn. Sm.

*Cyrtosperma* (Araceae)  
    *chamissonis* (Schott) Merr.--swamp taro, gallan  
    (edule Schott) = *C. chamissonis*

*Cytisus* (Fabaceae)  
    *proliferus* L. f.--tree lucerne  
    *scoparius* (L.) Link--Scotch broom

*Dacrydium* (Podocarpaceae)  
    *cupressinum* Soland. ex Lamb.--New Zealand red-pine  
    *franklinii* Hook. f.--huon-pine

*Dacryodes* (Burseraceae)  
    *edulis* (G. Don) H. J. Lam--eben-tree

*Dactylis* (Poaceae)  
    *glomerata* L.--orchardgrass, cocksfoot

*Dactyloctenium* (Poaceae)  
    *aegyptium* (L.) Beauv.--crowfoot grass

*Dalbergia* (Fabaceae)  
    *cubilquitensis* (Donn. Sm.) Pitt.

Dalbergia (continued)

latifolia Roxb. ex DC.--Indian rosewood  
sissoo Roxb. ex DC.--sisu, sissoo, Indian rosewood

Daniellia (Fabaceae)

ogea (Harms) Rolfe ex Holland--gum copal-tree, Accra copal, Benin c.  
oliveri (Rolfe) Hutch. & Dalz.--African copaiba balsam-tree  
thurifera Bennett--Niger copal-tree, frankincense-tree, Sierra Leone  
frankincense

Danthonia (Poaceae)

spicata (L.) Beauv. ex Roem. & Schult.--poverty oatgrass, povertygrass

Daphne (Thymelaeaceae)

mezereum L.--mezereon, February daphne

Datisca (Datiscaceae)

cannabina L.--akalbir

Datura (Solanaceae) [TN]

(arborea L.) = Brugmansia arborea  
(candida (Pers.) Saff.) = Brugmansia candida  
discolor Bernh.  
ferox L.  
innoxia Mill.--[TN]  
kymatocarpa A. S. Barclay  
leichhardtii F. v. Muell ex Benth..  
metel L.--Hindu datura, metel  
pruinosa Greenm.  
quercifolia H.B.K.  
reburra A. S. Barclay  
(sanguinea Ruiz & Pavon) = Brugmansia sanguinea  
stramonium L.--jimson weed  
wrightii Regel

Daucus (Apiaceae) [TN]

carota L. subsp. carota--wild carrot, Queen Anne's-lace  
carota subsp. sativus (Hoffm.) Arcang.--carrot  
pusillus Michx.--rattlesnake-weed

Delonix (Fabaceae)

regia (Boj. ex Hook.) Raf.--royal poinciana, flamboyant-tree,  
flame-tree

Delphinium (Ranunculaceae)

(ajacis auct. non L.) = Consolida ambigua  
(consolida L.) = Consolida regalis  
(orientale Gay) = Consolida orientalis  
zalil Aitch. & Hemsl.--zalil

Dendrocalamus (Poaceae)

asper (Schult. f.) Backer ex Heyne

*latiflorus* Munro  
*strictus* (Roxb.) Nees--male bamboo

*Dennettia* (Annonaceae)  
*tripetala* Baker f.

*Derris* (Fabaceae)  
*elliptica* (Roxb.) Benth.--*derris*  
*ferruginea* (Roxb.) Benth.--*derris*  
*trifoliata* Lour.  
*(uliginosa* (Willd.) Benth.) = *D. trifoliata*

*Deschampsia* (Poaceae)  
*(caespitosa)* = *cespitoso*  
*cespitoso* (L.) Beauv.--tufted hairgrass--[TN]

*Descurainia* (Brassicaceae)  
*pinnata* (Walt.) Britt.--tansy mustard  
*sophia* (L.) Webb ex Prantl--flixweed

*Desmodium* (Fabaceae)  
*adscendens* (Sw.) DC.  
*canum* (J. F. Gmel.) Schinz & Thell.--kaimi-clover  
*intortum* (Mill.) Fawc. & Rendle--beggarlice, greenleaf desmodium  
*(ovalifolium* Guill. & Perr.) = *D. adscendens*  
*(purpureum* (Mill.) Fawc. & Rendle) = *D. tortuosum*  
*sericophyllum* Schlecht.  
*tortuosum* (Sw.) DC.--Florida beggarweed  
*triflorum* (L.) DC.--threeflower beggarweed  
*uncinatum* (Jacq.) DC.--Spanish tickclover

*Dialium* (Fabaceae)  
*guineense* Willd.

*Dianthus* (Caryophyllaceae)  
*armeria* L.--Deptford pink  
*barbatus* L.--sweet-william  
*caryophyllus* L.--carnation

*Dichanthium* (Poaceae)  
*annulatum* (Forsk.) Stapf--diaz bluestem  
*aristatum* (Poir.) C. E. Hubb.--angleton bluestem  
*(nodosum* Willem.) = *D. aristatum*  
*papillosum* (Hochst. ex A. Rich.) Stapf--medio bluestem  
*sericeum* (R. Br.) A. Camus--silky bluestem

*Dichondra* (Convolvulaceae) [TN]  
*micrantha* Urb.--dichondra

*Dictamnus* (Rutaceae)  
*albus* L.--gas-plant

*Dieffenbachia* (Araceae) [TN]  
maculata (Lodd.) G. Don -- spotted dumbcane  
(picta (Lodd.) Schott) = *D. maculata*  
seguine (Jacq.) Schott

*Diervilla* (Caprifoliaceae)  
*lonicera* Mill. -- bush honeysuckle

*Digitalis* (Scrophulariaceae)  
grandiflora Mill.  
lanata Ehrh. -- digitalis  
lutea L.  
purpurea L. -- foxglove

*Digitaria* (Poaceae)  
(adscendens (H.B.K.) Henr.) = *D. ciliaris*  
*ciliaris* (Retz.) Koel. -- [TN]  
decumbens Stent -- pangolagrass  
didactyla Willd.  
exilis (Kippist) Stapf -- fonio, hungry-rice  
iburua Stapf -- black fonio, hungry-rice  
ischaemum (Schreb.) Schreb. ex Muhl. -- smooth crabgrass  
macroglossa Henr.  
milanjiana (Rendle) Stapf  
pentzii Stent -- woolly fingergrass  
polevansii Stent  
sanguinalis (L.) Scop. -- large crabgrass, hairy c.  
setivalva Stent  
smutsii Stent  
valida Stent

*Dimocarpus* (Sapindaceae) [TN]  
longan Lour. -- longan

*Diodia* (Rubiaceae)  
teres Walt. -- buttonweed, poorjoe

*Dioscorea* (Dioscoreaceae) [TN]  
(aculeata L.) = *D. esculenta*  
alata L. -- greater yam, water y., winged y., ten months y.  
(batatas Decne.) = *D. oppositifolia*  
bulbifera L. -- potato yam, aerial y., bulbil-bearing y., airpotato  
cayenensis Lam. -- yellow guinea yam, yellow y., twelve months y.  
composita Hemsl.  
convolvulacea Cham. & Schlecht.  
dumetorum (Kunth) Pax -- bitter yam, cluster y.  
esculenta (Lour.) Burk. -- lesser yam, Asiatic y.  
floribunda Mart. & Gal.  
hispida Dennst. -- intoxicating yam, nami  
japonica Thunb.  
macrostachya Benth.  
nummularia Lam.

(*opposita* Thunb.) = *D. oppositifolia*  
*oppositifolia* L.--Chinese yam, cinnamon-vine--[TN]  
*pentaphylla* L.  
*polygonoides* Humb. & Bonpl. ex Willd.  
*praehensilis* Benth.--bush yam, forest y.  
*preussii* Pax  
*rotundata* Poir.--white yam, white Guinea y., Guinea y., eboe y.  
*spiculiflora* Hemsl.  
*trifida* L. f.--cush-cush yam, aja, yampi, mapuey

*Dioscoreophyllum* (Menispermaceae)  
*cumminsii* (Stapf) Diels--serendipity-berry

*Diospyros* (Ebenaceae)  
(*chinensis* Bl.) = *D. kaki*  
*digyna* Jacq.--black sapote--[TN]  
*discolor* Willd.  
(*ebenaster* Retz.) = *D. ebenum*  
*ebenum* Koenig ex Retz.--ebony  
*kaki* L. f.--Japanese persimmon, kaki p.  
Texas Scheele--texas persimmon, Mexican p., black p., chapote  
*virginiana* L.--common persimmon, American p.

*Dipsacus* (Dipsacaceae)  
*sylvestris* Huds.--teasel

*Dipteryx* (Fabaceae)  
*odorata* (Aubl.) Willd.--tonka bean  
*oppositifolia* (Aubl.) Willd.--tonka bean

*Dirca* (Thymelaeaceae)  
*palustris* L.--leatherwood

*Distichlis* (Poaceae)  
*spicata* (L.) Greene--seashore saltgrass, spike grass  
*stricta* (Torr.) Rydb.--desert saltgrass

*Dizygotheca* (Araliaceae)  
*elegantissima* (Veitch) Vig. & Guill.--threadleaf false aralia

*Dolichos* (Fabaceae)  
(*angularis* Willd.) = *Vigna angularis*  
(*biflorus* L.) = *Vigna unguiculata* subsp. *unguiculata*  
(*biflorus* auct. non L.) = *D. uniflorus*  
(*hosei* Craib) = *Vigna hosei*  
*lablab* L.--hyacinth bean, *lablab* b., bonavist b.--[NC], [TN]  
(*lobatus* Willd.) = *Pueraria lobata*  
(*soja* L.) = *Glycine max*  
(*stenocarpa* Hochst. ex A. Rich.) = *Sphenostylis stenocarpa*  
(*uniflorus* Lam.) = *Macrotyloma uniflorum*

Dorema (Apiaceae)  
ammoniacum D. Don -- ammoniakum

Dovyalis (Flacourtiaceae)  
abyssinica (A. Rich.) Warb. -- koshum  
caffra (Hook. f. & Harv.) Warb. -- kei-apple, umkokolo  
hebecarpa (Gardn.) Warb. -- ketembilla, Ceylon-gooseberry, quetembilla

Doxantha (Bignoniaceae)  
(unguis-cati (L.) Miers) = Macfadyena unguis-cati

Dracaena (Agavaceae)  
cinnabari Balf. f. -- Socotra dragon-tree  
draco L. -- dragon-tree  
marginata Lam.

Dracocephalum (Lamiaceae)  
parviflorum Nutt. -- dragonhead

Dracontomelon (Anacardiaceae)  
mangiferum Bl. -- Argus pheasant-tree

Drimys (Winteraceae)  
winteri J. R. & G. Forst. -- Winter's-bark

Drosera (Droseraceae)  
rotundifolia L. -- round-leaved sundew

Dryobalanops (Dipterocarpaceae)  
aromatica Gaertn. f. -- Borneo camphor

Duboisia (Solanaceae) [TN]  
hopwoodii F. v. Muell. -- pituri  
leichhardtii F. v. Muell.  
myoporoides R. Br. -- corkwood-tree

Duchesnea (Rosaceae)  
indica (Andr.) Focke -- false strawberry, Indian s.

Dudleya (Crassulaceae)  
farinosa (Lindl.) Britt. & Rose  
greenei Rose

Durio (Bombacaceae)  
zibethinus Murr. -- durian

Dyera (Apocynaceae)  
costulata (Miq.) Hook. f. -- jelutong

Ecballium (Cucurbitaceae)  
elaterium (L.) A. Rich. -- squirting cucumber

*Echinocactus* (Cactaceae)  
*(wislizenii* Engelm.) = *Ferocactus wislizenii*

*Echinochloa* (Poaceae)  
*colonum* (L.) Link--junglerice, jungle ricegrass, shama millet  
*crusgalli* (L.) Beauv. var. *crusgalli*--barnyardgrass  
*crusgalli* var. *frumentacea* (Link) W. F. Wight--billion dollar grass,  
Japanese millet--[NC], [TN]  
(*frumentacea* Link) = *E. crusgalli* var. *frumentacea*  
*polystachya* (H.B.K.) Hitchc.  
*pyramidalis* (Lam.) Hitchc. & Chase--antelope grass

*Echium* (Boraginaceae)  
*vulgar L.*--blueweed

*Eclipta* (Asteraceae)  
*alba* (L.) Hassk.--eclipta

*Edgeworthia* (Thymelaeaceae)  
*papyrifera* Sieb. & Zucc.

*Egeria* (Hydrocharitaceae) [TN]  
*densa* Planch.--egeria

*Ehrharta* (Poaceae)  
*calycina* Sm.--perennial veldtgrass

*Eichhornia* (Pontederiaceae)  
*azurea* (Sw.) Kunth--anchored waterhyacinth  
*crassipes* (Mart.) Solms--waterhyacinth

(*Eichornia*) = *Eichhornia*

*Elaeagnus* (Elaeagnaceae)  
*angustifolia* L.--Russian olive, oleaster  
*commutata* Bernh. ex Rydb.--silverberry  
*philippensis* Perrot.  
*umbellata* Thunb.

*Elaeis* (Arecaceae)  
*guineensis* Jacq.--African oil palm  
*oleifera* (H.B.K.) Cortes

*Eleocharis* (Cyperaceae)  
*acicularis* (L.) Roem. & Schult.--slender spikerush  
*dulcis* (Burm. f.) Trin. ex Henschel--Chinese waterchestnut, waternut  
(*tuberosa* (Roxb.) Schult.) = *E. dulcis*

*Elettaria* (Zingiberaceae)  
*cardamomum* (L.) Maton--cardamom, cardamon

**Eleusine** (Poaceae)

*coracana* (L.) Gaertn.--finger millet, African m., ragi  
*indica* (L.) Gaertn.--goosegrass, yardgrass

**Elodea** (Hydrocharitaceae)

*canadensis* Michx.--elodea  
(*densa* (Planch.) Caspary) = *Egeria densa*

**Elymus** (Poaceae)

*angustus* Trin.--Altai wildrye  
*canadensis* L.--Canada wildrye  
(*caput-medusae* sens. auct. in part) = *Taeniatherum asperum*  
*cinereus* Scribn. & Merr.--basin wildrye  
*condensatus* Presl--giant wildrye  
*giganteus* Vahl--mammoth wildrye  
*glaucus* Buckl.--blue wildrye  
(*junceus* Fisch.) = *Psathyrostachys juncea*  
(*sabulosus* Bieb.) = *E. giganteus*  
*triticoides* Buckl.--beardless wildrye  
*villosus* Muhl.--hairy wildrye  
*virginicus* L.--Virginia wildrye

**Emilia** (Asteraceae) [TN]

(*coccinea* (Sims) Sweet) = *E. javanica*  
*javanica* (Burm. f.) Merr.  
*sonchifolia* (L.) DC.--red tasselflower

**Ensete** (Musaceae)

(*edule* Horan.) = *E. ventricosum*  
*ventricosum* (Welw.) Cheesem.--Abyssinian banana, ensete

**Entada** (Fabaceae)

*abyssinica* Steud. ex A. Rich.  
*gigas* (L.) Fawc. & Rendle

**Enterolobium** (Fabaceae)

*cyclocarpum* (Jacq.) Griseb.--earpod-tree, guanacaste

**Ephedra** (Ephedraceae)

*distachya* L.  
*equisetina* Bunge--ma-huang  
*gerardiana* Wall. ex Stapf  
*nevadensis* S. Wats.--gray ephedra, Nevada e.  
*sinica* Stapf--Chinese ephedra  
*trifurca* Torr.--longleaf ephedra  
*viridis* Cov.--green ephedra, Mormon tea (in part)

**Epicampes** (Poaceae)

(*macroura* (H.B.K.) Benth.) = *Muhlenbergia macroura*

**Equisetum** (Equisetaceae)

*arvense* L.--field horsetail

*hyemale* L.--scouring-rush

- Eragrostis* (Poaceae)  
(*atherstonei* Stapf) = *E. trichophora*  
*capillaris* (L.) Nees--lacegrass  
*chloromelas* Steud.--Boer lovegrass  
*cilianensis* (All.) E. Mosher--stinkgrass  
*ciliaris* (L.) R. Br.  
*curvula* (Schrad.) Nees--weeping lovegrass  
*hypnoides* (Lam.) B.S.P.  
*lehmanniana* Nees--Lehmann lovegrass  
(*major* Host) = *E. cilianensis*  
*minor* Host--little lovegrass--[TN]  
*pectinacea* (Michx.) Nees--tufted lovegrass  
*pilosa* (L.) Beauv.--India lovegrass  
(*poaeoides* Beauv.) = *E. minor*  
*superba* Peyr.--Wilman lovegrass  
*tef* (Zuccagni) Trotter--teff  
*trichodes* (Nutt.) Wood--sand lovegrass  
*trichophora* Coss. & Dur.--[TN]  
*virescens* Presl
- Erechtites* (Asteraceae)  
*hieracifolia* (L.) Raf. ex DC.--burnweed, American b.
- Eremochloa* (Poaceae)  
*ophiuroides* (Munro) Hack.--centipede grass
- Eremocitrus* (Rutaceae)  
*glauca* (Lindl.) Swingle--Australian desert lime
- Eremospatha* (Arecaceae)  
*macrocarpa* (Mann. & Wendl.) Wendl.--rattan palm
- Erica* (Ericaceae)  
*arborea* L.--briar-root
- Erigeron* (Asteraceae)  
*annuus* (L.) Pers.--annual fleabane, whitetop  
*bonariensis* L.  
(*canadensis* L.) = *Conyza canadensis*
- Eriobotrya* (Rosaceae)  
*japonica* (Thunb.) Lindl.--loquat
- Eriochloa* (Poaceae)  
*polystachya* H.B.K.--caribgrass  
*villosa* (Thunb.) Kunth--woolly cupgrass
- Eriodendron* (Bombacaceae)  
(*anfractuosum* DC. var. *indicum* DC.) = *Ceiba pentandra*

*Erodium* (Geraniaceae) [TN]  
botrys (Cav.) Bertol.--broadleaf filaree  
*cicutarium* (L.) L'Hér. ex Ait.--redstem filaree, alfileria  
*moschatum* (L.) L'Hér. ex Ait.--whitestem filaree

*Eruca* (Brassicaceae) [TN]  
(*sativa* Mill.) = *E. vesicaria* subsp. *sativa*  
*vesicaria* (L.) Cav. subsp. *sativa* (Mill.) Thell.--garden rocket,  
rocket-salad, roquette, roka

*Ervum* (Fabaceae)  
(*lens* L.) = *Lens culinaris*

*Eryngium* (Apiaceae)  
*creticum* Lam.  
*foetidum* L.--false coriander

*Erysimum* (Brassicaceae)  
*cheiranthoides* L.--wormseed mustard  
*perofskianum* Fisch. & Mey.--Afghan erysimum  
*repandum* L.--bushy wallflower, treacle mustard

*Erythraea* (Gentianaceae)  
(*centaurium* auct.) = *Centaurium erythraea*

*Erythrina* (Fabaceae) [TN]  
*abyssinica* Lam. ex DC.  
*fusca* Lour.  
(*glaucia* Willd.) = *E. fusca*  
(*indica* Lam.) = *E. variegata*  
(*lithosperma* Miq.) = *E. subumbrans*  
*poeppigiana* (Walp.) O. F. Cook--mountain immortelle  
*subumbrans* (Hassk.) Merr.  
*variegata* L.

*Erythrophleum* (Fabaceae) [TN]  
(*guineense* G. Don) = *E. suaveolens*  
*suaveolens* (Guill. & Perrot.) Brenan--sasswood, ordeal-tree, red  
water-tree

(*Erythroxylon*) = *Erythroxylum*

*Erythroxylum* (Erythroxylaceae) [TN]  
*coca* Lam.--coca  
*novogranatense* (Morris) Hieron.

*Escallonia* (Escalloniaceae)  
*rubra* (Ruiz & Pavon) Pers.--red escallonia

*Eschscholzia* (Papaveraceae)  
*californica* Cham.--California poppy

*Eucalyptus* (Myrtaceae)  
alba Reinw. ex Bl.  
camaldulensis Dehnh.  
fruticetorum F. v. Muell.  
globulus Labill.--blue gum  
(rostrata Schlecht.) = *E. camaldulensis*  
smithii R. T. Baker  
tereticornis Sm.

*Euchlaena* (Poaceae)  
(mexicana Schrad.) = *Zea mays* subsp. *mexicana*

*Eucryphia* (Eucryphiaceae)  
cordifolia Cav.--ulmo

*Eugeissona* (Arecaceae)  
utilis Becc.--kadjatoa

*Eugenia* (Myrtaceae)  
aggregata (Vell.) Kiaersk.  
(aquea Burm. f.) = *Syzygium aqueum*  
(aromatica (L.) Baill.) = *Syzygium aromaticum*  
(brasiliensis Lam.) = *Eugenia dombeyi*  
(caryophyllata Thunb.) = *Syzygium aromaticum*  
(caryophyllus (Spreng.) Bull. & Harr.) = *Syzygium aromaticum*  
(cauliflora DC.) = *Myrciaria cauliflora*  
(cumini (L.) Druce) = *Syzygium cumini*  
dombeyi (Spreng.) Skeels--grumichama  
eucalyptoides F. v. Muell.  
(jambolana Lam.) = *Syzygium cumini*  
(jambos L.) = *Syzygium jambos*  
(javanica Lam.) = *Syzygium samarangense*  
(malaccensis L.) = *Syzygium malaccense*  
(michellii Lam.) = *E. uniflora*  
uniflora L.--Surinam-cherry, pitanga

*Eulaliopsis* (Poaceae)  
binata (Retz.) C. E. Hubb.

*Euonymus* (Celastraceae) [TN]  
alata (Thunb.) Sieb.--winged euonymus  
americana L.--strawberry-bush  
atropurpurea Jacq.--eastern wahoo, wahoo, burning-bush  
fortunei (Turcz.) Hand.-Mazz.  
japonica Thunb.

*Eupatorium* (Asteraceae)  
capillifolium (Lam.) Small--dogfennel  
perfoliatum L.--boneset  
rugosum Houtt.--white snakeroot  
tripinnerve Vahl

Euphorbia (Euphorbiaceae)  
antisyphilitica Zucc.--candelilla  
corollata L.--flowering spurge  
cyparissias L.--cypress spurge  
esula L.--leafy spurge  
heterophylla L.--painted spurge  
hirta L.--garden spurge  
lathryis L.--caper spurge, mole-plant  
(*lathyrus* L.) = *E. lathyris*  
maculata L.--spotted spurge, nodding s.  
marginata Pursh--snow-on-the-mountain  
miliifera Desmoulins--crown-of-thorns  
peplus L.--petty spurge  
pulcherrima Willd. ex Kl.--poinsettia  
resinifera Berg  
(*supina* Raf. ex Boiss.) = *E. maculata*  
tirucalli L.--milkbrush

Euphorbia (Sapindaceae)  
(*longan* (Lour.) Steud.) = *Dimocarpus longan*  
(*longana* Lam.) = *Dimocarpus longan*

Euryale (Nymphaeaceae)  
ferox Salisb.--euryale, foxnut

Eusideroxylon (Lauraceae)  
*lauriflora* (Blanco) J. Schulze-Motel--Bornean ironwood  
(*zwageri* Teijsm & Binn.) = *E. lauriflora*

Euterpe (Arecaceae)  
oleracea Mart.--cabbage palm

Eutrema (Brassicaceae)  
wasabi (Sieb.) Maxim.--wasabi

Evolvulus (Convolvulaceae)  
alsinoides (L.) L.

Faba (Fabaceae)  
(*vulgaris* Moench) = *Vicia faba*

Fabiana (Solanaceae)  
imbricata Ruiz & Pavon--pichi-pichi

Fagopyrum (Polygonaceae)  
esculentum Moench--buckwheat--[TN]  
(*sagittatum* Gilib.) = *F. esculentum*  
*tataricum* (L.) Gaertn.--Tartary buckwheat  
(*vulgare* T. Nees) = *F. esculentum*

Fagus (Fagaceae)  
(*americana* Sweet) = *F. grandifolia*

(*ferruginea* Ait.) = *F. grandifolia*  
*grandifolia* Ehrh.--American beech  
*sylvatica* L.--European beech

*Falcaria* (Apiaceae)  
(*rivini* Host) = *F. vulgaris*  
*vulgaris* Bernh.

*Faucaria* (Aizoaceae)  
*tigrina* (Haw.) Schwant.--tiger's-jaw

*Feijoa* (Myrtaceae)  
*sellowiana* Berg

*Ferocactus* (Cactaceae)  
*wislizenii* (Engelm.) Britt. & Rose--fish-hook cactus

*Feronia* (Rutaceae)  
*limonia* (L.) Swingle--Indian wood-apple

*Ferula* (Apiaceae)  
*assa-foetida* L.--asafetida  
(*galbaniflua* Boiss. & Buhse) = *F. gummosa*  
*gummosa* Boiss.--galbanum

*Festuca* (Poaceae) [TN]  
*arizonica* Vasey--Arizona fescue  
*arundinacea* Schreb.--tall fescue--[TN]  
(*capillata* Lam.) = *F. tenuifolia*  
(*duriuscula* L.) = *F. longifolia*  
(*elatior* L. nom. ambig.) = *F. arundinacea* (in part), *F. pratensis*  
(in part)  
(*elatior* sens. Hitchcock 1951) = *F. pratensis*  
*heterophylla* Lam.--shade fescue  
*idahoensis* Elmer--Idaho fescue  
*longifolia* Thuill.--hard fescue  
(*megalura* Nutt.) = *Vulpia megalura*  
(*myuros* L.) = *Vulpia myuros*  
(*octoflora* Walt.) = *Vulpia octoflora*  
*ovina* L.--sheep fescue  
*ovina* var. *brachyphylla* (Schult.) Piper--alpine fescue  
(*ovina* var. *duriuscula* (L.) Koch) = *F. longifolia*  
(*ovina* subsp. *tenuifolia* (Sibth.) Peterm.) = *F. tenuifolia*  
(*ovina* var. *tenuifolia* (Sibth.) Dum.) = *F. tenuifolia*  
*pratensis* Huds.--meadow fescue--[TN]  
*rubra* L. subsp. *rubra*--red fescue  
*rubra* subsp. *commutata* Gaud.--Chewings fescue  
(*rubra* var. *heterophylla* (Lam.) Mut.) = *F. heterophylla*  
*tenuifolia* Sibth.--hair fescue, slender f.  
(*trachyphylla* (Hack.) Kraj.) = *F. longifolia*  
*viridula* Vasey--green fescue

*Fibraurea* (Menispermaceae)  
*tinctoria* Lour.

*Ficus* (Moraceae)

*benghalensis* L.--Indian banyan  
*benjamina* L.--weeping fig  
*carica* L.--common fig  
*elastica* Roxb. ex Hornem.--rubber-plant, India rubber fig  
(*nitida* Thunb.) = *F. benjamina*  
*pumila* L.--creeping fig  
*religiosa* L.--peepul-tree, bo-tree  
(*repens* Rottl.) = *F. pumila*  
*retusa* L.--Indian laurel fig  
*vogelii* (Miq.) Miq.

*Filipendula* (Rosaceae)

*ulmaria* (L.) Maxim.--queen-of-the-meadow

*Fimbristylis* (Cyperaceae)

*globulosa* (Retz.) Kunth

*Firmiana* (Sterculiaceae)

*simplex* (L.) W. F. Wight--Chinese parasol-tree, phoenix-tree

*Flacourtia* (Flacourtiaceae)

*indica* (Burm. f.) Merr.--governor's-plum  
*inermis* Roxb.

*Flourensia* (Asteraceae)

*cernua* DC.--tarbush, varnish-bush

*Foeniculum* (Apiaceae)

*vulgare* Mill.--fennel, Florence f., finocchio

*Forestiera* (Oleaceae)

*acuminata* (Michx.) Poir.--swamp privet

*Fortunella* (Rutaceae)

*crassifolia* Swingle--meiwa kumquat  
*hindsii* (Champ.) Swingle--Hongkong kumquat  
*japonica* (Thunb.) Swingle--round kumquat  
*margarita* (Lour.) Swingle--oval kumquat

*Fragaria* (Rosaceae)

(*americana* (Porter) Britt.) = *F. vesca* var. *americana*  
*X ananassa* Duch.--(F. *chiloensis* X *F. virginiana*)--garden strawberry  
*chiloensis* (L.) Duch.--Chilean strawberry  
*vesca* L.--European strawberry  
*vesca* var. *americana* Porter--woodland strawberry  
*virginiana* Duch.--Virginia strawberry

*Frangula* (Rhamnaceae) [TN]

*alnus* Mill.--(syn. *Rhamnus frangula* L.)--glossy buckthorn, alder b.

*Franklinia* (Theaceae)  
alatamaha Bartr. ex Marsh.--franklinia

*Franseria* (Asteraceae)  
(*discolor* Nutt.) = *Ambrosia tomentosa*  
(*tomentosa* A. Gray) = *Ambrosia grayi*

*Fraxinus* (Oleaceae)  
*americana* L.--white ash  
*chinensis* Roxb.  
*excelsior* L.--European ash  
*latifolia* Benth.--Oregon ash  
*mariesii* Hook. f.  
*nigra* Marsh.--black ash  
(*oregona* Nutt.) = *F. latifolia*  
*ormus* L.--flowering ash, manna a.  
*pennsylvanica* Marsh.--green ash  
(*pennsylvanica* var. *subintegerrima* (Vahl) Fern.) = *F. pennsylvanica*  
*quadrangulata* Michx.--blue ash

*Fumaria* (Fumariaceae)  
*officinalis* L.--fumitory

*Funtumia* (Apocynaceae)  
*africana* (Benth.) Stapf--Lagos silk-rubber  
*elastica* (Preuss) Stapf--Lagos silk-rubber

*Furcraea* (Agavaceae)  
*foetida* (L.) Haw.--Mauritius hemp  
(*gigantea* Vent.) = *F. foetida*  
*hexapetala* (Jacq.) Urb.--Cuban hemp  
*macrophylla* Baker--fique, wild sisal

*Galanthus* (Amaryllidaceae)  
*nivalis* L.--snowdrop

*Galega* (Fabaceae)  
*officinalis* L.--goat's-rue, galega

*Galeopsis* (Lamiaceae)  
*tetrahit* L.--hempnettle

*Galinsoga* (Asteraceae)  
*ciliata* (Raf.) Blake--hairy galinsoga  
*parviflora* Cav.--smallflower galinsoga

*Galium* (Rubiaceae)  
*aparine* L.--cleavers, catchweed bedstraw  
*boreale* L.--northern bedstraw  
*mollugo* L.--smooth bedstraw

**Galium** (continued)

*odoratum* (L.) Scop.--woodruff, sweet w., waldmeister

**Garcia** (Euphorbiaceae)

*nutans* Rohr

**Garcinia** (Clusiaceae)

*dulcis* (Roxb.) Kurz  
*hanburyi* Hook. f.--gamboge  
*indica* (Thou.) Choisy  
*kola* Heckel  
*lateriflora* Bl.  
*livingstonei* T. Anders.  
*mangostana* L.--mangosteen  
*multiflora* Champ. ex Benth.  
(*tinctoria* (DC.) W. F. Wight) = *G. xanthochymus*  
*xanthochymus* Hook. f. ex T. Anders.

**Gardenia** (Rubiaceae)

(*florida* L.) = *G. jasminoides*  
*jasminoides* Ellis--Cape-jasmine  
*thunbergia* L. f.

**Gaultheria** (Ericaceae)

*procumbens* L.--wintergreen  
*shallon* Pursh--salal

**Gaura** (Onagraceae)

*biennis* L.--biennial gaura

**Gaylussacia** (Ericaceae)

*baccata* (Wangenh.) K. Koch--black huckleberry  
*dumosa* (Andr.) Torr. & A. Gray--dwarf huckleberry  
*frondosa* (L.) Torr. & A. Gray--dangleberry

**Genipa** (Rubiaceae)

*americana* L.--marmelade-box, genipap

**Genista** (Fabaceae)

*tinctoria* L.--dyer's-greenweed

**Gentiana** (Gentianaceae)

*lutea* L.--yellow gentian

**Geranium** (Geraniaceae)

*carolinianum* L.--Carolina geranium  
*dissectum* L.--cutleaf geranium  
*maculatum* L.--wild geranium, spotted g.  
*molle* L.--dovefoot geranium

**Geum** (Rosaceae)

*urbanum* L.--avens

*Gigantochloa* (Poaceae)  
*apus* (Schult. f.) Kurz ex Munro  
*verticillata* (Willd.) Munro

*Ginkgo* (Ginkgoaceae)  
*biloba* L.--ginkgo

*Glechoma* (Lamiaceae)  
*hederacea* L.--ground ivy, gill-over-the-ground

*Gleditsia* (Fabaceae)  
*triacanthos* L.--honeylocust, honey-locust

*Gluta* (Anacardiaceae)  
*rengas* L.--rengas

*Glyceria* (Poaceae)  
*fluitans* (L.) R. Br.--water mannagrass  
*maxima* (Hartm.) Holmb.  
*striata* (Lam.) Hitchc.--fowl mannagrass

*Glycine* (Fabaceae) [TN]  
*(gracilis* Skvortz.) = *G. max*  
*(hispida* (Moench) Maxim.) = *G. max*  
*(javanica* auct. non L.) = *G. wightii*  
*(javanica* L.) = *Pueraria montana*  
*max* (L.) Merr.--soybean  
*soja* Sieb. & Zucc.  
*(subterranea* L.) = *Voadzeia subterranea*  
*tabacina* (Labill.) Benth.  
*tomentella* Hayata  
*(tomentosa* (Benth.) Benth.) = *G. tomentella*  
*(ussuriensis* Regel & Maack) = *G. soja*  
*wightii* (Grah. ex Wight & Arn.) Verdc.

*Glycyrrhiza* (Fabaceae)  
*glabra* L.--common licorice  
*lepidota* Pursh--wild licorice, American l.

*Gnaphalium* (Asteraceae)  
*obtusifolium* L.--fragrant cudweed  
*uliginosum* L.--low cudweed

*Gnetum* (Gnetaceae)  
*africanum* Welw.  
*buchholzianum* Engler--joint-fir  
*gnemon* L.

*Gomphrena* (Amaranthaceae)  
*globosa* L.--globe-amaranth

*Gordonia* (Theaceae)  
*lasianthus* (L.) Ellis--loblolly-bay

*Gossypium* (Malvaceae) [TN]  
anomalum Wawra ex Wawra & Peyr.  
arboreum L.  
areysianum Deflers  
aridum (Rose & Standl.) Skovsted  
armourianum Kearn.  
australe F. v. Muell.  
barbadense L.--Sea Island cotton, American-Egyptian c., extra long  
staple c.  
barbosanum Phill. & Clem.  
gossypioides (Ulbr.) Standl.  
harknessii Brandegee  
herbaceum L.  
hirsutum L.--cotton, upland c.  
incanum (Schwartz) Hillcoat  
klotzschianum Anderss.  
lobatum H. S. Gentry  
longicalyx Hutch. & Lee  
(mexicanum Tod.) = *G. hirsutum*  
(nanking Meyen) = *G. arboreum*  
(obtusifolium Roxb.) = *G. herbaceum*  
(peruvianum Cav.) = *G. barbadense*  
raimondii Ulbrich  
robinsonii F. v. Muell.  
somalense (Gürke) Hutch.  
stocksii Mast.  
sturtianum J. H. Willis--Sturt's desert-rose  
(sturtii F. v. Muell.) = *G. sturtianum*  
thurberi Tod.  
tomentosum Nutt. ex Seem.--Hawaiian cotton  
trilobum (Sessé & Moc. ex DC.) Skovsted  
triphyllum (Harv. ex Harv. & Sond.) Hochr.  
(vitifolium Lam.) = *G. barbadense*

*Gratiola* (Scrophulariaceae)  
*officinalis* L.--hedge hyssop

*Grevillea* (Proteaceae)  
*robusta* A. Cunn. ex R. Br.--silk-oak

*Grewia* (Tiliaceae)  
*asiatica* L.--phalsa

*Grindelia* (Asteraceae)  
*camporum* Greene

*Grossularia* (Saxifragaceae)  
(*reclinata* (L.) Mill.) = *Ribes uva-crispa*

*Guadua* (Poaceae)  
*angustifolia* Kunth

*Guaiacum* (Zygophyllaceae)  
*officinale* L.--*lignum-vitae*  
*sanctum* L.--*hollywood* *lignum-vitae*, *lignum-vitae*

*Guarea* (Meliaceae)  
(*guara* (Jacq.) P. Wils.) = *G. trichilioides*  
*trichilioides* L.--*guaraguao*, American muskwood

*Guilielma* (Arecaceae)  
(*gasipaés* (H.B.K.) Bailey) = *Bactris gasipaes*  
(*speciosa* Mart.) = *Bactris gasipaés*

*Guizotia* (Asteraceae)  
*abyssinica* (L. f.) Cass.--Niger-seed

*Gundelia* (Asteraceae)  
*tournefortii* L.

*Gunnera* (Haloragaceae) [TN]  
(*chilensis* Lam.) = *G. tinctoria*  
*tinctoria* (Mol.) Mirbel

*Gutierrezia* (Asteraceae)  
*dracunculoides* (DC.) Blake--broomweed  
*sarothrae* (Pursh) Britt. & Rusby--broom snakeweed, broom snakeroot

*Gymnema* (Asclepiadaceae) [TN]  
*sylvestre* (Retz.) Schult.--miracle-fruit

*Gymnocladus* (Fabaceae) [TN]  
*dioica* (L.) K. Koch--Kentucky coffee-tree

*Gynandropsis* (Capparidaceae)  
*gynandra* (L.) Briq.--African spiderflower

*Gynerium* (Poaceae)  
*sagittatum* (Aubl.) Beauv.--uva grass

*Gynura* (Asteraceae)  
*aurantiaca* (Bl.) DC.--velvetplant

*Gypsophila* (Caryophyllaceae)  
*arrostii* Guss.  
*muralis* L.

*Haematoxylum* (Fabaceae)  
*campechianum* L.--logwood

*Halogeton* (Chenopodiaceae)  
*glomeratus* (Bieb.) C. A. Mey.--halogeton, barilla

*Hamamelis* (Hamamelidaceae)  
*virginiana* L.--witch-hazel

*Hancornia* (Apocynaceae)  
*speciosa* Gomes--mangabeira

*Haplopappus* (Asteraceae)  
*arborescens* (A. Gray) Hall--fleece goldenweed, golden-fleece  
*canus* (A. Gray) Blake  
*spinulosus* (Pursh) DC.  
*tenuiseptus* (Greene) Blake ex Benson--burroweed

*Hedeoma* (Lamiaceae)  
*pulegioides* (L.) Pers.--American pennyroyal

*Hedera* (Araliaceae)  
*helix* L.--English ivy

*Hedysarum* (Fabaceae)  
*coronarium* L.  
(*onobrychis* L.) = *Onobrychis viciifolia*

*Heisteria* (Olacaceae)  
*parvifolia* Sm.

*Helenium* (Asteraceae)  
*amarum* (Raf.) H. Rock--bitter sneezeweed, bitterweed  
(*tenuifolium* Nutt.) = *H. amarum*

*Helianthus* (Asteraceae)  
*annuus* L.--sunflower  
*annuus* X *H. tuberosus* L.--sunchoke  
*ciliaris* DC.  
*decapetalus* L.  
*tuberosus* L.--Jerusalem-artichoke, girasole

*Heliotropium* (Boraginaceae)  
*curassavicum* L.--seaside heliotrope  
*indicum* L.--Indian heliotrope, turnsole, alacransillo  
*peruvianum* L.

*Helleborus* (Ranunculaceae)  
*niger* L.--Christmas-rose

*Helminthostachys* (Ophioglossaceae)  
*zeylanica* (L.) Hook.--kamraj

*Hemarthria* (Poaceae)  
*altissima* (Poir.) Stapf & C. E. Hubb.--limpo grass

*Hemigraphis* (Acanthaceae)  
*reptans* T. Anders. ex Hemsl.

*Herniaria* (Caryophyllaceae)  
*glabra* L.--rupturewort

*Hesperis* (Brassicaceae)  
*matronalis* L.--dame's-rocket

*Heteranthera* (Pontederiaceae)  
*dubia* (Jacq.) MacM.--water stargrass

*Heteropogon* (Poaceae)  
*contortus* (L.) Beauv. ex Roem. & Schult.--tanglehead

*Hevea* (Euphorbiaceae)  
*benthamiana* Muell.-Arg.  
*brasiliensis* (Willd. ex A. Juss.) Muell.-Arg.--rubber-tree  
[source of commercial rubber]

*Hibiscus* (Malvaceae) [TN]  
(*abelmoschus* L.) = *Abelmoschus moschatus*  
*cannabinus* L.--kenaf  
*elatus* Sw.--Cuban bast, mountain mahoe, blue m.  
(*esculentus* L.) = *Abelmoschus esculentus*  
*kitaibelifolius* St. Hil.  
*lunatifolius* Willd.  
(*manihot* L.) = *Abelmoschus manihot*  
*moscheutos* L. subsp. *moscheutos*--swamp rose-mallow, mallow-rose  
*moscheutos* subsp. *palustris* (L.) R. Clausen--swamp rose-mallow,  
mallow-rose, marsh-mallow  
*mutabilis* L.--cotton-rose, confederate-rose  
(*palustris* L.) = *H. moscheutos* subsp. *palustris*  
*rosa-sinensis* L.--Chinese hibiscus, rose-of-China, Hawaiian h.  
*rostellatus* Guill. & Perr.  
*sabdariffa* L.--roselle  
*schizopetalus* (Mast.) Hook. f.  
*syriacus* L.--shrub althea, rose-of-Sharon  
*tiliaceus* L.--sea hibiscus, mahoe, majagua  
*trionum* L.--Venice mallow, flower-of-an-hour

*Hicoria* (Juglandaceae)  
(pecan (Marsh.) Britt.) = *Carya illinoensis*

*Hieracium* (Asteraceae)  
*aurantiacum* L.--orange hawkweed, devil's-paintbrush  
*florentinum* All.--king devil hawkweed  
*floribundum* Wimm. & Grab.--yellow devil hawkweed  
*pilosella* L.--mouse-ear hawkweed  
*pratense* Tausch--yellow hawkweed  
*vulgatum* Fries--common hawkweed

*Hierochloe* (Poaceae)  
*odorata* (L.) Beauv. -- sweetgrass

*Hilaria* (Poaceae)  
*belangeri* (Steud.) Nash -- curly mesquite  
*jamesii* (Torr.) Benth. -- galleta grass  
*mutica* (Buckl.) Benth. -- tobosa grass

*Hippocrepis* (Fabaceae)  
*commutata* Pau -- hippocrepis

*Hippomane* (Euphorbiaceae)  
*mancinella* L. -- manchineel

*Hitchenia* (Zingiberaceae)  
*caulina* (Grah.) Baker -- chavar

*Holcus* (Poaceae)  
*lanatus* L. -- velvetgrass, Yorkshire fog (Br.)  
*mollis* L. -- German velvetgrass, creeping soft grass (Br.)

*Homolepis* (Poaceae)  
*aturensis* (H.B.K.) Chase

*Honckenya* (Tiliaceae)  
(*H. ficifolia* Willd.) = *Clappertonia ficifolia*

*Hordeum* (Poaceae)  
*bulbosum* L. -- bulbous barley  
(*distichon* L.) = *H. vulgare*  
(*hexastichon* L.) = *H. vulgare*  
(*irregulare* Aberg & Wiebe) = *H. vulgare*  
*jubatum* L. -- foxtail barley  
*murinum* L. -- wall barley  
*pusillum* Nutt. -- little barley  
(*sativum* Pers.) = *H. vulgare*  
*spontaneum* K. Koch  
*vulgare* L. -- barley

*Houttuynia* (Saururaceae)  
*cordata* Thunb.

*Howea* (Arecaceae) [TN]  
*belmoreana* (C. Moore & F. v. Muell.) Becc.  
*forsterana* (C. Moore & F. v. Muell.) Becc. -- sentry palm

*Hoya* (Asclepiadaceae)  
*carnosa* (L. f.) R. Br. -- waxplant

*Humulus* (Moraceae)  
*lupulus* L. -- hops

*Hyacinthus* (Liliaceae)  
*orientalis* L.--common hyacinth

*Hydnocarpus* (Flacourtiaceae)  
*alcalae* C. DC.  
*anthelmintica* Pierre ex Laness.  
*kurzii* (King) Warb.--chaulmoogra  
*laurifolia* (Dennst.) Sleum.  
*(wightiana* Bl.) = *H. laurifolia*

*Hydrangea* (Hydrangeaceae)  
*arborescens* L.--smooth hydrangea

*Hydrastis* (Ranunculaceae)  
*canadensis* L.--goldenseal

*Hydrilla* (Hydrocharitaceae)  
*verticillata* (L. f.) Royle--hydrilla

*Hydrocotyle* (Apiaceae)  
*sibthorpioides* Lam.--lawn pennywort, lawn water p.  
*umbellata* L.--water pennywort

*Hymenaea* (Fabaceae)  
*courbaril* L.--West Indian-locust

*Hymenoxys* (Asteraceae)  
*odorata* DC.--bitter rubberweed

*Hyoscyamus* (Solanaceae)  
*muticus* L.  
*niger* L.--black henbane, henbane

*Hyparrhenia* (Poaceae)  
*filipendula* (Hochst.) Stapf  
*hirta* (L.) Stapf  
*rufa* (Nees) Stapf--jaragua grass

*Hypericum* (Clusiaceae)  
*perforatum* L.--common St. John's-wort  
*punctatum* Lam.--spotted St. John's-wort

*Hyphaene* (Arecaceae)  
*thebaica* (L.) Mart.--doum palm

*Hypochoeris* (Asteraceae)  
*glabra* L.--smooth cat's-ear  
*radicata* L.--spotted cat's-ear, flatweed

*Hyptis* (Lamiaceae)  
*spicigera* Lam.  
*suaveolens* (L.) Poit.--wild spikenard

**Hyssopus** (Lamiaceae)  
*officinalis* L.--hyssop

**Iberis** (Brassicaceae)  
*amara* L.--rocket candytuft  
*umbellata* L.--globe candytuft

**Icacina** (Icacinaceae)  
*senegalensis* A. Juss.--false yam

**Ilex** (Aquifoliaceae)  
*aquifolium* L.--English holly  
*cassine* L.--dahoon, dahoon holly  
*cornuta* Lindl. & Paxt.--Chinese holly  
*crenata* Thunb.--Japanese holly  
*glabra* (L.) A. Gray--inkberry, gallberry  
*krugiana* Loes.--tawnyberry holly, Krug's h.  
*opaca* Ait.--American holly  
*paraguariensis* St. Hil.--maté  
*vomitoria* Ait.--yaupon

**Illicium** (Illiciaceae)  
*verum* Hook. f.--star anise-tree

**Impatiens** (Balsaminaceae)  
*balsamina* L.--garden balsam

**Imperata** (Poaceae)  
(*arundinacea* Cyr.) = *I. cylindrica*  
*cylindrica* (L.) Beauv.--cogongrass

**Indigofera** (Fabaceae)  
*arrecta* Hochst. ex A. Rich.  
(*endecaphylla* Lam.) = *I. spicata*  
(*hendecaphylla* Jacq.) = *I. spicata*  
*hirsuta* L.--hairy indigo  
*spicata* Forsk.  
*subulata* Poir.  
*suffruticosa* Mill.  
(*sumatrana* Gaertn.) = *I. tinctoria*  
*teysmannii* Miq.  
*tinctoria* L.--indigo

**Inga** (Fabaceae)  
*edulis* Mart.--ice cream bean  
*vera* Willd.

**Inula** (Asteraceae)  
*helenium* L.--elecampane

**Ipomoea** (Convolvulaceae)  
*alba* L.--moonflower

aquatica Forsk.--swamp morning-glory  
batatas (L.) Lam.--sweet potato  
(bona-nox L.) = I. alba  
cairica (L.) Sweet--Cairo morning-glory  
eriocarpa R. Br.  
(fastigiata (Roxb.) Sweet) = I. tiliacea  
gracilis R. Br.  
hederacea (L.) Jacq.--ivyleaf morning-glory  
(hispida (Vahl) Roem. & Schult.) = I. eriocarpa  
horsfalliae Hook.  
nil (L.) Roth  
pandurata (L.) G. F. W. Mey.--bigroot morning-glory  
pes-caprae (L.) R. Br.--beach morning-glory--[TN]  
(pes-caprae (L.) Sweet) = I. pes-caprae (L.) R. Br.  
pes-tigridis L.  
purga (Wender.) Hayne--jalap  
purpurea (L.) Roth--tall morning-glory, common morning-glory  
quamoclit L.--cypressvine morning-glory  
(reptans (L.) Poir.) = I. aquatica  
stolonifera (Cyrill.) J. F. Gmel.--seafoam morning-glory  
tiliacea (Willd.) Choisy  
trichocarpa Ell.  
tricolor Cav.  
trifida (H.B.K.) G. Don  
tuba (Schlecht.) G. Don  
turbinata Lag.--purple moonflower--[TN]  
(turpethum (L.) R. Br.) = Operculina turpethum  
(violacea L.) = I. tricolor

Iris (Iridaceae) [TN]  
(florentina L.) = I. X germanica var. florentina  
X germanica L. var. florentina (L.) Dykes--orris  
pseudacorus L.--yellowflag iris

Isatis (Brassicaceae)  
tinctoria L.--dyer's-woad, woad

Ischaemum (Poaceae)  
(angustifolium (Trin.) Hack.) = Eulaliopsis binata  
(ciliare Retz.) = I. indicum  
indicum (Houtt.) Merr.

Isonandra (Sapotaceae)  
(gutta Hook.) = Palaquium gutta

Iva (Asteraceae)  
frutescens var. oraria (Bart.) Fern. & Grisc.  
xanthifolia Nutt.--marsh-elder

Ixophorus (Poaceae)  
unisetus (C. Presl) Schlecht.

*Ixora* (Rubiaceae)  
*coccinea* L.--flame-of-the-woods

*Jacaranda* (Bignoniaceae)  
*mimosifolia* D. Don--*jacaranda*

*Jarilla* (Caricaceae)  
chocola Standl.

*Jasminum* (Oleaceae) [TN]  
*azoricum* L.  
*grandiflorum* L.--royal jasmine  
*mesnyi* Hance--Japanese jasmine  
*nudiflorum* Lindl.--winter jasmine  
*officinale* L.--poet's jessamine  
(*primulinum* Hemsl.) = *J. mesnyi*  
*sambac* (L.) Ait.

*Jateorhiza* (Menispermaceae)  
(*miersii* Oliv.) = *J. palmata*  
*palmata* (Lam.) Miers

*Jatropha* (Euphorbiaceae)  
(*aconitifolia* Mill.) = *Cnidoscolus aconitifolius*  
*curcas* L.  
*dioica* Cerv.--leatherstem, sangre-de-drago  
(*manihot* L.) = *Manihot esculenta*  
(*urens* L.) = *Cnidoscolus urens*

*Jubaea* (Arecaceae)  
*chilensis* (Mol.) Baill.--Chile coco palm

*Juglans* (Juglandaceae)  
*ailantifolia* Carr.--[TN]  
*boliviana* (C. DC.) Dode  
*californica* S. Wats.--California walnut  
(*californica* var. *hindsii* Jeps.) = *J. hindsii*  
*cinerea* L.--butternut  
*hindsii* Jeps. ex R. E. Sm.--Hind's walnut--[TN]  
*honorei* Dode--Ecuador walnut  
*nigra* L.--black walnut  
*regia* L.--English walnut, Persian w.  
(*sieboldiana* Maxim.) = *J. ailantifolia*

*Juncus* (Juncaceae)  
*balticus* Willd.--Baltic rush  
*bufonius* L.--toad rush  
*effusus* L.--soft rush  
*maritimus* Lam.--sparto  
*tenuis* Willd.--slender rush, path r.

*Juniperus* (Cupressaceae)

*chinensis* L.--Chinese juniper  
*communis* L.--common juniper  
*monosperma* (Engelm.) Sarg.--one-seed juniper  
*pinchotii* Sudw.--redberry juniper, Pinchot j.  
*sabina* L.--savin  
*virginiana* L.--eastern red-cedar

**Jussiaea** (Onagraceae)  
(*decurrens* (Walt.) DC.) = *Ludwigia decurrens*  
(*repens* L. var. *glabrescens* Ktze.) = *Ludwigia peploides* subsp. *peploides*  
(*uruguayensis* Camb.) = *Ludwigia uruguayensis*

**Justicia** (Acanthaceae)  
*adhatoda* L.--Malabar-nut

**Kaempferia** (Zingiberaceae)  
*galanga* L.--galanga  
*rotunda* L.

**Kalanchoé** (Crassulaceae)  
*tomentosa* Baker

**Kalmia** (Ericaceae)  
*angustifolia* L.--sheep laurel, lambkill  
*latifolia* L.--mountain laurel

**Kerstingiella** (Fabaceae)  
*geocarpa* Harms--Kersting's groundnut, geocarpa g.

**Kigelia** (Bignoniaceae)  
*africana* (Lam.) Benth.--sausage-tree--[TN]  
(*pinnata* (Jacq.) DC.) = *K. africana*

**Kochia** (Chenopodiaceae) [TN]  
*scoparia* (L.) Schrad.--kochia, summer-cypress

**Koelreuteria** (Sapindaceae)  
*paniculata* Laxm.--goldenrain-tree

**Kyllinga** (Cyperaceae)  
(*brevifolia* Rottb.) = *Cyperus brevifolius*

**Lablab** (Fabaceae)  
(*niger* Medik.) = *Dolichos lablab*  
(*purpureus* (L.) Sweet) = *Dolichos lablab*  
(*vulgaris* Savi) = *Dolichos lablab*

**Lactuca** (Asteraceae)  
*canadensis* L.--tall lettuce, Canada wild l.  
*indica* L.  
*pulchella* (Pursh) DC.--blue lettuce  
*saligna* L.--willowleaf lettuce

Lactuca (continued)

*sativa* L.--(sens. lat. incl.) garden lettuce, celtuce  
(*scariola* L.) = *L. serriola*  
*serriola* L.--prickly lettuce  
*virosa* L.

Lagenaria (Cucurbitaceae)

(*leucantha* (Duch.) Rusby) = *L. siceraria*  
*siceraria* (Mol.) Standl.--white-flowered gourd, calabash g.  
(*vulgaris* Ser.) = *L. siceraria*

Lagetta (Thymelaeaceae)

*lagetta* (Sw.) Nash--lacebark, lagetto  
(*lintearia* Lam.) = *L. lagetto*

Laguncularia (Combretaceae)

*racemosa* (L.) Gaertn. f.--white mangrove

Lamium (Lamiaceae)

*album* L.--white deadnettle  
*amplexicaule* L.--henbit  
*maculatum* L.--spotted deadnettle  
*purpureum* L.--purple deadnettle, red d.

Landolphia (Apocynaceae)

*heudelotii* A. DC.--*Landolphia* rubber  
*kirkii* Dyer  
*owariensis* Beauv.

Languas (Zingiberaceae)

(*galanga* (L.) Stuntz) = *Alpinia galanga*  
(*officinarum* (Hance) Farw.) = *Alpinia officinarum*

Lansium (Meliaceae)

*domesticum* Corr.--langsat

Lantana (Verbenaceae)

*camara* L.--lantana

Lappa (Asteraceae)

(*major* Gaertn.) = *Arctium lappa*

Lappula (Boraginaceae)

*echinata* Gilib.--European sticktight, stickseed

Lapsana (Asteraceae)

*communis* L.--nipplewort

Larix (Pinaceae)

*decidua* Mill.--European larch  
*kaempferi* (Lamb.) Carr.--Japanese larch  
*laricina* (Du Roi) K. Koch--tamarack  
*occidentalis* Nutt.--western larch

*Larrea* (Zygophyllaceae)  
(*mexicana* Moric.) = *L. tridentata*  
*tridentata* (DC.) Cov.--creosote-bush

*Lasiurus* (Poaceae)  
*sindicus* Henr.

*Lathyrus* (Fabaceae)  
*aphaca* L.--yellow pea  
*cicera* L.  
*hirsutus* L.--rough pea, Caley p.  
*latifolius* L.--everlasting pea, perennial p.  
*odoratus* L.--sweet pea  
*sativus* L.--grass pea, chickling vetch, chickling p.  
*sylvestris* L.--flat pea, flat peavine  
*tingitanus* L.--Tangier pea

*Laurocerasus* (Rosaceae)  
(*officinalis* M. J. Roem.) = *Prunus laurocerasus*

*Laurus* (Lauraceae)  
(*camphora* L.) = *Cinnamomum camphora*  
*nobilis* L.--bay, laurel, Grecian l.

*Lavandula* (Lamiaceae) [TN]  
*angustifolia* Mill.--lavender  
*latifolia* Medik.--broad-leaved lavender  
(*officinalis* Chaix) = *L. angustifolia*  
*stoechas* L.--French lavender  
(*vera* DC.) = *L. angustifolia*

*Lawsonia* (Lythraceae)  
(*alba* Lam.) = *L. inermis*  
*inermis* L.--henna

*Lecythis* (Lecythidaceae)  
(*elliptica* H.B.K.) = *L. minor*  
*minor* Jacq.  
*ollaria* L.  
*zabucajo* Aubl.--paradise-nut, sapucaia-nut

*Leersia* (Poaceae)  
*hexandra* Sw.--southern cutgrass  
*oryzoides* (L.) Sw.--rice cutgrass

*Lemna* (Lemmaceae)  
*gibba* L.  
*minor* L.--common duckweed  
*parodiana* Giardelli  
*trisulca* L.--star duckweed

*Lens* (Fabaceae)  
  *culinaris* Medik.--lentil--[TN]  
  (*esculenta* Moench) = *L. culinaris*

*Leonurus* (Lamiaceae)  
  *cardiaca* L.--motherwort

*Leopoldinia* (Arecaceae)  
  *piassaba* Wallace--Para piassava

*Lepidium* (Brassicaceae)  
  *campestre* (L.) R. Br.--field pepperweed  
  *meyenii* Walp.--maca  
  *sativum* L.--garden cress  
  *virginicum* L.--Virginia pepperweed, peppergrass

*Leptochloa* (Poaceae)  
  *filiformis* (Lam.) Beauv.--red sprangletop

*Leptocoryphium* (Poaceae)  
  *lanatus* (H.B.K.) Nees

*Leptospermum* (Myrtaceae)  
  *laevigatum* (Gaertn.) F. v. Muell.--Australian tea-tree

*Lespedeza* (Fabaceae)  
  *bicolor* Turcz.--bicolor lespedeza  
  *capitata* Michx.  
  *cuneata* (Dum.) G. Don--sericea lespedeza  
  *cyrtobotrya* Miq.  
  *intermedia* (S. Wats.) Britt.  
  (*sericea* (Thunb.) Miq.) = *L. cuneata*  
  *stipulacea* Maxim.--Korean lespedeza  
  *striata* (Thunb. ex Murr.) Hook. & Arn.--common lespedeza, striate l.,  
    Japanese l.  
  *thunbergii* (DC.) Nakai  
  *virginica* (L.) Britt.

*Lesquerella* (Brassicaceae)  
  *fendleri* (A. Gray) S. Wats.--Fendler bladderpod  
  *gordonii* (A. Gray) S. Wats.--Gordon bladderpod

*Leucaena* (Fabaceae)  
  (*glauca* auct.) = *L. leucocephala*  
  *leucocephala* (Lam.) de Wit--leucaena, leadtree, jumbie bean--[TN]

*Leucophyllum* (Scrophulariaceae)  
  *frutescens* (Berland.) I. M. Johnst.--ceniza

*Levisticum* (Apiaceae)  
  *officinale* W.D.J. Koch--lovage

*Liatris* (Asteraceae)  
*spicata* (L.) Willd.--blazing-star

*Libocedrus* (Cupressaceae)  
(*decurrans* Torr.) = *Calocedrus decurrens*

*Licania* (Chrysobalanaceae)  
*arborea* Seem.  
*platypus* (Hemsl.) Fritsch  
*rigida* Benth.--*oticica*

*Ligustrum* (Oleaceae) [TN]  
*amurense* Carr.--Amur privet  
*lucidum* Ait.--glossy privet  
*obtusifolium* Sieb. & Zucc.  
*ovalifolium* Hassk.--California privet  
*quihoui* Carr.  
*sempervirens* (Franch.) Linglesh.  
*sinense* Lour.  
*vulgare* L.--common privet

*Lilium* (Liliaceae)  
*candidum* L.--Madonna lily  
*longiflorum* Thunb.--trumpet lily  
*martagon* L.--martagon lily

*Limnanthes* (Limnanthaceae)  
*alba* Hartw.--meadowfoam  
*bakeri* J. T. Howell--meadowfoam  
*douglasii* R. Br.--meadowfoam

*Limnobium* (Hydrocharitaceae)  
*spongia* (Bosc) Steud.--frogbit

*Linaria* (Scrophulariaceae) [TN]  
*canadensis* (L.) Dumont--oldfield toadflax  
(*dalmatica* (L.) Mill.) = *L. genistifolia* subsp. *dalmatica*  
*genistifolia* (L.) Mill. subsp. *dalmatica* (L.) Maire & Petitmengin--  
Dalmatian toadflax  
*vulgaris* Mill.--yellow toadflax, butter-and-eggs

*Lindera* (Lauraceae)  
*benzoin* (L.) Bl.--spicebush

*Linum* (Linaceae)  
*usitatissimum* L.--flax

*Lippia* (Verbenaceae)  
(*citriodora* (Ort.) Pers.) = *Aloysia triphylla*  
*graveolens* H.B.K.--oregano (in part)  
*micromera* Schau.--Spanish thyme  
(*nodiflora* (L.) Michx.) = *Phyla nodiflora*

Lippia (continued)  
(*triphylla* (L'Hér.) Ktze.) = *Aloysia triphylla*

Liquidambar (Altingiaceae)  
*orientalis* Mill.  
*styraciflua* L.--sweetgum

Liriodendron (Magnoliaceae)  
*tulipifera* L.--yellow-poplar, tuliptree, tulip-poplar

Litchi (Sapindaceae)  
*chinensis* Sonn.--litchi, lychee

Lithospermum (Boraginaceae)  
*arvense* L.--corn gromwell  
*ruderale* Dougl. ex Lehm.--western gromwell

Litsea (Lauraceae)  
*cubeba* (Lour.) Pers.

Lobelia (Campanulaceae)  
*inflata* L.--Indian-tobacco

Lobularia (Brassicaceae)  
*maritima* (L.) Desv.--sweet alyssum

Lochnera (Apocynaceae)  
*rosea* (L.) Reichenb.) = *Catharanthus roseus*

Lolium (Poaceae) [TN]  
*multiflorum* Lam.--annual ryegrass, Italian r.  
*perenne* L.--perennial ryegrass, English r.  
*persicum* Boiss. & Hohen. ex Boiss.--Persian darnel  
*rigidum* Gaud.--Wimmera ryegrass (in part)  
*rigidum* X L. *multiflorum*--Wimmera ryegrass (in part)  
*temulentum* L.--darnel

Lonchocarpus (Fabaceae)  
*cyanescens* (Schum. & Thonn.) Benth.  
*nicou* (Aubl.) DC.  
*urucu* Killip & A. C. Sm.  
*utilis* A. C. Sm.

Lonicera (Caprifoliaceae)  
*japonica* Thunb.--Japanese honeysuckle

Lophophora (Cactaceae)  
*williamsii* (Lem. ex Salm-Dyck) Coulter--peyote--[TN]

Lotus (Fabaceae) [TN]  
*corniculatus* L.--birdsfoot trefoil  
*micranthus* Benth.

*pedunculatus* Cav.

(*pedunculatus* auct. non Cav.) = *L. uliginosus*  
*tenuis* Waldst. & Kit. ex Willd.--narrowleaf trefoil  
(*tetragonolobus* L.) = *Tetragonolobus purpureus*  
*uliginosus* Schkuhr

*Lucuma* (Sapotaceae)

(*nervosa* A. DC.) = *Pouteria campechiana*

*Ludwigia* (Onagraceae)

*decurrens* Walt.--winged waterprimrose  
*palustris* (L.) Ell.--waterpurslane  
*peploides* (H.B.K.) Raven subsp. *peploides*--creeping waterprimrose  
*uruguayensis* (Camb.) Hara

*Luffa* (Cucurbitaceae) [TN]

*acutangula* (L.) Roxb.--angled luffa, singkwa towlgourd  
*aegyptiaca* Mill.--luffa, loofah, vegetable sponge, smooth loofah  
(*cylindrica* M. J. Roem.) = *L. aegyptiaca*  
*operculata* (L.) Cogn.

*Lunaria* (Brassicaceae)

*annua* L.--honesty

*Lupinus* (Fabaceae)

*albus* L.--white lupine, Egyptian l.  
*angustifolius* L.--European blue lupine  
*luteus* L.--European yellow lupine  
(*termis* Forsk.) = *L. albus*

*Lychnis* (Caryophyllaceae)

(*alba* Mill.) = *Silene alba*

*Lycium* (Solanaceae)

*chinense* Mill.--gow-kee

*Lycopersicon* (Solanaceae) [TN]

*cheesmanii* Riley  
(*chilense* Dunal) = *L. peruvianum* var. *dentatum*  
*esculentum* Mill.--tomato--[NC], [TN]  
*esculentum* var. *cerasiforme* (Dunal) A. Gray--cherry tomato  
(*esculentum* var. *commune* Bailey) = *L. esculentum*  
(*esculentum* var. *grandifolium* Bailey) = *L. esculentum*  
(*esculentum* var. *pyriforme* (Dunal) Alef.) = *L. esculentum* f. *pyriforme*  
*esculentum* f. *pyriforme* (Dunal) C. H. Muller--pear tomato  
(*esculentum* var. *validum* Bailey) = *L. esculentum*  
*glandulosum* C. H. Muller  
*hirsutum* Humb. & Bonpl.  
(*lycopersicum* (L.) Farw.) = *L. esculentum*  
*peruvianum* (L.) Mill. var. *peruvianum*  
*peruvianum* var. *dentatum* (Dunal) Dunal  
*peruvianum* var. *humifusum* C. H. Muller

*Lycopersicon* (continued)  
*pimpinellifolium* (L.) Mill.--currant tomato

*Lygeum* (Poaceae)  
*spartum* Loefl. ex L.

*Lysimachia* (Primulaceae)  
*nummularia* L.--moneywort  
*terrestris* (L.) B.S.P.--swamp loosestrife

*Lythrum* (Lythraceae)  
*salicaria* L.--purple loosestrife, spiked l.

*Maackia* (Fabaceae)  
*amurensis* Rupr. & Maxim.--amur maackia

*Macadamia* (Proteaceae) [TN]  
*integrifolia* Maiden & Betche--macadamia-nut (cultivated)  
*ternifolia* F. v. Muell.--gympie-nut  
*tetraphylla* L. Johnson--macadamia-nut (cultivated)

*Macfadyena* (Bignoniaceae)  
*unguis-cati* (L.) A. Gentry--catclaw-vine

*Maclura* (Moraceae)  
*pomifera* (Raf.) Schneid.--osage-orange

*Macroptilium* (Fabaceae) [TN]  
*atropurpureum* (DC.) Urb.--siratro, purple bean, conchito  
*lathyroides* (L.) Urb.

*Macrotyloma* (Fabaceae)  
*axillare* (E. Mey.) Verdc.  
*uniflorum* (Lam.) Verdc.--horse gram

*Madhuca* (Sapotaceae)  
*butyracea* (Roxb.) Macbr.  
*indica* Gmel.--moa-tree  
(*latifolia* (Roxb.) Macbr.) = *M. indica*  
*longifolia* (L.) Macbr.--mahua

*Madia* (Asteraceae)  
*sativa* Mol.--Chilean tarweed, coast t.

*Magnolia* (Magnoliaceae)  
*acuminata* (L.) L.--cucumbertree  
*fraseri* Walt.--Fraser magnolia  
*grandiflora* L.--southern magnolia  
*X soulangiana* Soul.  
*stellata* (Sieb. & Zucc.) Maxim.--star magnolia  
*virginiana* L.--sweetbay magnolia, sweetbay

*Majorana* (Lamiaceae)

(hortensis Moench) = *Origanum majorana*  
(onites (L.) Benth.) = *Origanum onites*

*Malpighia* (Malpighiaceae) [TN]  
*coccigera* L.  
glabra L.--huesito, Barbados-cherry, acerola  
*punicifolia* L.--acerola, West Indian-cherry, Barbados-cherry

*Malus* (Rosaceae)  
*angustifolia* (Ait.) Michx.--southern crabapple (or crab-apple, crab  
apple)  
*baccata* (L.) Borkh.--Siberian crabapple  
*coronaria* (L.) Mill.--sweet crabapple  
(*domestica* Borkh.) = *M. sylvestris* var. *domestica*  
*ioensis* (Wood) Britt.--prairie crabapple  
(*pumila* Mill.) = *M. sylvestris*  
*X soulardii* (Bailey) Britt.--(*M. ioensis* X *M. sylvestris*)--Soulard  
crabapple  
*sylvestris* Mill.--(sens. lat. incl. var. *domestica* (Borkh.) Mansf.)--  
apple--[NC], [TN]

*Malva* (Malvaceae) [TN]  
*moschata* L.--musk mallow  
*neglecta* Wallr.--common mallow, cheeses  
*parviflora* L.--little mallow  
*pusilla* Sm.--dwarf mallow  
(*rotundifolia* L.) = *M. pusilla*  
(*rotundifolia* auct. non L.) = *M. neglecta*  
*sylvestris* L.--high mallow

*Mammea* (Clusiaceae)  
*africana* Sabine--African mammy-apple  
*americana* L.--mammy-apple, mammee-apple

*Mandragora* (Solanaceae) [TN]  
*autumnalis* Bertol.--mandrake  
*officinarum* L.--mandrake  
*vernalis* Bertol.--mandrake

*Mangifera* (Anacardiaceae)  
*caesia* Jack ex Wall.  
*foetida* Lour.  
*indica* L.--mango  
*odorata* Griff.

*Manihot* (Euphorbiaceae) [TN]  
(*aipi* Pohl) = *M. esculenta*  
*caeruleascens* Pohl subsp. *caeruleascens*--manicoba  
*catingae* Ule--manicoba brava  
*dichotoma* Ule--manicoba rubber  
(*dulcis* (J. F. Gmel.) Pax) = *M. esculenta*  
*esculenta* Crantz--cassava, manioc, yuca, tapioca-plant

**Manihot** (continued)

glaziovii Muell.-Arg.--ceara rubber-tree  
(melanobasis Muell.-Arg.) = M. esculenta  
(piauhensis Ule) = M. caerulescens subsp. caerulescens  
(saxicola Lanj.) = M. tristis subsp. saxicola  
tristis Muell.-Arg. subsp. saxicola (Lanj.) Rogers & Appan  
(utilissima Pohl) = M. esculenta

**Manilkara** (Sapotaceae)

(achras (Mill.) Fosb.) = M. zapota  
bidentata (A. DC.) A. Chev.--balata  
zapota (L.) van Royen--sapodilla, chicle, nispero, naseberry--[TN]  
(zapotilla (Jacq.) Gilly) = M. zapota

**Manisuris** (Poaceae)

(altissima (Poir.) Hitchc.) = Hemarthria altissima

**Maranta** (Marantaceae)

arundinacea L.--arrowroot

**Marantochloa** (Marantaceae)

cuspidata (Rosc.) Milne-Redh.  
(flexuosa (Benth.) Hutch.) = M. cuspidata  
ramosissima (Benth.) Hutch.

**Marrubium** (Lamiaceae)

vulgare L.--horehound, white h.

**Marsdenia** (Asclepiadaceae)

reichenbachii Triana--condorvine

**Martynia** (Martyniaceae)

(louisiana Mill.) = Proboscidea louisianica  
(proboscidea Glox.) = Proboscidea louisianica

**Matricaria** (Asteraceae) [TN]

chamomilla L.--wild chamomile, sweet false c., German c.  
(discoidea DC.) = M. matricariooides  
inodora L.--scentless mayweed  
matricariooides (Less.) Porter--pineapple-weed

**Matthiola** (Brassicaceae)

incana (L.) R. Br.--stock

**Mauritia** (Arecaceae)

flexuosa L. f.--muriti  
(vinifera Mart.) = M. flexuosa

**Medicago** (Fabaceae) [TN]

arabica (L.) Huds.--spotted burclover  
(denticulata Willd.) = M. polymorpha  
falcata L.--yellow-flowered alfalfa

(hispida Gaertn.) = M. polymorpha  
littoralis Rohde ex Loisel.  
lupulina L.--black medic  
(maculata Sibth.) = M. arabica  
(media Pers.) = M. sativa subsp. varia  
minima (L.) Bartal.--little burclover  
orbicularis (L.) Bartal.--buttonclover  
(polycarpa Willd.) = M. polymorpha  
polymorpha L.--(incl. var. vulgaris (Benth.) Shinners)--California  
    burclover  
rigidula (L.) All.--Tifton burclover  
rugosa Desr.  
sativa L. subsp. sativa--alfalfa, lucerne  
sativa subsp. varia (Martyn) Arc.  
scutellata (L.) Mill.--snail medic  
(tribuloides Desr. ex Lam.) = M. truncatula  
truncatula Gaertn.--barrelclover  
(X varia Martyn) = M. sativa subsp. varia

Melaleuca (Myrtaceae) [TN]  
    cajuputi Powell--cajeput  
    leucadendron (L.) L.--cajeput

Melanorrhoea (Anacardiaceae)  
    usitata Wall.--Burmese lacquer

Melia (Meliaceae)  
    (azadirachta L.) = Azadirachta indica  
    azedarach L.--chinaberry

Melicoccus (Sapindaceae) [TN]  
    bijugatus Jacq.--Spanish lime

Melilotus (Fabaceae)  
    alba Medik.--white sweetclover--[TN]  
    altissima Thuill.--tall yellow sweetclover  
    indica (L.) All.--sourclover, Indian sweetclover, annual yellow  
        sweetclover  
    officinalis Lam.--yellow sweetclover--[NC], [TN]  
    segetalis (Brot.) Ser.  
    suaveolens Ledeb.

Melinis (Poaceae)  
    minutiflora Beauv.--molasses grass

Melissa (Lamiaceae)  
    officinalis L.--lemon balm

Mentha (Lamiaceae) [TN]  
    aquatica L.  
    arvensis L.--field mint, Japanese m., corn m.  
    (cardiaca (S. F. Gray) Baker) = M. X gentilis

*Mentha* (continued)

(*citrata* Ehrh.) = *M. X piperita* var. *citrata*  
*X gentilis* L.--(*M. arvensis* X *M. spicata*)--red mint, Scotch spearmint  
*X piperita* L.--(*M. aquatica* X *M. spicata*)--peppermint  
*X piperita* var. *citrata* (Ehrh.) Briq.--lemon mint  
*pulegium* L.--European pennyroyal  
*requienii* Benth.  
*rotundifolia* (L.) Huds.--applemint  
*spicata* L.--spearmint  
(*viridis* (L.) L.) = *M. spicata*

*Mesembryanthemum* (Aizoaceae)  
  *crystallinum* L.--ice-plant

*Mespilus* (Rosaceae)  
  *germanica* L.--medlar

*Metasequoia* (Taxodiaceae)  
  *glyptostroboides* Hu & Cheng--dawn redwood

*Metroxylon* (Arecaceae)  
  *amicarum* (Wendl.) Becc.--Caroline ivory nut palm  
  (*rumphii* (Willd.) Mart.) = *M. sagu*  
  *sagu* Rottb.--sago palm

*Michelia* (Magnoliaceae)  
  *champaca* L.

*Micrandra* (Euphorbiaceae)  
  *minor* Benth.

*Mikania* (Asteraceae)  
  *scandens* (L.) Willd.--climbing hempweed

*Mimosa* (Fabaceae)  
  (*farnesiana* L.) = *Acacia farnesiana*  
  *pigra* L.  
  *pudica* L.--sensitive-plant  
  *schomburgkii* Benth.

*Mirabilis* (Nyctaginaceae)  
  *jalapa* L.--common four-o'clock

*Misanthus* (Poaceae)  
  *sinensis* Anderss.--misanthus

*Mollugo* (Aizoaceae)  
  *verticillata* L.--carpetweed

*Momordica* (Cucurbitaceae)  
  *balsamina* L.--balsam-apple, wonder-apple  
  *charantia* L.--bitter gourd, balsam-pear, balsam-apple

*cochininchinensis* (Lour.) Spreng.  
*dioica* Roxb. ex Willd.

Monarda (Lamiaceae)  
*didyma* L.--Oswego tea  
*fistulosa* L.--wild bergamot  
*punctata* L.--spotted bee-balm, horsemint

Monodora (Annonaceae)  
*myristica* (Gaertn.) Dunal--calabash nutmeg

Monstera (Araceae)  
*deliciosa* Liebm.--ceriman, monstera

Montia (Portulacaceae)  
(*perfoliata* (Donn ex Willd.) Howell) = Claytonia perfoliata

Morinda (Rubiaceae)  
*citrifolia* L.--Indian-mulberry

Moringa (Moringaceae)  
*oleifera* Lam.--horseradish-tree  
(*pterygosperma* Gaertn.) = M. oleifera

Morrenia (Asclepiadaceae)  
*odorata* (Hook. & Arn.) Lindl.--strangler-vine

Morus (Moraceae)  
*alba* L.--white mulberry  
*nigra* L.--black mulberry  
*rubra* L.--red mulberry

Mucuna (Fabaceae) [TN]  
*atterrima* (Piper & Tracy) Holland--Mauritius bean, Bengal b.  
*deeringiana* (Bort) Merr.--velvetbean  
*pruriens* (L.) DC.--cowage velvetbean  
*rostrata* Benth.  
*sloanei* Fawc. & Rendle

Muhlenbergia (Poaceae)  
*asperifolia* (Nees & Mey.) Parodi--alkali muhly, scratchgrass  
*macroura* (H.B.K.) Hitchc.  
*mexicana* (L.) Trin.--Mexican muhly  
*schreberi* Gmel.--nimblewill  
*wrightii* Vasey--spike muhly

Murraya (Rutaceae)  
*koenigii* (L.) Spreng.--curry-leaf-tree  
*paniculata* (L.) Jack--orange jessamine

Musa (Musaceae) [TN]  
*acuminata* Colla--dwarf banana

**Musa** (continued)

*balbisiana* Colla

(*cavendishii* Lamb. & Paxt.) = *M. acuminata*

(*ensete* Gmel.) = *Ensete ventricosum*

*X paradisiaca* L.--banana, plantain--[NC], [TN]

(*paradisiaca* var. *sapientum* (L.) Ktze.) = *M. X paradisiaca*

(*sapientum* L.) = *M. X paradisiaca*

*textilis* Née--abaca, Manila hemp

**Myrciaria** (Myrtaceae) [TN]

*cauliflora* (Mart.) Berg--jaboticaba, Brazilian grape-tree

**Myriophyllum** (Haloragaceae)

*brasiliense* Camb.--parrotfeather

*exalbescens* Fern.--northern watermilfoil

*heterophyllum* Michx.--broadleaf watermilfoil, variable w.

*spicatum* L.--Eurasian watermilfoil

*verticillatum* L.--whorled watermilfoil

**Myristica** (Myristicaceae)

*fragrans* Houtt.--nutmeg, mace

(*officinalis* L. f.) = *M. fragrans*

**Myroxylon** (Fabaceae)

*balsamum* (L.) Harms--balsam-of-Tolu, Tolu balsam

*balsamum* var. *pereirae* (Royle) Harms--balsam-of-Peru

(*pereirae* (Royle) Kl.) = *M. balsamum* var. *pereirae*

**Myrrhis** (Apiaceae)

*odorata* (L.) Scop.--myrrh

**Myrtus** (Myrtaceae)

*communis* L.--myrtle, Indian buchu

**Najas** (Najadaceae)

*flexilis* (Willd.) Rostk. & Schmidt--slender naiad

*guadalupensis* (Spreng.) Magnus--southern naiad

*marina* L.--hollyleaf naiad, spiny n., marine n.

**Narcissus** (Amaryllidaceae)

*jonquilla* L.--jonquil

*poeticus* L.--poet's narcissus

*pseudonarcissus* L.--common daffodil

*tazetta* L.--polyanthus narcissus

**Nasturtium** (Brassicaceae)

(*armoracia* (L.) Fries) = *Armoracia rusticana*

*microphyllum* (Boenn.) Reichenb.

(*nasturtium-aquaticum* (L.) Karst.) = *N. officinale*

*officinale* R. Br.--watercress

**Nelumbium** (Nymphaeaceae)

(*nelumbo* (L.) Druce) = *Nelumbo nucifera*  
(*speciosum* Willd.) = *Nelumbo nucifera*

*Nelumbo* (Nymphaeaceae)  
*lutea* (Willd.) Pers.--American lotus  
*nucifera* Gaertn.--lotus, sacred l., East Indian l.

*Nepeta* (Lamiaceae)  
*cataria* L.--catnip  
(*hederacea* (L.) Trev.) = *Glechoma hederacea*

*Nephelium* (Sapindaceae)  
*lappaceum* L.--rambutan  
(*litchi* Camb.) = *Litchi chinensis*  
*mutable* Bl.--pulasan

*Nephrolepis* (Davalliaceae)  
*exaltata* (L.) Schott--sword fern

*Nerium* (Apocynaceae)  
oleander L.--oleander

*Nicandra* (Solanaceae)  
*physalodes* (L.) Gaertn.--apple-of-Peru

*Nicotiana* (Solanaceae) [TN]  
*alata* Link & Otto--winged tobacco  
*attenuata* Torr. ex S. Wats.  
*bigelovii* (Torr.) S. Wats.  
*clevelandii* A. Gray  
*debneyi* Domin  
*excelsior* (Black) Black  
*forgetiana* Hort. ex Hemsley  
*glauca* Grah.--tree tobacco  
*glutinosa* L.  
*gossei* Domin  
*ingulba* Black  
*langsdorffii* Weinm.  
*longiflora* Cav.  
*megalosiphon* Heurck & Muell.-Arg.  
*otophora* Griseb.  
*paniculata* L.  
*plumbaginifolia* Viv.  
*repanda* Willd. ex Lehm.  
*rustica* L.--Aztec tobacco  
*X sanderae* Hort. ex W. Wats.  
*suaveolens* Lehm.  
*sylvestris* Speg. & Comes  
*tabacum* L.--tobacco  
*tomentosa* Ruiz & Pavon  
*tomentosiformis* Goodsp.  
*undulata* Ruiz & Pavon

*Nigella* (Ranunculaceae)  
  *hispanica* L.--Spanish-fennel  
  *sativa* L.--black cumin

*Nopalea* (Cactaceae)  
  *cochenillifera* (L.) Salm-Dyck--cochineal cactus

*Nothopanax* (Araliaceae)  
  (*fruticosum* (L.) Miq.) = *Polyscias fruticosa*  
  (*pinnata* (Lam.) Miq.) = *Polyscias rumphiana*

*Nuphar* (Nymphaeaceae) [TN]  
  *luteum* (L.) Sibth. & Sm.--spatterdock

*Nymphaea* (Nymphaeaceae)  
  *lotus* L.--Egyptian lotus  
  *odorata* Ait.--fragrant waterlily

*Nyssa* (Nyssaceae)  
  *aquatica* L.--water tupelo  
  *sylvatica* Marsh.--black tupelo, black gum, sour g., tupelo

*Ocimum* (Lamiaceae) [TN]  
  (*americanum* L.) = *O. basilicum* (in part), *O. canum* (in part)  
  *basilicum* L.--basil  
  *canum* Sims--hoary basil  
  *gratissimum* L.  
  *kilimandscharicum* Guercke--hoary basil, camphor b.  
  *sanctum* L.--holy basil  
  (*viride* Willd.) = *O. gratissimum*

*Oenanthe* (Apiaceae)  
  *javanica* (Bl.) DC.--water dropwort  
  (*stolonifera* Wall.) = *O. javanica*

*Oenothera* (Onagraceae)  
  *biennis* L.--common evening-primrose  
  *laciniata* Hill--cutleaf evening-primrose

*Olea* (Oleaceae)  
  *europaea* L.--olive

*Oncoba* (Flacourtiaceae)  
  (*echinata* Oliv.) = *Caloncba echinata*

*Ongokea* (Olacaceae)  
  *gore* (Hua) Pierre--boleko-nut  
  (*klaineana* Pierre) = *O. gore*

*Onobrychis* (Fabaceae)  
  (*sativa* Lam.) = *O. viciifolia*  
  (*viciaefolia*) = *O. viciifolia*

*viciifolia* Scop.--sainfoin

*Onopordum* (Asteraceae)  
*acanthium* L.--Scotch thistle

*Onosma* (Boraginaceae)  
*echioides* L.

*Operculina* (Convolvulaceae)  
*turpethum* (L.) Manso--Indian jalap

*Ophiopogon* (Liliaceae)  
*japonicus* (L. f.) Ker--dwarf lilyturf, snake's-beard

*Opuntia* (Cactaceae)  
*ficus-indica* (L.) Mill.--Indianfig pricklypear  
*lindheimeri* Engelm.--Lindheimer pricklypear, Texas p.  
*megacantha* Salm-Dyck--mission pricklypear  
*tuna* (L.) Mill.--elephant-ear pricklypear  
*vulgaris* Mill.

*Orbignya* (Arecaceae) [TN]  
*barbosiana* Burret--babassu  
*cohune* (Mart.) Dahlgr. ex Standl.--cohune palm  
*oleifera* Burret  
*(speciosa* (Mart.) Barb. Rodr.) = *O. barbosiana*

*Origanum* (Lamiaceae) [TN]  
*majorana* L.--sweet marjoram  
*maru* L.--Egyptian marjoram  
*onites* L.--pot marjoram  
*vulgare* L.--wild marjoram, oregano (in part)

*Ornithogalum* (Liliaceae)  
*umbellatum* L.--star-of-Bethlehem

*Ornithopus* (Fabaceae)  
*sativus* Brot.--serradella

*Orobanche* (Orobanchaceae)  
*minor* Sm.--clover broomrape  
*ramosa* L.--hemp broomrape

*Oryza* (Poaceae)  
*glaberrima* Steud.--African rice  
*sativa* L.--rice

*Oryzopsis* (Poaceae)  
*holciformis* (Bieb.) Hack.  
*hymenoides* (Roem. & Schult.) Ricker--Indian ricegrass  
*miliacea* (L.) Aschers. & Schweinf.--smilograss--[TN]

*Osmanthus* (Oleaceae)

*X fortunei* Carr.--Fortune's osmanthus  
*fragrans* (Thunb.) Lour.--sweet osmanthus  
*heterophyllus* (G. Don) P. S. Green--holly osmanthus  
*(ilicifolius* (Hassk.) Mouillef.) = *O. heterophyllus*

*Osmunda* (Osmundaceae)

*cinnamomea* L.--cinnamon fern  
*claytoniana* L.--interrupted fern  
*regalis* L.--royal fern

*Ostrya* (Betulaceae)

*virginiana* (Mill.) K. Koch--eastern hophornbeam

*Oxalis* (Oxalidaceae)

*acetosella* L.  
(*cernua* Thunb.) = *O. pes-caprae*  
*corniculata* L.--creeping wood sorrel, creeping lady's-sorrel  
*corymbosa* DC.--pink wood sorrel  
*europaea* Jordan--common yellow wood sorrel, upright yellow sorrel  
(*martiana* Zucc.) = *O. corymbosa*  
*pes-caprae* L.--buttercup oxalis, Bermuda-buttercup  
(*repens* Thunb.) = *O. corniculata*  
*rubra* St. Hil.--rose wood sorrel  
*stricta* L.--yellow wood sorrel, common yellow w.  
*tuberosa* Mol.--oca

*Oxandra* (Annonaceae)

*lanceolata* (Sw.) Baill.--lancewood

*Oxydendrum* (Ericaceae)

*arboreum* (L.) DC.--sourwood

*Oxytenanthera* (Poaceae)

*abyssinica* (A. Rich.) Munro

*Oxytropis* (Fabaceae)

*lambertii* Pursh--Lambert loco, Lambert crazyweed

*Pachyrhizus* (Fabaceae) [TN]

*ahipa* (Wedd.) Parodi--yam bean  
(*angulatus* L. C. Rich. ex DC.) = *P. erosus*  
(*bulbosus* (L.) Kurz) = *P. erosus*  
*erosus* (L.) Urb.--jicama, yam bean  
*tuberous* (Lam.) Spreng.--ajipo, yam bean

(*Pachyrrhizus*) = *Pachyrhizus*

*Palaquium* (Sapotaceae)

*gutta* (Hook.) Baill.--gutta-percha

*Panax* (Araliaceae) [TN]

(ginseng C. A. Mey.) = *P. pseudoginseng*  
(ginseng var. *japonicus* (T. Nees) Makino) = *P. japonicus*  
*japonicus* (T. Nees) C. A. Mey.  
*pseudoginseng* Wall.--*ginseng*  
*quinquefolius* L.--American *ginseng*  
(*schinseng* Nees) = *P. pseudoginseng*

*Panicum* (Poaceae)  
antidotale Retz.--blue panicgrass  
(barbinode Trin.) = *Brachiaria mutica*  
bartowense Scribn. & Merr.  
bulbosum H.B.K.--bulb panicgrass  
capillare L.--witchgrass  
coloratum L.--kleingrass  
(crus-galli L.) = *Echinochloa crusgalli*  
deustum Thunb.  
dichotomiflorum Michx.--fall panicum  
fasciculatum Sw.--browntop panicum  
(frumentaceum Roxb.) = *Echinochloa crusgalli* var. *frumentacea*  
hemitomon Schult.--maidencane  
maximum Jacq.--guineagrass  
miliaceum L.--proso millet, common m., broom m., hog m.  
(miliare Lam.) = *P. sumatrense*  
(muticum Forsk.) = *Brachiaria mutica*  
obtusum H.B.K.--vine mesquitegrass  
(purpurascens Raddi) = *Brachiaria mutica*  
(ramosum L.) = *Brachiaria ramosa*  
repens L.--torpedograss  
sumatrense Roth ex Roem. & Schult.--little millet--[TN]  
texanum Buckl.--Texas panicum, Texas millet  
trichoides Sw.  
virgatum L.--switchgrass

*Papaver* (Papaveraceae) [TN]  
bracteatum Lindl.--Oriental poppy  
orientale L.--Oriental poppy  
pseudo-orientale (Fedde) Medw.--Oriental poppy  
rhoeas L.--corn poppy  
sommiferum L.--opium poppy

*Papaya* (Caricaceae)  
(carica Gaertn.) = *Carica papaya*

*Parietaria* (Urticaceae)  
*pensylvanica* Muhl.--Pennsylvania pellitory

*Parkia* (Fabaceae) [TN]  
(africana R. Br.) = *P. clappertoniana*  
bicolor A. Chev.  
*clappertoniana* Keay  
*filicoidea* Welw. ex Oliv.--African locust bean  
*speciosa* Hassk.

*Parmentiera* (Bignoniaceae) [TN]  
  *aculeata* (H.B.K.) L. Wms.--cuachilote  
  *cerifera* Seem.--candletree  
  (*edulis* DC.) = *P. aculeata*

*Parthenium* (Asteraceae)  
  *argentatum* A. Gray--guayule

*Parthenocissus* (Vitaceae)  
  *inserta* (Kerner) K. Fritsch--Virginia-creeper  
  *quinquefolia* (L.) Planch.--Virginia-creeper  
  *tricuspidata* (Sieb. & Zucc.) Planch.--Boston ivy

*Paspalum* (Poaceae)  
  *ciliatifolium* Michx.--fringeleaf paspalum  
  *commersonii* Lam.--koda millet  
  *conjugatum* Berg.--sour paspalum, sourgrass  
  *dilatatum* Poir.--dallisgrass  
  *distichum* L.--knotgrass  
  *fasciculatum* Willd. ex Fluegge  
  *fimbriatum* H.B.K.--Panama paspalum  
  *fluitans* (Ell.) Kunth--water paspalum  
  *guenoarum* var. *rojasii* (Hack.) Parodi  
  *laeve* Michx.--field paspalum  
  *nicorae* Parodi--brunswickgrass, Brunswick grass  
  *notatum* Fluegge--bahiagrass, Bahia grass  
  *plicatulum* Michx.  
  *racemosum* Lam.  
  (*rojasii* Hack.) = *P. guenoarum* var. *rojasii*  
  *scrobiculatum* L.--kodo, kodo millet, kodra  
  *urvillei* Steud.--vaseygrass, Vasey grass  
  *vaginatum* Sw.  
  *virgatum* L.

*Passiflora* (Passifloraceae) [TN]  
  *alata* Dryand.  
  *antioquiensis* Karst.  
  *caerulea* L.  
  *caeruleo-racemosa* Sabine  
  *cincinnata* Mast.--Crato passion-vine  
  *coccinea* Aubl.  
  *X colvillii* Sweet--(P. caerulea X P. incarnata)  
  *edulis* Sims--purple granadilla  
  *edulis* f. *flavicarpa* Deg.  
  *foetida* L.  
  *incarnata* L.--maypop passion-flower, maypop  
  *laurifolia* L.--yellow granadilla, waterlemon  
  *ligularis* Juss.--granadilla, sweet g.  
  *lutea* L.  
  *maliformis* L.  
  *mixta* L. f.  
  *mollissima* (H.B.K.) L. H. Bailey--banana passion-fruit

*morifolia* Mast.  
*quadrangularis* L.--giant granadilla  
*racemosa* Brot.  
*sexflora* Juss.  
*suberosa* L.  
(*van-volkemii* (Lem.) Triana & Planch.) = *P. antioquiensis*  
*vitifolia* H.B.K.  
*warmingii* Mast.

*Pastinaca* (Apiaceae)  
*sativa* L.--parsnip, wild p.

*Paullinia* (Sapindaceae)  
*cupana* Kunth ex H.B.K.--guarana  
*yoco* Schult. & Killip--yoco

*Paulownia* (Scrophulariaceae)  
*tomentosa* (Thunb.) Steud.--royal paulownia, princess-tree

*Pavetta* (Rubiaceae)  
*crassipes* K. Schum.

*Peganum* (Zygophyllaceae)  
*harmala* L.--African-rue, harmel piganum

*Pelargonium* (Geraniaceae)  
*graveolens* L'Hér. ex Ait.--rose geranium  
*inquinans* (L.) L'Hér. ex Ait.  
*odoratissimum* (L.) L'Hér. ex Ait.--apple geranium, nutmeg g.  
*peltatum* (L.) L'Hér. ex Ait.--ivy geranium  
*zonale* (L.) L'Hér. ex Ait.--zonal geranium, horseshoe g.

*Peltandra* (Araceae) [TN]  
(*virginica* (L.) Kunth) = *P. virginica* (L.) Schott & Endl.  
*virginica* (L.) Schott & Endl.--arrow-arum

*Peltophorum* (Fabaceae)  
(*inerme* (Roxb.) Naves ex Villar) = *P. pterocarpum*  
*pterocarpum* (DC.) Back. ex K. Heyne

*Pennisetum* (Poaceae)  
(*americanum* (L.) K. Schum.) = *P. americanum* (L.) Leeke  
*americanum* (L.) Leeke--pearl millet, bulrush m.--[TN]  
(*ciliare* (L.) Link) = *Cenchrus ciliaris*  
*clandestinum* Hochst. ex Chiov.--kikuyu grass  
(*glaucum* (L.) R. Br. sens. Amer. auct.) = *P. americanum* (L.) Leeke  
*purpureum* Schumach.--elephant grass, napier g.  
(*spicatum* (L.) Koern.) = *P. americanum* (L.) Leeke  
(*typhoides* (Burm. f.) Stapf & C. E. Hubb.) = *P. americanum* (L.) Leeke  
(*typhoideum* L. C. Rich.) = *P. americanum* (L.) Leeke  
*villosum* R. Br. ex Fresen.--feathertop

Pentaclethra (Fabaceae)  
macrophylla Benth.--oil-bean-tree, owala oil

Pentadesma (Clusiaceae)  
butyracea Sabine--butter-tree

Pentzia (Asteraceae)  
virgata Less.

Peperomia (Piperaceae)  
obtusifolia (L.) A. Dietr.--oval-leaf peperomia  
pellucida H.B.K.  
pereskiifolia (Jacq.) H.B.K.  
(viridispica Trel.) = P. pereskiifolia

Pergularia (Asclepiadaceae)  
(africana N. E. Br.) = Telosma africanum  
daemia (Forsk.) Chiov.

Perilla (Lamiaceae)  
(arguta Benth.) = P. frutescens  
frutescens (L.) Britt.--perilla  
(ocymoides L.) = P. frutescens

Persea (Lauraceae)  
americana Mill.--avocado  
borbonia (L.) Spreng.--redbay  
(gratissima Gaertn. f.) = P. americana  
schiedeana Nees--coyo

Petasites (Asteraceae)  
japonicus (Sieb. & Zucc.) Fr. Schmidt--butterbur

Petroselinum (Apiaceae) [TN]  
crispum (Mill.) Nym. ex A. W. Hill--parsley  
(hortense auct. non Hoffm.) = P. crispum  
(sativum Hoffm.) = P. crispum

Petunia (Solanaceae)  
axillaris (Lam.) B.S.P.--large white petunia, whitemoon p.  
X hybrida Vilm.--(P. axillaris X P. violacea)--garden petunia  
violacea Lindl.--violet-flowered petunia

Peumus (Monimiaceae)  
boldus Mol.--boldo

Phalaris (Poaceae) [TN]  
aquatica L.--bulbous canarygrass  
arundinacea L.--reed canarygrass  
canariensis L.--canarygrass  
coeruleescens Desf.--sunolgrass  
minor Retz.--littleseed canarygrass

*paradoxa* L.--hood canarygrass  
*stenoptera* Hack.--Harding grass--(*P. aquatica* X *P. arundinacea* ?)  
(*tuberosa* L.) = *P. aquatica*  
(*tuberosa* var. *hirtiglumis* (Batt. & Trab.) Batt. & Trab.) = *P. aquatica*  
(*tuberosa* var. *stenoptera* (Hack.) Hitchc.) = *P. stenoptera*

*Pharbitis* (Convolvulaceae)  
(*nil* (L.) Choisy) = *Ipomoea nil*

*Phaseolus* (Fabaceae)  
(*aconitifolius* Jacq.) = *Vigna aconitifolia*  
*acutifolius* A. Gray--tepary bean  
(*acutifolius* var. *latifolius* Freeman) = *P. acutifolius*  
(*angularis* (Willd.) W. F. Wight) = *Vigna angularis*  
(*atropurpureus* Moc. & Sessé ex DC.) = *Macroptilium atropurpureum*  
(*aureus* Roxb.) = *Vigna radiata*  
(*calcaratus* Roxb.) = *Vigna umbellata*  
(*caracalla* L.) = *Vigna caracalla*  
*coccineus* L.--scarlet runner bean  
(*cylindricus* L.) = *Vigna unguiculata* subsp. *cylindrica*  
(*inamoenus* L.) = *P. lunatus*  
(*lathyroides* L.) = *Macroptilium lathyroides*  
(*latifolius* (Freeman) Freeman) = *P. acutifolius*  
(*limensis* Macf.) = *P. lunatus*  
*lunatus* L.--lima bean, butter b.  
(*max* L.) = *Glycine max*  
*metcalfei* Woot. & Standl.  
(*multiflorus* Willd.) = *P. coccineus*  
(*mungo* L.) = *Vigna mungo*  
*polystachios* (L.) B.S.P.--beavine, wild bean, thicket b.  
(*radiatus* L.) = *Vigna radiata*  
(*sublobatus* Roxb.) = *Vigna radiata* var. *sublobata*  
(*trinervius* Wight & Arn.) = *Vigna radiata* var. *sublobata*  
(*tunkinensis* Lour.) = *P. lunatus*  
*vulgaris* L.--garden bean, green b., kidney b., haricot b.

*Philodendron* (Araceae)  
(*pertusum* Kunth & Bouché) = *Monstera deliciosa*  
*scandens* K. Koch & Sello--heart-leaf philodendron  
*selloum* K. Koch

*Phloxerous* (Amaranthaceae)  
*portulacoides* St. Hil.  
*vermicularis* (L.) Beauv.

*Phleum* (Poaceae)  
bertolonii DC.--diploid timothy, turf t.  
(*nodosum* L.) = *P. pratense*  
(*nodosum* auct.) = *P. bertolonii*  
*pratense* L.--timothy

*Phoenix* (Arecaceae)

*canariensis* Hort. ex Chaub.--Canary Island date palm  
*dactylifera* L.--date palm  
*loureirii* Kunth  
*reclinata* Jacq.--Senegal date palm  
*roebelenii* O'Brien--pigmy date palm  
*sylvestris* (L.) Roxb.--wild date

*Phormium* (Agavaceae)

*tenax* J. R. & G. Forst.--New Zealand-flax

*Phragmites* (Poaceae)

*australis* (Cav.) Trin. ex Steud.--common reed--[TN]  
(*communis* Trin.) = *P. australis*

*Phyla* (Verbenaceae)

*nodiflora* (L.) Greene--fog-fruit

*Phyllanthus* (Euphorbiaceae)

*acidus* (L.) Skeels--Otaheite gooseberry-tree, Indian-gooseberry  
(*distichus* (L.) Muell.-Arg.) = *P. acidus*  
*emblica* L.--emblic, myrobalan  
*niruri* L.--niruri

*Phyllocladus* (Podocarpaceae)

*trichomanoides* D. Don--celery-pine

*Phyllostachys* (Poaceae)

*bambusoides* Sieb. & Zucc.--Japanese timber bamboo  
*dulcis* McClure--sweetshoot bamboo  
*meyeri* McClure--Meyer bamboo  
*pubescens* Mazel ex H. de Leh.  
(*sulphurea* A. & C. Riv.) = *P. bambusoides*  
*viridis* (Young) McClure

*Physalis* (Solanaceae)

*alkekengi* L.--Chinese lantern-plant  
*edulis* Sims = *P. peruviana*  
*heterophylla* Nees--clammy groundcherry  
*ixocarpa* Brot. ex Hornem.--tomatillo, husk-tomato, tomatillo  
groundcherry  
*peruviana* L.--Cape-gooseberry, Peruvian-cherry, Peruvian groundcherry  
*pruinosa* L.--hairy groundcherry, dwarf Cape-gooseberry  
*pubescens* L.--downy groundcherry

*Physocarpus* (Rosaceae)

*opulifolius* (L.) Maxim.--ninebark

*Physostigma* (Fabaceae)

*venenosum* Balf.--calabar bean

*Phytelephas* (Arecaceae)

*macrocarpa* Ruiz & Pavon--ivory nut palm, tagua p.

*Phytolacca* (Phytolaccaceae)  
*americana* L.--pokeweed, poke  
(*decandra* L.) = *P. americana*  
*dodecandra* L'Hér.

*Picea* (Pinaceae)  
*abies* (L.) Karst.--Norway spruce  
*engelmannii* Parry ex Engelm.--Engelmann spruce  
*glauca* (Moench) Voss--white spruce  
*mariana* (Mill.) B.S.P.--black spruce  
*rubens* Sarg.--red spruce  
*sitchensis* (Bong.) Carr.--Sitka spruce

*Picrasma* (Simaroubaceae)  
*excelsa* (Sw.) Planch.--Jamaican quassia, bitterwood

*Picrosia* (Asteraceae)  
*longifolia* D. Don

*Pieris* (Ericaceae)  
*japonica* (Thumb.) D. Don ex G. Don--Japanese andromeda

*Pilea* (Urticaceae)  
*microphylla* (L.) Liebm.--artillery-plant, artilleryweed

*Pilocarpus* (Rutaceae)  
*jaborandi* Holmes

*Pimenta* (Myrtaceae)  
(*acris* Kostel.) = *P. racemosa*  
*dioica* (L.) Merr.--allspice  
(*officinalis* Lindl.) = *P. dioica*  
*racemosa* (Mill.) J. W. Moore--bay-rum-tree

*Pimpinella* (Apiaceae)  
*anisum* L.--anise

*Pinus* (Pinaceae) [TN]  
(*australis* Michx. f.) = *P. palustris*  
*banksiana* Lamb.--jack pine  
*caribaea* Morelet--Caribbean pine  
*cembra* L.--Swiss stone pine  
*cembroides* Zucc.--Mexican pinyon  
(*cembroides* var. *edulis* (Engelm.) Voss) = *P. edulis*  
*contorta* Dougl. ex Loud.--lodgepole pine  
*echinata* Mill.--shortleaf pine  
*edulis* Engelm.--pinyon, pinyon pine  
*elliottii* Engelm.--slash pine  
*halepensis* Mill.--Aleppo pine  
*jeffreyi* Grev. & Balf.--Jeffrey pine

*Pinus* (continued)

*lambertiana* Dougl.--sugar pine  
*merkusii* Jungh. & De Vr.--Merkus pine  
*monophylla* Torr. & Frem.--singleleaf pinyon  
(*montana* Mill.) = *P. mugo*  
*monticola* Dougl. ex D. Don--western white pine  
*mugo* Turra--Swiss mountain pine  
*nigra* Arnold--Austrian pine, black p., Corsican p.  
*palustris* Mill.--longleaf pine--[TN]  
*pinaster* Ait.--maritime pine  
*pinea* L.--Italian stone pine  
*ponderosa* Dougl. ex P. & C. Lawson--ponderosa pine  
*pungens* Lamb.--table mountain pine  
*quadrifolia* Parl. ex Sudw.--Parry pinyon  
*radiata* D. Don--Monterey pine  
*resinosa* Ait.--red pine, Norway p.  
*rigida* Mill.--pitch pine  
*sabiniana* Dougl. ex D. Don--digger pine  
*serotina* Michx.--pond pine  
*strobus* L.--eastern white pine  
*sylvestris* L.--Scotch pine  
*taeda* L.--loblolly pine  
*thunbergiana* Franco--Japanese black pine  
*torreyana* Parry ex Carr.--Torrey pine  
*virginiana* Mill.--Virginia pine

*Piper* (Piperaceae)

*aduncum* L.--spiked pepper  
*angustifolium* Lam.  
*betel* L.--betel pepper  
*cubeba* L.f.--cubeb  
*guineense* Schumach. & Thonn.  
*longifolium* Ruiz & Pavon  
*longum* L.--Indian long pepper  
*methysticum* G. Forst.--kava  
*nigrum* L.--black pepper  
(*officinarum* (Miq.) DC.) = *P. retrofractum*  
*ornatum* N. E. Br.--Celebes pepper  
*retrofractum* Vahl--Javanese long pepper  
(*umbellatum* L.) = *Pothomorphe umbellata*

*Pistacia* (Anacardiaceae)

*atlantica* Desf.  
(*cabulica* Stocks) = *P. atlantica*  
*lentiscus* L.--mastic  
*terebinthus* L.  
*vera* L.--pistachio-nut

*Pistia* (Araceae)

*stratiotes* L.--waterlettuce

*Pisum* (Fabaceae)

(*arvense* L.) = *P. sativum*

*sativum* L.--(sens. lat. incl.) garden pea, field p.  
(*sativum* var. *arvense* (L.) Poir.) = *P. sativum*

*Pithecellobium* (Fabaceae)  
dulce (Roxb.) Benth.  
jiringa (Jack) Mansf.  
(saman (Jacq.) Benth.) = *Samanea saman*

*Pittosporum* (Pittosporaceae)  
*pentandrum* (Blanco) Merr.  
*undulatum* Vent.--Victorian-box, *pittosporum*

*Plantago* (Plantaginaceae) [TN]  
*aristata* Michx.--bracted plantain  
*lanceolata* L.--buckhorn plantain, English p.  
*major* L.--broadleaf plantain, common p., great p. (Br.)  
*media* L.--hoary plantain  
*psyllium* L.  
*rugelii* Decne.--blackseed plantain, Rugel's p.  
*virginica* L.--paleseed plantain

*Platanus* (Platanaceae) [TN]  
*X acerifolia* (Ait.) Willd.--London planetree--(*P. occidentalis*  
X *P. orientalis*)  
*occidentalis* L.--American sycamore  
*orientalis* L.--Oriental planetree

*Platonia* (Clusiaceae)  
*esculenta* (Arr. Cam.) Rickett & Stafl.--bacury  
(*insignis* Mart.) = *P. esculenta*

*Plectranthus* (Lamiaceae)  
*esculentus* N. E. Br.--kaffir-potato

*Plumeria* (Apocynaceae)  
*rubra* L.--frangipani

*Poa* (Poaceae)  
*alpina* L.--alpine bluegrass  
*ampla* Merr.--big bluegrass  
*annua* L.--annual bluegrass  
*arachnifera* Torr.--Texas bluegrass  
*arida* Vasey--plains bluegrass  
*bulbosa* L.--bulbous bluegrass  
*canbyi* (Scribn.) Piper--Canby bluegrass  
*compressa* L.--Canada bluegrass  
*fendleriana* (Steud.) Vasey--mutton bluegrass  
*glaucantha* Gaud.--upland bluegrass, *glaucantha* b.  
*nemoralis* L.--wood bluegrass  
*nervosa* (Hook.) Vasey--Wheeler bluegrass  
*nevadensis* Vasey ex Scribn.--Nevada bluegrass  
*palustris* L.--fowl bluegrass

Poa (continued)

pratensis L.--Kentucky bluegrass  
secunda Presl--Sandberg bluegrass  
trivialis L.--roughstalk bluegrass

Podocarpus (Podocarpaceae)

dacrydioides A. Rich.--kahika  
totara D. Don--totara

Podophyllum (Berberidaceae)

peltatum L.--mayapple, may-apple

Pogostemon (Lamiaceae)

cablin (Blanco) Benth.--patchouli

Poinciana (Fabaceae)

(regia Boj. ex Hook.) = Delonix regia

Poinsettia (Euphorbiaceae)

(pulcherrima (Willd. ex Kl.) Grah.) = Euphorbia pulcherrima

Polanisia (Capparaceae)

dodecandra (L.) DC.--clammyweed  
(graveolens Raf.) = P. dodecandra

Polianthes (Agavaceae)

tuberosa L.--tuberose

Polygala (Polygalaceae)

crotalarioides Buch.-Ham. ex DC.  
senega L.--Seneca snakeroot

Polygonum (Polygonaceae)

amphibium L.--water smartweed  
argyrocoleon Steud. ex Kunze--silversheath knotweed  
aviculare L.--prostrate knotweed  
cespitosum Bl. var. longisetum (De Bruyn) Stewart  
coccineum Muhl.--swamp smartweed  
convolvulus L.--black bindweed, wild buckwheat  
cuspidatum Sieb. & Zucc.--Japanese knotweed  
erectum L.--erect knotweed  
(heterophyllum Lindman) = P. aviculare  
hydropiper L.--marshpepper smartweed  
pensylvanicum L.--Pennsylvania smartweed  
persicaria L.--ladysthumb  
punctatum Ell.--dotted smartweed  
sagittatum L.--arrow-leaved tearthumb  
salicifolium Brouss. ex Willd.

Polymnia (Asteraceae)

sonchifolia Poepp. & Endl.--yacon

Polypogon (Poaceae)

*monspeliensis* (L.) Desf.--rabbitfoot grass  
*semiverticillatus* (Forsk.) Hyl.--[TN]

*Polypteron* (Loganiaceae)  
procumbens L.--polypteron

*Polyscias* (Araliaceae) [TN]  
fruticosa (L.) Harms  
rumphiana Harms

*Poncirus* (Rutaceae)  
trifoliata (L.) Raf.--trifoliate-orange

*Pongamia* (Fabaceae)  
(*glabra* Vent.) = *P. pinnata*  
*pinnata* (L.) Pierre--pongam

*Pontederia* (Pontederiaceae) [TN]  
cordata L. var. cordata--pickerelweed  
cordata var. lancifolia (Muhl.) Torr.--lanceleaf pickerelweed  
(*lanceolata* Nutt.) = *P. cordata* var. *lancifolia*

*Populus* (Salicaceae)  
alba L.--white poplar  
deltoidea Bartr. ex Marsh.--eastern cottonwood  
grandidentata Michx.--bigtooth aspen, large-toothed a.  
nigra L.--black poplar  
sargentii Dode--plains cottonwood  
tremuloides Michx.--quaking aspen, trembling a.

*Porana* (Convolvulaceae)  
paniculata Roxb.--porana-vine

*Portlandia* (Rubiaceae)  
grandiflora L.

*Portulaca* (Portulacaceae)  
grandiflora Hook.  
oleracea L.--purslane

*Portulacaria* (Portulacaceae)  
afra (L.) Jacq.--elephant-bush

*Potamogeton* (Potamogetonaceae)  
crispus L.--curlyleaf pondweed  
foliosus Raf.--leafy pondweed  
illinoensis Morong--Illinois pondweed  
nodosus Poir.--American pondweed  
pectinatus L.--sago pondweed  
pusillus L.--small pondweed  
richardsonii (A. Benn.) Rydb.--Richardson pondweed

Potentilla (Rosaceae)

anserina L.--silverweed cinquefoil, silverweed  
canadensis L.--common cinquefoil  
norvegica L.--rough cinquefoil  
recta L.--sulphur cinquefoil, upright c.

Poterium (Rosaceae)

(sanguisorba L.) = Sanguisorba minor

Pothomorphe (Piperaceae)

umbellata (L.) Miq.--cowfoot

Pouteria (Sapotaceae) [TN]

campechiana (H.B.K.) Baehni--egg-fruit-tree, canistel  
sapota (Jacq.) H. E. Moore & Stearn--sapote, mammee s.  
viridis (Pitt.) Cronq.

Proboscidea (Martyniaceae)

(jussieui sens. auct.) = P. louisianica  
(louisiana (Mill.) Woot. & Standl.) = P. louisianica  
louisianica (Mill.) Thell.--devilsclaw, unicorn-plant, proboscis-flower,  
ram's-horn

Prosopis (Fabaceae) [TN]

africana (Guill. & Perr.) Taub.  
chilensis (Mol.) Stuntz--algaroba, mesquite  
glandulosa Torr. var. glandulosa--honey mesquite  
glandulosa var. torreyana (L. Benson) M. C. Johnst.--western honey  
mesquite  
juliflora (Sw.) DC.--mesquite  
tamarugo Phil.--tamarugo

Prunella (Lamiaceae)

vulgaris L.--heal-all, self-heal

Prunus (Rosaceae)

americana Marsh.--American plum  
(amygdalus Batsch) = P. dulcis  
angustifolia Marsh.--chickasaw plum  
armeniaca L.--apricot  
avium (L.) L.--sweet cherry, mazzard c.  
cerasifera Ehrh.--myrobalan plum  
cerasus L.--sour cherry  
(communis (L.) Arcang.) = P. dulcis  
domestica L.--garden plum, common p., European p., prune p.  
(domestica subsp. insititia (L.) Schneid.) = P. insititia  
dulcis (Mill.) D. A. Webb--almond--[TN]  
hortulana L. H. Bailey--hortulan plum  
insititia L.--bullace plum, damson p.  
laurocerasus L.--cherry-laurel  
mahaleb L.--mahaleb cherry  
maritima Marsh.--beach plum

*mume* Sieb. & Zucc.--Japanese apricot  
*nigra* Ait.--Canada plum  
*pensylvanica* L. f.--pin cherry  
*persica* (L.) Batsch--(sens. lat. incl.) peach, nectarine  
(*persica* var. *nectarina* (Ait.) Maxim.) = *P. persica*  
*salicina* Lindl.--Japanese plum  
*serotina* Ehrh.--black cherry  
*serrulata* Lindl.--Japanese flowering cherry  
*spinosa* L.--sloe, blackthorn  
*subcordata* Benth.--Klamath plum, Pacific p.  
(*triflora* Roxb.) = *P. salicina*  
*virginiana* L.--chokecherry

**Psathyrostachys** (Poaceae) [TN]  
*juncea* (Fisch.) Nevski--Russian wildrye

**Pseudotsuga** (Pinaceae)  
*menziesii* (Mirbel) Franco--Douglas-fir  
(*mucronata* (Raf.) Sudw.) = *P. menziesii*

**Psidium** (Myrtaceae)  
(*araca* Raddi) = *P. guineense*  
*cattleianum* Sabine--strawberry guava, purple g.  
*friedrichsthalianum* (Berg) Niedz.--wild guava  
*guajava* L.--common guava  
*guineense* Sw.--Guinea guava  
(*littorale* Raddi) = *P. cattleianum*  
(*littorale* var. *lucidum* Deg.) = *P. cattleianum*  
*montanum* Sw.--mountain guava

**Psophocarpus** (Fabaceae)  
(*longepedunculatus* Hassk.) = *P. palustris*  
(*palmettorum* Guill. & Perr.) = *P. palustris*  
*palustris* Desv.  
*tetragonolobus* (L.) DC.--winged bean, goa b., asparagus pea

**Psoralea** (Fabaceae)  
*bituminosa* L.--Arabian scurfpea  
*tenuiflora* Pursh--scurfy psoralea

**Psychotria** (Rubiaceae)  
(*ipecacuanha* (Brot.) Stokes) = *Cephaelis ipecacuanha*

**Pteridium** (Dennstaedtiaceae)  
*aquininum* (L.) Kuhn--bracken fern

**Pterocarpus** (Fabaceae)  
*erinaceus* Poir.--barwood  
*indicus* Willd.  
*marsupium* Roxb.--Malabar kino  
*osum* Craib  
*santalinus* L. f.--red sandalwood

Pterocarpus (continued)  
*soyauxii* Taub.--barwood

Puccinellia (Poaceae)  
*airoides* (Nutt.) S. Wats. & Coulte.--Nuttall alkaligrass  
*distans* (L.) Parl.--weeping alkaligrass, alkaligrass

Pueraria (Fabaceae)  
(*hirsuta* (Thunb.) Schneid.) = *P. lobata*  
*lobata* (Willd.) Ohwi--kudzu  
*montana* (Lour.) Merr.--[TN]  
*phaseoloides* (Roxb.) Benth.--tropical kudzu  
(*thunbergiana* (Sieb. & Zucc.) Benth.) = *P. lobata*

Punica (Punicaceae)  
*granatum* L.--pomegranate

Pyracantha (Rosaceae)  
*coccinea* M. J. Roem.--scarlet firethorn

Pyrethrum (Asteraceae)  
(*cinerariifolium* Trev.) = *Chrysanthemum cinerariifolium*

Pyrostegia (Bignoniaceae)  
*venusta* (Ker) Miers--orange-trumpet

Pyrrhopappus (Asteraceae)  
*carolinianus* (Walt.) DC.--Carolina false dandelion

Pyrus (Rosaceae)  
(*baccata* L.) = *Malus baccata*  
*calleryana* Decne.--Callery pear  
*communis* L.--pear  
(*cydonia* L.) = *Cydonia oblonga*  
*glabra* Boiss.  
(*malus* L.) = *Malus sylvestris*  
*pyrifolia* (Burm. f.) Nakai--sand pear, Japanese p., Oriental p.,  
Chinese p.

Quassia (Simaroubaceae)  
*amara* L.--bitterwood

Quercus (Fagaceae) [TN]  
*acutissima* Carruth.--sawtooth oak  
(*aegilops* auct.) = *Q. macrolepis*  
*agrifolia* Née--California live oak, coast live o.  
*alba* L.--white oak  
*bicolor* Willd.--swamp white oak  
(*borealis* var. *maxima* (Marsh.) Sarg.) = *Q. rubra*  
*brantii* Lindl.  
(*catesbeiae* Michx.) = *Q. laevis*  
*cerris* L.--European turkey oak

*coccinea* Muenchh.--scarlet oak  
(*conferta* Kit.) = *Q. frainetto*  
*falcata* Michx.--southern red oak, Spanish o.  
*frainetto* Ten.  
*ilex* L.--holly oak  
*imbricaria* Michx.--shingle oak  
*infectoria* Olivier--Aleppo oak  
*laevis* Walt.--turkey oak, Catesby's o.  
*lyrata* Walt.--overcup oak, swamp post o.  
*macrocarpa* Michx.--bur oak, mossy cup o.  
*macrolepis* Kotschy  
*marilandica* Muenchh.--blackjack oak  
(*montana* Willd.) = *Q. prinus*  
*nigra* L.--water oak, possum o.  
*palustris* Muenchh.--pin oak  
(*persica* Jaub. & Spach) = *Q. brantii*  
*petraea* (Mattuschka) Liebl.--durmast oak  
*phellos* L.--willow oak  
*prinus* L.--chestnut oak, rock chestnut o.  
*robur* L.--English oak  
*rubra* L.--northern red oak  
(*sessiliflora* Salisb.) = *Q. petraea*  
*stellata* Wangenh.--post oak  
*suber* L.--cork oak  
*velutina* Lam.--black oak  
*virginiana* Mill.--live oak  
*wislizenii* A. DC.--interior live oak

*Quillaja* (Rosaceae)  
*saponaria* Mol.--soapbark

*Ranunculus* (Ranunculaceae)  
*abortivus* L.--smallflower buttercup, small-flowered crowfoot, kidneyleaf b.  
*acris* L.--tall buttercup  
*arvensis* L.--corn buttercup  
*bulbosus* L.--bulbous buttercup  
*repens* L.--creeping buttercup  
*sceleratus* L.--cursed crowfoot

*Raphanus* (Brassicaceae)  
*raphanistrum* L.--wild radish  
*sativus* L.--radish

*Raphia* (Arecaceae)  
*farinifera* (Gaertn.) Hyl.--raffia palm  
*hookeri* Mann & Wendl.--Ivory Coast raphia palm  
(*pedunculata* Beauv.) = *R. farinifera*  
*sudanica* A. Chev.  
*vinifera* Beauv.--West African piassava palm, wine p.

*Rauvolfia* (Apocynaceae) [TN]  
(*canescens* L.) = *R. tetraphylla*

Rauvolfia (continued)  
serpentina (L.) Benth. ex Kurz  
tetraphylla L.

Reseda (Resedaceae)  
luteola L.--dyer's-rocket, weld  
odorata L.--common mignonette

Reussia (Pontederiaceae)  
rotundifolia (L. f.) Castell.

Reynoutria (Polygonaceae)  
(japonica Houtt.) = Polygonum cuspidatum

Rhamnus (Rhamnaceae) [TN]  
catharticus L.--European buckthorn  
(frangula L.) = Frangula alnus  
globosus Bunge--lokao  
purshianus DC.--cascara buckthorn  
utilis Decne.--lokao, Chinese buckthorn

Rheum (Polygonaceae)  
officinale Baill.--Chinese rhubarb  
palmatum L.--Chinese rhubarb  
rhabarbarum L.--rhubarb--[TN]

Rhizophora (Rhizophoraceae)  
mangle L.--mangrove, red m., American m.

Rhododendron (Ericaceae)  
calendulaceum (Michx.) Torr.--flame azalea  
canadense (L.) Torr.--rhodora, Canadian rhododendron  
catawbiense Michx.--Catawba rhododendron, mountain rosebay, purple  
laurel  
maximum L.--rosebay rhododendron, great r., great laurel

Rhus (Anacardiaceae)  
chinensis Mill.--Chinese sumac  
copallina L.--dwarf sumac, shining s., winged s.  
coriaria L.--Sicilian sumac  
(diversiloba Torr. & A. Gray) = Toxicodendron diversilobum  
glabra L.--smooth sumac  
(radicans L.) = Toxicodendron radicans  
(succedanea L.) = Toxicodendron succedaneum  
typhina L.--staghorn sumac  
(verniciflua Stokes) = Toxicodendron vernicifluum  
(vernis L.) = Toxicodendron vernix

Rhynchelytrum (Poaceae)  
repens (Willd.) C. E. Hubb.--natalgrass, Natal grass  
(roseum (Nees) Stapf & C. E. Hubb. ex Bews) = R. repens

Rhynchosia (Fabaceae)

minima (L.) DC.

totta (Thunb.) DC.

Rhynchospora (Cyperaceae)

nervosa (Vahl) Boeck.

Ribes (Grossulariaceae) [TN]

americanum Mill.--American black currant, wild black c.

aureum Pursh--golden currant

cynosbati L.--pasture gooseberry, prickly g., dogberry  
(grossularia L.) = R. uva-crispa

hirtellum Michx.--hairy gooseberry

multiflorum Kit. ex Roem. & Schult.

nigrum L.--black currant

odoratum H. L. Wendl.--Missouri currant, buffalo c.

petraeum Wulf.

rubrum L.--red currant, white c.

sanguineum Pursh--red-flowered currant

(sativum (Reichenb.) Syme) = R. rubrum

spicatum Robson

uva-crispa L.--European gooseberry

Richardia (Rubiaceae)

scabra L.--Florida pusley, Mexican-clover

Ricinodendron (Euphorbiaceae)

rautanenii Schinz--manketti

Ricinus (Euphorbiaceae)

communis L.--castorbean

Rivea (Convolvulaceae)

(corymbosa (L.) Hall. f.) = Turbina corymbosa

Rivina (Phytolaccaceae)

humilis L.--rougeplant

Robinia (Fabaceae)

pseudoacacia L.--black locust

Rorippa (Brassicaceae)

(armoracia (L.) Hitchc.) = Armoracia rusticana

islandica (Oeder) Borkas--marshcress

(nasturtium-aquaticum (L.) Hayek) = Nasturtium officinale

sylvestris (L.) Bess.--yellow fieldcress, creeping yellowcress

Rosa (Rosaceae) [TN]

X alba L.

arkansana Porter--Arkansas rose

bracteata Wendl.--Macartney rose

canina L.--dog rose

Rosa (continued)

centifolia L.--cabbage rose  
damascena Mill.--damask rose  
gallica L.--French rose  
laevigata Michx.--Cherokee rose  
multiflora Thunb. ex Murr.--multiflora rose  
(pomifera Herrm.) = R. villosa  
rugosa Thunb.  
setigera Michx.--prairie rose  
villosa L.

Rosmarinus (Lamiaceae)

officinalis L.--rosemary

Rottboellia (Poaceae)

(altissima Poir.) = Hemarthria altissima  
exaltata L. f.--itchgrass

Rubia (Rubiaceae)

tinctorum L.--madder

Rubus (Rosaceae) [TN]

allegheniensis Porter--Allegheny blackberry, common b.  
argutus Link  
chamaemorus L.--cloudberry  
flagellaris Willd.--northern dewberry  
fruticosus L.--European blackberry  
idaeus L. var. idaeus--European red raspberry, red r.  
idaeus var. strigosus (Michx.) Maxim.--American red raspberry  
laciniatus Willd.--cutleaf blackberry, evergreen b.  
(loganobaccus L. H. Bailey) = R. ursinus var. loganobaccus  
occidentalis L.--black raspberry  
occidentalis L. X R. idaeus L.--purple raspberry  
odoratus L.--purple-flowering raspberry, thimbleberry  
parviflorus Nutt.--western thimbleberry  
phoenicolasius Maxim.--wineberry  
rosifolius Sm.  
spectabilis Pursh--salmonberry  
trivialis Michx.--southern dewberry  
ursinus Cham. & Schlecht.--California blackberry, dewberry, Pacific b.  
ursinus var. loganobaccus (L. H. Bailey) L. H. Bailey--boysenberry,  
loganberry

Rumex (Polygonaceae)

acetosa L.--sorrel, garden s.  
acetosella L.--red sorrel, common s., sheep s.  
conglomeratus Murr.--cluster dock, sharp d.  
crispus L.--curly dock, yellow d.  
hymenosepalus Torr.--canaigre, tanner's dock  
longifolius DC.  
obtusifolius L.--broadleaf dock, bitter d.  
patientia L.--spinach dock, patience d.

*scutatus* L.--French sorrel

*Ruppia* (Zosteraceae)  
*maritima* L.--widgeongrass

*Ruta* (Rutaceae)  
*graveolens* L.--common rue

*Sabal* (Arecaceae)  
*causiarum* (Cook) Becc.--Puerto Rico hat palm  
*palmetto* (Walt.) Lodd. ex Schult. & Schult. f.--cabbage palmetto,  
Florida cabbage palm

*Saccharum* (Poaceae)  
*officinarum* L.--sugarcane  
*robustum* Brandes & Jeswiet ex Grassl  
*sinense* Roxb.  
*spontaneum* L.

*Sagina* (Caryophyllaceae)  
*procumbens* L.--bird's-eye pearlwort, pearlwort

*Sagittaria* (Alismataceae)  
(*chinensis* Pursh) = *S. latifolia*  
*graminea* Michx.--slender arrowhead  
*latifolia* Willd.--common arrowhead  
*montevidensis* Cham. & Schlecht.  
*sagittifolia* L.--Chinese arrowhead

*Saintpaulia* (Gesneriaceae)  
*ionantha* Wendl.--African-violet

*Salacca* (Arecaceae)  
*edulis* Reinw.

*Salix* (Salicaceae)  
*alba* L.--white willow  
*amygdaloidea* Anderss.--peachleaf willow  
*babylonica* L.--weeping willow  
*caprea* L.--goat willow  
*discolor* Muhl.--pussy willow  
*fragilis* L.--crack willow  
*interior* Rowlee--sandbar willow, ditchbank w.  
*nigra* Marsh.--black willow  
*purpurea* L.--purple osier, purple willow  
*viminalis* L.--basket willow

*Salmalia* (Bombacaceae) [TN]  
*malabarica* (DC.) Schott & Endl.

*Salsola* (Chenopodiaceae) [TN]  
*kali* L.--Russian thistle

*Salvia* (Lamiaceae)  
(chia Fern.) = *S. potus*  
*columbariae* Benth.--California chia, chia  
*divinorum* Epling & Jativa--yerba-de-la-pastora  
*hispanica* L.--chia  
*lyrata* L.--lyre-leaved sage  
*officinalis* L.--sage  
*potus* Epling--chia  
*reflexa* Hornem.  
*sclarea* L.--clary  
*splendens* F. Sellow ex Roem. & Schult.--scarlet sage--[TN]

*Salvinia* (Salviniaceae)  
*auriculata* Aubl.  
*molesta* D. S. Mitchell  
*natans* (L.) All.  
*rotundifolia* Willd.--salvinia

*Samanea* (Fabaceae)  
*saman* (Jacq.) Merr.--saman, rain-tree

*Sambucus* (Caprifoliaceae) [TN]  
*canadensis* L.--American elder, American elderberry  
(*cerulea* Raf.) = *S. glauca*  
*glauca* Nutt.--blueberry elder, blue elderberry, western elderberry  
*nigra* L.--European elder  
*racemosa* L.--European red elder

*Sanguisorba* (Rosaceae)  
*minor* Scop.--small burnet, burnet

*Sansevieria* (Agavaceae)  
*longiflora* Sims  
*senegambia* Baker--bowstring hemp  
*trifasciata* Prain--snake-plant

*Santalum* (Santalaceae)  
*album* L.--sandalwood

*Santolina* (Asteraceae)  
*chamaecyparissus* L.--lavender-cotton

*Sapindus* (Sapindaceae)  
*saponaria* L.--wingleaf soapberry

*Sapium* (Euphorbiaceae)  
*sebiferum* (L.) Roxb.--tallow-tree, Chinese tallow-tree

*Saponaria* (Caryophyllaceae)  
*officinalis* L.--bouncing-bet, soapwort

*Sapota* (Sapotaceae)

(achras Mill.) = *Manilkara zapota*

*Sarcobatus* (Chenopodiaceae)  
*vermiculatus* (Hook.) Torr.--greasewood

*Sarcophrynum* (Marantaceae)  
*macrophyllum* (K. Schum.) Hutch.

*Saritaea* (Bignoniaceae)  
*magnifica* (Sprague ex Steenis) Dugand

*Sarothamnus* (Fabaceae)  
(*scoparius* (L.) Wimmer ex Koch) = *Cytisus scoparius*

*Sassafras* (Lauraceae)  
*albidum* (Nutt.) Nees--sassafras  
(*officinale* Nees & Eberm.) = *S. albidum*  
(*variifolium* (Salisb.) Ktze.) = *S. albidum*

*Satureja* (Lamiaceae)  
*hortensis* L.--summer savory  
*montana* L.--winter savory

*Schinopsis* (Anacardiaceae) [TN]  
*balansae* Engler--quebracho  
*haenkeana* Engler  
(*lorentzii* (Griseb.) Engler) = *S. quebracho-colorado*  
quebracho-colorado (Schlecht.) Barkl. & T. Meyer--red quebracho

*Schinus* (Anacardiaceae)  
*molle* L.--California peppertree  
*terebinthifolius* Raddi--Brazilian peppertree

*Schizachyrium* (Poaceae) [TN]  
*scoparium* (Michx.) Nash--little bluestem

*Schleichera* (Sapindaceae)  
*oleosa* (Lour.) Merr.--lac-tree

*Scirpus* (Cyperaceae)  
*acutus* Muhl.--hardstem bulrush  
*americanus* Pers.--common threesquare, American bulrush  
*californicus* (C. A. Mey.) Steud.--southern bulrush, California b.  
*cyperinus* (L.) Kunth--woolgrass bulrush  
(*tuberosus* Roxb.) = *Eleocharis dulcis*

*Scleranthus* (Caryophyllaceae)  
*annuus* L.--knavel

*Sclerocarya* (Anacardiaceae)  
*caffra* Sond.

*Scolymus* (Asteraceae)  
*hispanicus* L.--Spanish oyster-plant, golden thistle

*Scopolia* (Solanaceae)  
*carniolica* Jacq.

*Scorzonera* (Asteraceae)  
*hispanica* L.--black salsify, black oyster-plant, Spanish s.

*Secale* (Poaceae)  
*cereale* L.--rye  
*montanum* Guss.

*Sechium* (Cucurbitaceae)  
*edule* (Jacq.) Sw.--chayote

*Sedum* (Crassulaceae)  
*acre* L.--mossy stonecrop

*Semecarpus* (Anacardiaceae)  
*anacardium* L. f.--marking-nut

*Sempervivum* (Crassulaceae)  
*tectorum* L.--hen-and-chickens

*Senecio* (Asteraceae)  
*X hybridus* (Willd.) Regel--florist's cineraria  
*jacobaea* L.--tansy ragwort  
*mikanoides* Otto ex Walp.--German ivy  
*vulgaris* L.--common groundsel

*Sequoia* (Taxodiaceae)  
(*gigantea* (Lindl.) Decne.) = *Sequoiadendron giganteum*  
*sempervirens* (D. Don) Endl.--redwood, coast r.

*Sequoiadendron* (Taxodiaceae)  
*giganteum* (Lindl.) Buchh.--giant sequoia, bigtree

*Serenoa* (Arecaceae)  
*repens* (Bartr.) Small--saw palmetto

*Sesamum* (Pedaliaceae)  
*alatum* Thonn.  
*indicum* L.--sesame  
(*orientale* L.) = *S. indicum*  
*radiatum* Schumach.

*Sesbania* (Fabaceae)  
(*aculeata* (Willd.) Pers.) = *S. bispinosa*  
*bispinosa* (Jacq.) W. F. Wight--[TN]  
*exaltata* (Raf.) Rydb.  
*sesban* (L.) Merr.

Sesuvium (Aizoaceae)

*portulacastrum* (L.) L.--sesuvium

Setaria (Poaceae)

*anceps* Stapf ex Massey

*faberi* Herrm.--giant foxtail

*geniculata* (Lam.) Beauv.--knotroot foxtail

*glauca* (L.) Beauv.--yellow foxtail--[TN]

*italica* (L.) Beauv.--foxtail millet, Italian m., German m., Hungarian m.

(*lutescens* (Weigel) F. T. Hubb.) = *S. glauca*

*neglecta* De Wit

*sphacelata* (Schum.) Stapf & C. E. Hubb. ex M. B. Moss

*splendida* Stapf

*verticillata* (L.) Beauv.--bristly foxtail

*viridis* (L.) Beauv.--green foxtail

Sherardia (Rubiaceae)

*arvensis* L.--field madder

Shorea (Dipterocarpaceae)

*wiesneri* Schiffn.--Batavian damar

Sicana (Cucurbitaceae)

*odorifera* (Vell.) Naud.--casabana

Sida (Malvaceae)

*acuta* Burm. f.--southern sida

*hederacea* (Doug.) Torr.--alkali sida, alkali mallow

*rhombifolia* L.--arrowleaf sida, Cuba jute

*spinosa* L.--prickly sida

Silene (Caryophyllaceae)

*alba* (Mill.) Krause--white campion, white cockle, evening lychnis

*antirrhina* L.--sleepy catchfly

*noctiflora* L.--night-flowering catchfly

Silybum (Asteraceae)

*marianum* (L.) Gaertn.--milk thistle

Simarouba (Simaroubaceae)

*glauca* DC.--paradise-tree, aceituna

Simmondsia (Buxaceae)

*chinensis* (Link) Schneid.--jojoba

Sinapis (Brassicaceae) [TN]

*alba* L.--white mustard

*arvensis* L.--charlock

(*juncea* L.) = *Brassica juncea*

Sinningia (Gesneriaceae)

*speciosa* (Lodd.) Hiern--gloxinia

*Siphonia* (Euphorbiaceae)  
(*brasiliensis* H.B.K.) = *Hevea brasiliensis*

*Sisymbrium* (Brassicaceae)  
*altissimum* L.--tumble mustard  
*officinale* (L.) Scop.--hedge mustard  
(*sophia* L.) = *Descurainia sophia*

*Sitanion* (Poaceae)  
*hystrix* (Nutt.) J. G. Sm.--squirreltail

*Sium* (Apiaceae)  
*sisarum* L.--skirret

*Smilax* (Liliaceae)  
*aristolochiifolia* Mill.--sarsaparilla  
*china* L.--China-root  
*glauca* Walt.--cat greenbrier, sawbrier, catbrier  
*regelii* Killip & Morton--Jamaican sarsaparilla  
*rotundifolia* L.--common greenbrier, bullbrier, catbrier

*Smyrnium* (Apiaceae)  
*olusatum* L.--alexanders

*Soja* (Fabaceae)  
(*hispida* Moench) = *Glycine max*  
(*max* (L.) Piper) = *Glycine max*

*Solanum* (Solanaceae) [TN]  
*aculeastrum* Dunal--soda-apple nightshade  
*aethiopicum* L.  
*americanum* Mill.  
*aviculare* G. Forst.  
*burbankii* Bitter--wonderberry  
*caribaeum* Dunal  
*carolinense* L.--horsenettle  
*chacoense* Bitter  
*chacoense* f. *pilosulum* Hassl.  
*commersonii* Dunal ex Poir.  
*demissum* Lindl.  
*dulcamara* L.--bitter nightshade  
*elaeagnifolium* Cav.--silverleaf nightshade  
*ferox* L.  
*gilo* Raddi--gilo  
*hirsutissimum* Standl.  
(*horovitzii* Buk.) = *S. chacoense* f. *pilosulum*  
*hyporhodium* A. Br. & Bouché--cocona  
*incanum* L.  
*indicum* L.  
(*intrusum* Soria) = *S. melanocerasum*  
*jasminoides* Paxt.  
*khasianum* C. B. Clarke

*laciniatum* Ait.  
(*lycopersicum* L.) = *Lycopersicon esculentum*  
*macrocarpon* L.  
*mammosum* L.  
*melanocerasum* All.--garden-huckleberry  
*melongena* L.--eggplant, aubergine  
*muricatum* Ait.--pepino, melon-pear  
*nigrum* L.--black nightshade  
(*phureja* Juz. & Buk.) = *S. tuberosum*  
*pseudocapsicum* L.--Jerusalem-cherry  
*quitoense* Lam.--naranjilla, lulo  
*rostratum* Dunal--buffalobur  
*sarrachoides* Sendt.--hairy nightshade  
*seaforthianum* Andr.  
*sisymbriifolium* Lam.  
*topiro* Humb. & Bonpl. ex Dunal--cocona, topiro  
*torvum* Sw.--terongan, turkeyberry  
*tuberosum* L.--potato, white p., Irish p.  
*wendlandii* Hook. f.

*Solenostemon* (Lamiaceae) [TN]  
*rotundifolius* (Poir.) J. K. Morton--hausa-potato, coleus-potato

*Solidago* (Asteraceae)  
*altissima* L.--tall goldenrod  
*canadensis* L.--Canada goldenrod  
*graminifolia* (L.) Salisb.  
*leavenworthii* Torr. & A. Gray--Leavenworth goldenrod  
*odora* Ait.--sweet goldenrod

*Sonchus* (Asteraceae)  
*arvensis* L.--perennial sowthistle  
*asper* (L.) Hill--spiny sowthistle, spiny-leaved s.  
*oleraceus* L.--annual sowthistle, common s.

*Sophora* (Fabaceae)  
*japonica* L.--Japanese pagoda-tree

*Sorbus* (Rosaceae)  
*aucuparia* L.--European mountain-ash, rowan  
*domestica* L.--service-tree

*Sorghastrum* (Poaceae)  
*nutans* (L.) Nash--indiangrass, Indian grass--[NC], [TN]

*Sorghum* (Poaceae) [TN]  
*X alnum* Parodi--*alnum* sorghum, Columbus grass  
*arundinaceum* (Willd.) Stapf  
*bicolor* (L.) Moench--(sens. lat. incl.) grain sorghums, milo, sweet s.,  
broomcorn, durra, kaffir-corn, guinea-corn, shattercane  
(*caffrorum* (Retz.) Beauv.) = *S. bicolor*  
(*dochna* (Forsk.) Snowden) = *S. bicolor*

Sorghum (continued)

(drummondii (Steud.) Millsp. & Chase) = *S. bicolor*  
(durra (Forsk.) Stapf) = *S. bicolor*  
(guineense Stapf) = *S. bicolor*  
halepense (L.) Pers.--johnsongrass, Johnson grass  
miliaceum (Roxb.) Snowden  
(nervosum Bess. ex Schult.) = *S. bicolor*  
sudanense (Piper) Stapf--sudangrass, Sudan grass  
verticilliflorum (Steud.) Stapf  
virgatum (Hack.) Stapf--tunisgrass, Tunis grass  
(vulgare Pers.) = *S. bicolor*

Spartina (Poaceae)

alterniflora Loisel.--smooth cordgrass, salt-marsh c.  
patens (Ait.) Muhl.--salt-meadow cordgrass

Spartium (Fabaceae)

junceum L.--Spanish broom

Spathodea (Bignoniaceae)

campanulata Beauv.--African tuliptree

Spergula (Caryophyllaceae)

arvensis L.--corn spurry

Spergularia (Caryophyllaceae)

marina (L.) Griseb.  
rubra (L.) J. & C. Presl--red sandspurry

Sphenostylis (Fabaceae)

stenocarpa (Hochst. ex A. Rich.) Harms--African yam bean, yam pea

Spigelia (Loganiaceae)

marilandica L.--Indian pink

Spilanthes (Asteraceae)

acmella (L.) Murr.--Para cress  
oleracea L.

Spinacia (Chenopodiaceae)

oleracea L.--spinach

Spiraea (Rosaceae)

tomentosa L.--hardhack, steeplebush

Spirodela (Lemnaceae)

intermedia Koch  
polyrhiza (L.) Schleid.--giant duckweed, great d.

Spondias (Anacardiaceae) [TN]

(cytherea Sonn.) = *S. dulcis*  
*dulcis* Parkins.--Jew-plum, golden-apple

(lutea L.) = *S. mombin*  
*mombin* L.--hog-plum  
*purpurea* L.--red mombin  
*tuberosa* Arr. Cam. ex Koster--imbu

*Sporobolus* (Poaceae)  
airoides (Torr.) Torr.--alkali sacaton  
buckleyi Vasey  
cryptandrus (Torr.) A. Gray--sand dropseed  
heterolepis (A. Gray) A. Gray--prairie dropseed  
indicus (L.) R. Br.  
neglectus Nash--annual dropseed  
poiretii (Roem. & Schult.) Hitchc.--smutgrass  
vaginiflorus (Torr.) Wood--poverty dropseed  
wrightii Munro ex Scribn.--sacaton

*Stachys* (Lamiaceae)  
affinis Bunge--artichoke betony, Chinese artichoke--[TN]  
(sieboldii Miq.) = *S. affinis*  
(tuberifera Naud.) = *S. affinis*

*Stachytarpheta* (Verbenaceae)  
cayennensis (L. C. Rich.) Vahl

*Stellaria* (Caryophyllaceae) [TN]  
graminea L.--little starwort, lesser starwort, lesser stitchwort  
(media (L.) Cyrill.) = *S. media* (L.) Vill.  
media (L.) Vill.--common chickweed

*Stenotaphrum* (Poaceae)  
secundatum (Walt.) Ktze.--St. Augustine grass

*Sterculia* (Sterculiaceae)  
foetida L.--hazel sterculia, Java-olive  
(platanifolia L. f.) = *Firmiana simplex*  
setigera Del.  
tragacantha Lindl.  
urens Roxb.

*Stevia* (Asteraceae)  
rebaudiana (Bertoni) Bertoni

*Stewartia* (Theaceae) [TN]  
malacodendron L.--Virginia stewartia  
ovata (Cav.) Weatherby--mountain stewartia  
(pentagyna L'Hér.) = *S. ovata*

*Stipa* (Poaceae)  
avenacea L.--blackseed needlegrass, black oatgrass  
comata Trin. & Rupr.--needle-&-thread grass  
pulchra Hitchc.--purple needlegrass, California n.  
spartea Trin.--porcupine grass

*Stipa* (continued)

*tenacissima* L.--esparto

*viridula* Trin.--green needlegrass, feather bunchgrass

X *Stiporyzopsis* (Poaceae)

*caduca* (Beal) B. L. Johnson & Rogler--(*Stipa viridula* X *Oryzopsis hymenoides*)--Mandan ricegrass

*Stizolobium* (Fabaceae)

(*deerianum* Bort) = *Mucuna deeriana*

*Stokesia* (Asteraceae)

*laevis* (Hill) Greene--Stokes' aster

*Strelitzia* (Musaceae)

*reginae* Ait.--bird-of-paradise

*Striga* (Scrophulariaceae)

*asiatica* (L.) Ktze.--witchweed--[TN]

*densiflora* (Benth.) Benth.

*gesnerioides* (Willd.) Vatke

*hermontheca* (Del.) Benth.

(*lutea* Lour.) = *S. asiatica*

*Strophanthus* (Apocynaceae) [TN]

*gratus* (Wall. & Hook. ex Benth.) Baill.--ouabain

*hispidus* DC.

*kombe* Oliv.

*sarmentosus* DC.

*Strychnos* (Loganiaceae)

*nux-vomica* L.--strychnine-tree

*toxifera* Schomb. ex Benth.

*Stryphnodendron* (Fabaceae)

*adstringens* (Mart.) Cov.

(*barbatum* Mart.) = *S. adstringens*

*Stylosanthes* (Fabaceae) [TN]

*erecta* Beauv.

*fruticosa* (Retz.) Alst.

(*gracilis* H.B.K.) = *S. guianensis*

*guianensis* (Aubl.) Sw.--Brazilian lucerne

(*guineensis* Schumach.) = *S. erecta*

*hamata* (L.) Taub.--Caribbean stylo

*humilis* H.B.K.--Townsville stylo

(*mucronata* Willd.) = *S. fruticosa*

*scabra* Vog.

*subsericea* Blake

*viscosa* Sw.

*Styrax* (Styracaceae) [TN]

*benzoides* Craib--Siam benzoin  
*benzoin* Dryand.--*styrax*  
*tonkinensis* (Pierre) Craib ex Hartwich--Siam benzoin

*Suckleya* (Chenopodiaceae)  
*suckleyana* (Torr.) Rydb.--poison suckleya

*Sutherlandia* (Fabaceae)  
*frutescens* (L.) R. Br.

*Swietenia* (Meliaceae)  
*macrophylla* King  
*mahagoni* (L.) Jacq.--West Indies mahogany

*Syagrus* (Arecaceae)  
*coronata* (Mart.) Becc.--ouricury palm

*Symphytum* (Boraginaceae)  
*asperum* Lepech.--prickly comfrey  
*officinale* L.--common comfrey  
*(peregrinum* Ledeb.) = *S. X uplandicum*  
*X uplandicum* Nym.--Quaker comfrey, Russian c., blue c.

*Synsepalum* (Sapotaceae)  
*dulcificum* (Schumach. & Thonn.) Daniell ex S. Bell--miraculous-berry--[TN]  
*stipulatum* (Radlk.) Engler

*Syringa* (Oleaceae)  
*vulgaris* L.--common lilac

*Syzygium* (Myrtaceae) [TN]  
*aqueum* (Burm. f.) Alst.--watery rose-apple  
*aromaticum* (L.) Merr. & Perry--clove  
*cumini* (L.) Skeels--Java-plum  
*(jambolanum* DC.) = *S. cumini*  
*jambos* (L.) Alst.--rose-apple, jambos  
*javanicum* Miq.  
*malaccense* (L.) Merr. & Perry  
*samarangense* (Bl.) Merr. & Perry

*Tacca* (Taccaceae)  
(*involuta* Schum. & Thonn.) = *T. leontopetaloides*  
*leontopetaloides* (L.) Ktze.--East Indian arrowroot, tacca, Fiji a.  
(*pinnatifida* J. R. Forst.) = *T. leontopetaloides*

*Tacsonia* (Passifloraceae)  
(*mollissima* H.B.K.) = *Passiflora mollissima*

*Taeniatherum* (Poaceae)  
*asperum* (Simonkai) Nevski--(syn.: *Elymus caput-medusae* sens. auct.  
in part)--medusa-head

*Tagetes* (Asteraceae)

*erecta* L.--marigold  
*lucida* Cav.--sweet-scented marigold  
*minuta* L.--wild marigold, Muster-John-Henry  
*patula* L.--French marigold  
(*signata* Bartl.) = *T. tenuifolia*  
*tenuifolia* Cav.

*Talinum* (Portulacaceae)

*triangulare* (Jacq.) Willd.--fameflower

*Talisia* (Sapindaceae)

*oliviformis* (H.B.K.) Radlk.

*Tamarindus* (Fabaceae)

*indica* L.--tamarind

*Tamarix* (Tamaricaceae)

*aphylla* (L.) Karst.--athel tamarisk  
(*articulata* Vahl) = *T. aphylla*  
*dioica* Roxb. ex Roth  
*gallica* L.--French tamarisk, tamarisk  
(*pentandra* Pall.) = *T. ramosissima*  
*ramosissima* Ledeb.--saltcedar

*Tanacetum* (Asteraceae)

(*cinerariifolium* (Trevir.) Sch. Bip.) = *Chrysanthemum cinerariifolium*  
*vulgare* L.--tansy

*Taraktogenos* (Flacourtiaceae)

(*kurzii* King) = *Hydnocarpus kurzii*

*Taraxacum* (Asteraceae)

(*erythrospermum* Andr.) = *T. laevigatum*  
kok-saghyz Rodin--Russian dandelion  
*laevigatum* (Willd.) DC.--redseed dandelion  
*officinale* Wiggers--common dandelion--[TN]  
(*vulgare* (Lam.) Schrank) = *T. officinale*

*Taxodium* (Taxodiaceae)

*ascendens* Brongn.--pond-cypress  
*distichum* (L.) L. C. Rich.--bald-cypress

*Taxus* (Taxaceae)

*baccata* L.--English yew  
*brevifolia* Nutt.--Pacific yew  
*canadensis* Marsh.--American yew  
*cuspidata* Sieb. & Zucc.--Japanese yew

*Tecoma* (Bignoniaceae)

*stans* (L.) Juss. ex H.B.K.--trumpet-flower, yellow-bells

*Tecomaria* (Bignoniaceae)  
*capensis* (Thunb.) Spach--Cape-honeysuckle

*Tectona* (Verbenaceae)  
*grandis* L. f.--teak

*Telfairia* (Cucurbitaceae)  
*occidentalis* Hook. f.--oysternut  
*pedata* (Sm. ex Sims) Hook.--oysternut

*Telosma* (Asclepiadaceae)  
*africanum* (N. E. Br.) Colville

*Tephrosia* (Fabaceae)  
*candida* (Roxb.) DC.  
*sinapou* (Buc'hoz) A. Chev.  
(*toxicaria* (Sw.) Pers.) = *T. sinapou*  
*virginiana* (L.) Pers.  
*vogelii* Hook. f.

*Teramnus* (Fabaceae)  
*labialis* (L. f.) Spreng.

*Terminalia* (Combretaceae)  
*bellirica* (Gaertn.) Roxb.  
*catappa* L.--tropical-almond, Indian-almond  
*chebula* (Gaertn.) Retz.  
*superba* Engler & Diels

*Tetraparpidium* (Euphorbiaceae)  
*conophorum* (Muell.-Arg.) Hutch. & Dalz.

*Tetraclinis* (Cupressaceae)  
*articulata* (Vahl) Mast.--arar-tree, sandarac

*Tetragonia* (Aizoaceae)  
(*expansa* Murr.) = *T. tetragonoides*  
*tetragonoides* (Pall.) Ktze.--New Zealand-spinach--[TN]

*Tetragonolobus* (Fabaceae)  
*purpureus* Moench--winged pea, asparagus p.

*Tetrapanax* (Araliaceae) [TN]  
*papyrifer* (Hook.) K. Koch--rice-paper-plant

*Thalia* (Marantaceae)  
*geniculata* L.

*Thaumatococcus* (Marantaceae)  
*daniellii* (Benn.) Benth.--miracle-fruit

**Thea (Theaceae)**

(bohea L.) = *Camellia sinensis*  
(sinensis L.) = *Camellia sinensis*  
(viridis L.) = *Camellia sinensis*

**Theobroma (Sterculiaceae) [TN]**

angustifolium Moc. & Sessé ex DC.  
bicolor Humb. & Bonpl.  
cacao L. subsp. cacao - cacao  
cacao subsp. sphaerocarpum (A. Chev.) Cuatr.  
grandiflorum (Willd. ex Spreng.) K. Schum.  
(leiocarpum Bernoulli) = *T. cacao* (sens. lat.)  
mammosum Cuatr. & Leon  
(pentagonum Bernoulli) = *T. cacao* (sens. lat.)  
(sativa (Aubl.) Lign, & Le Bey) = *T. cacao* (sens. lat.)  
simiarum Donn. Smith  
(sphaerocarpum A. Chev.) = *T. cacao* subsp. sphaerocarpum

**Thevetia (Apocynaceae)**

peruviana (Pers.) K. Schum. --yellow oleander, lucky-nut

**Thlaspi (Brassicaceae)**

arvense L. --field pennycress  
perfoliatum L. --thoroughwort pennycress

**Thuja (Cupressaceae)**

occidentalis L. --northern white-cedar, arbor-vitae  
plicata Donn ex D. Don --western red-cedar

**Thymus (Lamiaceae)**

capitatus (L.) Hoffm. & Link  
serpyllum L. --creeping thyme  
vulgaris L. --common thyme

**Tilia (Tiliaceae)**

americana L. --American basswood, linden  
cordata Mill. --littleleaf linden  
X europaea L. --(T. cordata X T. platyphyllos) --European linden  
(glabra Vent.) = *T. americana*  
platyphyllos Scop. --bigleaf linden

**Tillandsia (Bromeliaceae)**

usneoides (L.) L. --Spanish-moss

**Tithonia (Asteraceae)**

rotundifolia (Mill.) Blake  
(speciosa Hook.) = *T. rotundifolia*

**Torreya (Taxaceae)**

nucifera (L.) Sieb. & Zucc. --Japanese torreya

**Toxicodendron (Anacardiaceae) [TN]**

*diversilobum* (Torr. & A. Gray) Greene--Pacific poison-oak, western poison-oak  
*radicans* (L.) Ktze.--poison ivy  
*succedaneum* (L.) Ktze.--wax-tree  
*verniciflum* (Stokes) Barkl.--Chinese lacquer, urushi  
*vernix* (L.) Ktze.--poison sumac

*Trachylobium* (Fabaceae) [TN]  
*verrucosum* (Gaertn.) Oliv.--Zanzibar copal

*Trachypogon* (Poaceae)  
*secundus* (C. Presl) Scribn.--crinkle-awn  
*vestitus* Anderss.

*Trachyspermum* (Apiaceae) [TN]  
*ammi* (L.) Sprague ex Turrill  
*(copticum* (L.) Link) = *T. ammi*

*Tradescantia* (Commelinaceae)  
*crassifolia* Cav.  
*fluminensis* Vell.  
*virginiana* L.--common spiderwort

*Tragopogon* (Asteraceae)  
*dubius* Scop.--western salsify  
(major Jacq.) = *T. dubius*  
*porrifolius* L.--salsify, oyster-plant, vegetable-oyster  
*pratensis* L.--meadow salsify, goatsbeard

*Trapa* (Trapaceae) [TN]  
*bicornis* Osb.--horn-nut  
*bispinosa* Roxb.--singhara-nut  
*natans* L.--caltrop, waterchestnut

*Treculia* (Moraceae)  
*africana* Decne.--African breadfruit

*Tribulus* (Zygophyllaceae)  
*terrestris* L.--puncture-vine

*Trichilia* (Meliaceae)  
(emetica Vahl) = *T. roka*  
*roka* (Forsk.) Chiov.

*Tricholaena* (Poaceae)  
(rosea Nees) = *Rhynchelytrum repens*

*Trichosanthes* (Cucurbitaceae)  
*anguina* L.--snakegourd  
*cucumerina* L.--snakegourd

*Tridens* (Poaceae)  
*flavus* (L.) Hitchc.--purpletop

*Trifolium* (Fabaceae) [TN]  
*africanum* Ser.  
(*agrarium* L., nom. ambig.) = *T. aureum* (in part)  
*alexandrinum* L.--berseem clover, Egyptian c.  
*ambiguum* Bieb.--kura clover  
*arvense* L.--rabbitfoot clover  
*aureum* Poll.--hop clover  
*campestre* Schreb.--large hop clover  
*dubium* Sibth.--small hop clover  
*fragiferum* L.--strawberry clover  
*glomeratum* L.--cluster clover  
*hirtum* All.--rose clover  
*hybridum* L.--alsike clover  
*incarnatum* L.--crimson clover  
*lappaceum* L.--lappa clover  
*medium* L.--zigzag clover  
*michelianum* Savi  
*nigrescens* Viv.--ball clover  
*pratense* L.--red clover  
(*procumbens* L., nom. ambig.) = *T. campestre* (in part)  
*repens* L.--white clover, ladino c.  
*resupinatum* L.--Persian clover, reversed c.  
*rueppelianum* Fresen.  
*semipilosum* Fresen.--Kenya clover  
*striatum* L.--striate clover, knotted c.  
*subterraneum* L.--sub clover, subterranean c.  
*uniflorum* L.  
*variegatum* Nutt.--whitetip clover  
*vesiculosum* Savi--arrowleaf clover  
*willdenovii* Spreng.--seaside clover

*Trigonella* (Fabaceae)  
*foenum-graecum* L.--fenugreek

*Triphasia* (Rutaceae)  
(*glaucia* Lindl.) = *Eremocitrus glauca*  
*trifolia* (Burm. f.) P. Wils.--limeberry

*Tripogandra* (Commelinaceae)  
*elongata* (G. F. W. Mey.) Woodson

*Tripsacum* (Poaceae) [TN]  
*dactyloides* (L.) L.--eastern gamagrass  
*fasciculatum* Trin. ex Aschers.  
*latifolium* Hitchc.  
(*laxum* Nash) = *T. fasciculatum*

*Trisetum* (Poaceae)  
*flavescens* (L.) Beauv.

X Triticosecale (Poaceae)--(Triticum X Secale)--triticale-- [TN]

Triticum (Poaceae) [TN]

aestivum L.--common wheat, bread w.  
boeoticum Boiss.--wild einkorn  
carthlicum Nevski--Persian wheat  
compactum Host--club wheat  
dicoccoides (Koern. ex Aschers. & Graebn.) Aaronsohn--wild emmer  
dicoccon Schrank--emmer  
(dicoccum Schrank) = T. dicoccon  
(dicoccum Schuebl.) = T. dicoccon  
durum Desf.--durum wheat  
macha Dek. & Men.  
monococcum L.--einkorn  
(orientale Perc.) = T. turanicum  
polonicum L.--Polish wheat  
(sativum Lam.) = T. aestivum  
spelta L.--spelt  
sphaerococcum Perc.--shot wheat  
timopheevii (Zhuk.) Zhuk.  
turanicum Jakubz.--Oriental wheat  
turgidum L.--poulard wheat, cone w., rivet w.  
vavilovii Jakubz.  
(vulgare Vill.) = T. aestivum

Triumfetta (Tiliaceae)

cordifolia A. Rich.  
rhomboidea Jacq.  
semitriloba Jacq.--Sacramento bur  
tomentosa Boj.

Tropaeolum (Tropaeolaceae)

majus L.--garden nasturtium, Indian-cress  
minus L.  
peltophorum Benth.--shield nasturtium  
tuberosum Ruiz & Pavon--anu, capucine

Tsuga (Pinaceae)

canadensis (L.) Carr.--eastern hemlock  
heterophylla (Raf.) Sarg.--western hemlock  
mertensiana (Bong.) Carr.--mountain hemlock

Tulipa (Liliaceae)

gesnerana L.--common tulip

Turbina (Convolvulaceae) [TN]

corymbosa (L.) Raf.--Christmas pops

Turnera (Turneraceae)

(aphrodisiaca L. F. Ward) = T. diffusa  
diffusa Willd.--damiana  
(microphylla Desv.) = T. diffusa

**Turnera** (continued)  
*ulmifolia* L.

**Tussilago** (Asteraceae)  
*farfara* L.--coltsfoot

**Tylosema** (Fabaceae)  
*fassoglensis* (Schweinf.) Torre & Hillc.

**Typha** (Typhaceae)  
*angustifolia* L.--narrowleaf cattail  
*latifolia* L.--common cattail

**Ulex** (Fabaceae)  
*europaeus* L.--gorse

**Ullucus** (Basellaceae)  
*tuberosus* Caldas--ullucu

**Ulmus** (Ulmaceae)  
*alata* Michx.--winged elm  
*americana* L.--American elm  
(*fulva* Michx.) = *U. rubra*  
*parvifolia* Jacq.--Chinese elm  
*procera* Salisb.--English elm  
*pumila* L.--Siberian elm  
(*racemosa* Thomas) = *U. thomasii*  
*rubra* Muhl.--slippery elm  
*thomasii* Sarg.--rock elm

**Umbellularia** (Lauraceae)  
*californica* (Hook. & Arn.) Nutt.--California laurel

**Uncaria** (Rubiaceae)  
*gambir* (Hunter) Roxb.--gambier

**Uniola** (Poaceae)  
(*latifolia* Michx.) = *Chasmanthium latifolium*  
*paniculata* L.--sea-oats

**Urena** (Malvaceae)  
*lobata* L.--cadillo, caesarweed, aramina

**Urera** (Urticaceae)  
*obovata* Benth.

**Urginea** (Liliaceae)  
*maritima* (L.) Baker--red squill, sea-onion  
(*scilla* Steinh.) = *U. maritima*

**Urochloa** (Poaceae)  
*mosambicensis* (Hack.) Dandy

**Urtica (Urticaceae)**

*dioica* L.--European nettle, stinging n.  
*urens* L.--dog nettle, burning n.

**Utricularia (Lentibulariaceae)**

*vulgaris* L.--common bladderwort

**Vaccinium (Ericaceae)**

*angustifolium* Ait.--lowbush blueberry, low sweet b., late sweet b.  
*ashei* Reade--rabbit-eye blueberry  
*atrococcum* (A. Gray) A. Heller--black highbush blueberry  
(*australe* Small) = *V. corymbosum*  
*corymbosum* L.--highbush blueberry  
*macrocarpon* Ait.--cranberry (cultivated), large c., American c.  
*myrtilloides* Michx.--sourtop blueberry, velvetleaf b.  
*myrtillus* L.--bilberry, whortleberry  
*oxycoccus* L.--small cranberry  
*vacillans* Torr.--low blueberry, early sweet b.  
*vitis-idaea* L.--mountain cranberry, cowberry, rock cranberry, lingon

**Valeriana (Valerianaceae)**

*officinalis* L.--common valerian, garden heliotrope

**Valerianella (Valerianaceae)**

*eriocarpa* Desv.--Italian cornsalad  
(*locusta* (L.) Betcke) = *V. locusta* (L.) Laterrade  
*locusta* (L.) Laterrade--cornsalad, lamb's-lettuce, European c.--[TN]  
(*olitoria* (L.) Poll.) = *V. locusta*

**Vallisneria (Hydrocharitaceae)**

*americana* Michx.--water-celery, vallisneria  
*spiralis* L.

**Vangueria (Rubiaceae)**

*madagascariensis* J. F. Gmel.--voavanga

**Vanilla (Orchidaceae)**

(*fragrans* (Salisb.) Ames) = *V. planifolia*  
*planifolia* Andr.--vanilla--[TN]

**Vateria (Dipterocarpaceae)**

*indica* L.--white dammar

**Vaupesia (Euphorbiaceae)**

*cataractarum* R. E. Schult.

**Veratrum (Liliaceae)**

*viride* Ait.--false hellebore, white h.

**Verbascum (Scrophulariaceae)**

*blattaria* L.--moth mullein  
*thapsus* L.--mullein

**Verbena (Verbenaceae)**

*bracteata* Lag. & Rodr.--prostrate vervain  
*stricta* Vent.--hoary vervain

**Vernonia (Asteraceae)**

*altissima* Nutt.--tall ironweed  
*anthelmintica* (L.) Willd.  
*baldwinii* Torr.--western ironweed

**Veronica (Scrophulariaceae)**

*agrestis* L.--field speedwell  
*arvensis* L.--corn speedwell  
*officinalis* L.--common speedwell, gypsyweed  
*peregrina* L.--purslane speedwell, neckweed  
*serpyllifolia* L.--thymeleaf speedwell

**Vetiveria (Poaceae)**

*zizanioides* (L.) Nash ex Small--vetiver

**Viburnum (Caprifoliaceae)**

*dentatum* L.--arrow-wood viburnum, arrow-wood  
*lantana* L.--wayfaring-tree  
*lentago* L.--nannyberry, sweet viburnum, sheepberry  
*opulus* L.--European cranberry-bush, guelder-rose  
*prunifolium* L.--blackhaw  
*rufidulum* Raf.--rusty blackhaw  
*suspensum* Lindl.

**Vicia (Fabaceae) [TN]**

(*angustifolia* L.) = *V. sativa* subsp. *nigra*  
*articulata* Hornem.--single-flowered vetch  
(*atropurpurea* Desf.) = *V. benghalensis*  
*benghalensis* L.--purple vetch  
*cracca* L.--boreal vetch, bird v.  
(*dasyarpa* Ten.) = *V. villosa*  
*ervilia* (L.) Willd.--bitter vetch  
*faba* L.--broadbean, horse bean, fava b., windsor b.  
*hirsuta* (L.) S. F. Gray--tiny vetch  
*lathyroides* L.--spring vetch  
*lutea* L.--yellow vetch  
*monantha* Retz.--bard vetch  
*narbonensis* L.--Narbonne vetch  
*pannonica* Crantz--Hungarian vetch  
*sativa* L. subsp. *nigra* (L.) Ehrh.--blackpod vetch  
*sativa* L. subsp. *sativa*--common vetch  
(*tetrasperma* (L.) Moench) = *V. tetrasperma* (L.) Schreb.  
*tetrasperma* (L.) Schreb.--sparrow vetch  
*villosa* Roth--(sens. lat. incl.) winter vetch, hairy v.

**Vigna (Fabaceae) [TN]**

*aconitifolia* (Jacq.) Marechal--moth bean, mat b.  
*angularis* (Willd.) Ohwi & Ohashi--adzuki bean

(baoulensis A. Chev.) = *V. unguiculata* subsp. *dekindtiana*  
*caracalla* (L.) Verdc.--bertoni bean, snailflower  
(catjang (Burm. f.) Walp.) = *V. unguiculata* subsp. *cylindrica*  
(*cylindrica* (L.) Skeels) = *V. unguiculata* subsp. *cylindrica*  
*hosei* (Craib) Backer  
*marina* (Burm.) Merr.  
*minima* (Roxb.) Ohwi & Ohashi  
*mungo* (L.) Hepper--black gram  
(*ornata* Welw. ex Baker) = *Sphenostylis stenocarpa*  
*radiata* (L.) Wilczek var. *radiata*--mung bean, green gram  
*radiata* var. *sublobata* (Roxb.) Verdc.  
(*sesquipedalis* (L.) Fruw.) = *V. unguiculata* subsp. *sesquipedalis*  
(*sinensis* (L.) Savi ex Hassk.) = *V. unguiculata* subsp. *unguiculata*  
(*sinensis* subsp. *sesquipedalis* (L.) van Eseltine) = *V. unguiculata*  
subsp. *sesquipedalis*  
*umbellata* (Thunb.) Ohwi & Ohashi--rice bean  
*unguiculata* subsp. *cylindrica* (L.) Verdc.--catjang  
*unguiculata* subsp. *dekindtiana* (Harms) Verdc.  
*unguiculata* subsp. *sesquipedalis* (L.) Verdc.--yard-long bean,  
asparagus b.  
*unguiculata* (L.) Walp. subsp. *unguiculata*--southern pea, cowpea,  
black-eyed p., crowder p.  
*vexillata* (L.) A. Rich.

*Vinca* (Apocynaceae)

*minor* L.--common periwinkle, running myrtle  
(*rosea* L.) = *Catharanthus roseus*

*Viola* (Violaceae)

*arvensis* Murr.--field violet, European field pansy  
*lanceolata* L.--lance-leaved violet  
*odorata* L.--English violet, sweet v.  
*tricolor* L.--pansy, wild violet

*Virola* (Myristicaceae)

*calophylla* (Spruce) Warb.--virola  
*calophylloidea* Markgr.  
*sebifera* Aubl.  
*theiodora* (Spruce ex Benth.) Warb.

*Vitellaria* (Sapotaceae)

*paradoxa* Gaertn. f.

*Vitis* (Vitaceae)

*aestivalis* Michx.--summer grape  
*labrusca* L.--fox grape  
*riparia* Michx.--riverbank grape  
*rotundifolia* Michx.--muscadine grape  
*rupestris* Scheele--sand grape  
*vinifera* L.--wine grape  
*vulpina* L.--frost grape, winter g.

**Voandzeia** (Fabaceae) [TN]  
**subterranea** (L.) Thou.--bambarra groundnut

**Vulpia** (Poaceae) [TN]  
bromoides (L.) S. F. Gray--squirreltail fescue  
(megalura (Nutt.) Rydb.) = *V. myuros* var. *hirsuta*  
*myuros* (L.) C. C. Gmel.--rattail fescue  
*myuros* var. *hirsuta* Hack.--foxtail fescus  
*octoflora* (Walt.) Rydb.--six-weeks fescue

**Warczewiczia** (Rubiaceae)  
*coccinea* (Vahl) Kl.--chaconier

**Weigela** (Caprifoliaceae)  
*florida* (Bunge) A. DC.--pink weigela

**Withania** (Solanaceae)  
*somnifera* (L.) Dunal

**Wolffia** (Lemnaceae)  
*columbiana* Karst.--watermeal

**Xanthium** (Asteraceae)  
(*pensylvanicum* Wallr.) = *X. strumarium*  
*spinosum* L.--spiny cocklebur  
*strumarium* L.--common cocklebur

**Xanthosoma** (Araceae)  
*brasiliense* (Desf.) Engler  
*robustum* Schott  
*sagittifolium* (L.) Schott--yautia, ocumo, tannia  
*violaceum* Schott

**Xylopia** (Annonaceae)  
*aethiopica* (Dunal) A. Rich.--negro-pepper, African-pepper

**Yucca** (Agavaceae)  
*elata* Engelm.--soaptree yucca  
*elephantipes* Regel  
*filamentosa* L.--Adam's-needle, spoonleaf yucca  
*whipplei* Torr.

**Zamia** (Cycadaceae)  
*floridana* A. DC.--coontie

**Zantedeschia** (Araceae)  
*aethiopica* (L.) Spreng.--common calla

**Zea** (Poaceae) [TN]  
(*mays* var. *everta* (Sturtev.) Bailey)--(popcorn) = *Z. mays* subsp. *mays*  
(*mays* var. *indentata* (Sturtev.) Bailey)--(dent corn) = *Z. mays*  
subsp. *mays*

(mays var. *indurata* (Sturtev.) Bailey)--(flint corn) = *Z. mays*  
    subsp. *mays*  
(mays var. *japonica* (Van Houtte) Wood) = *Z. mays* subsp. *mays*  
(mays var. *saccharata* (Sturtev.) Bailey)--(sweet corn) = *Z. mays*  
    subsp. *mays*  
(mays var. *tunicata* Larr. ex St. Hil.)--(pod corn) = *Z. mays*  
    subsp. *mays*  
*mays* L. subsp. *mays*--corn, maize  
*mays* subsp. *mexicana* (Schrad.) Iltis--teosinte  
(*mexicana* (Schrad.) Ktze.) = *Z. mays* subsp. *mexicana*  
(*mexicana* (Schrad.) Reeves & Mangelsd.) = *Z. mays* subsp. *mexicana*  
*perennis* (Hitchc.) Reeves & Mangelsd.--perennial teosinte

*Zebrina* (Commelinaceae)  
    *pendula* Schnizl.--wandering-jew (in part)

*Zelkova* (Ulmaceae)  
    *serrata* (Thunb.) Makino--Japanese zelkova

*Zingiber* (Zingiberaceae)  
    *officinale* Roscoe--ginger

*Zinnia* (Asteraceae)  
    *elegans* Jacq.--zinnia

*Zizania* (Poaceae) [TN]  
    *aquatica* L.--southern wildrice (not cultivated)  
    *latifolia* (Griseb.) Turcz. ex Stapf--Manchurian wildrice  
    *palustris* L.--northern wildrice (cultivated)

*Zizaniopsis* (Poaceae)  
    *miliacea* (Michx.) Doeell & Aschers.--giant cutgrass

*Ziziphus* (Rhamnaceae)  
    *jujuba* Mill.--common jujube  
    *mauritiana* Lam.

*Zostera* (Zosteraceae)  
    *marina* L.--eelgrass

*Zoysia* (Poaceae)  
    *japonica* Steud.--zoysia, Japanese lawngrass  
    *matrella* (L.) Merr.--Manila grass  
    *tenuifolia* Willd. ex Thiele--mascarene grass--[TN]  
(*tenuifolia* Willd. ex Trin.) = *Z. tenuifolia* Willd. ex Thiele

## PART II. COMMON AND SCIENTIFIC NAMES

abaca--*Musa textilis* Née  
absinthe--*Artemisia absinthium* L.  
absinthium--*A. absinthium* L.  
acacia, apple-ring--*Acacia albida* Del.  
    catclaw--*A. greggii* A. Gray  
    sweet--*A. farnesiana* (L.) Willd.  
aceituna--*Simarouba glauca* DC.  
acerola--*Malpighia punicifolia* L., *M. glabra* L.  
achotillo--*Caryocar amygdaliferum* Mutis  
aconite--*Aconitum napellus* L.  
Adam's-needle--*Yucca filamentosa* L.  
adlay--*Coix lacryma-jobi* L.  
African-pepper--*Xylopia aethiopica* (Dunal) A. Rich.  
African-rue--*Peganum harmala* L.  
African-violet--*Saintpaulia ionantha* Wendl.  
ageratum--*Ageratum houstonianum* Mill.  
ailanthus--*Ailanthus altissima* (Mill.) Swingle  
airpotato--*Dioscorea bulbifera* L.  
aja--*D. trifida* L. f.  
aji--*Capsicum baccatum* L. var. *pendulum* (Willd.) Eshbaugh, *C. chinense* Jacq.  
ajipo--*Pachyrhizus tuberosus* (Lam.) Spreng.  
akalbir--*Datisca cannabina* L.  
akee--*Blighia sapida* Koenig  
alacransillo--*Heliotropium indicum* L.  
Alaska-cedar--*Chamaecyparis nootkatensis* (D. Don) Spach  
albizia, silktree--*Albizia julibrissin* Durazz.  
alder, European--*Alnus glutinosa* (L.) Gaertn.  
    hazel--*A. serrulata* (Ait.) Willd.  
    red--*A. rubra* Bong.  
    Sitka--*A. sinuata* (Regel) Rydb.  
    speckled--*A. rugosa* (DuRoi) Spreng.  
    white--*A. incana* (L.) Moench  
alexanders--*Smyrnium olusatrum* L.  
alfalfa--*Medicago sativa* L.  
    yellow-flowered--*M. falcata* L.  
alfilaria--*Erodium cicutarium* (L.) L'Hér. ex Ait.  
algaroba--*Prosopis chilensis* (Mol.) Stuntz  
alkaligrass--*Puccinellia distans* (L.) Parl.  
    Nuttall--*P. airoides* (Nutt.) S. Wats. & Coulter.  
    weeping--*P. distans* (L.) Parl.  
alkanna--*Alkanna tinctoria* (L.) Tausch  
allamanda--*Allamanda cathartica* L.  
alligatorweed--*Alternanthera philoxeroides* (Mart.) Griseb.  
allouya--*Calathea allouia* (Aubl.) Lindl.  
allspice--*Pimenta dioica* (L.) Merr.  
almond--*Prunus dulcis* (Mill.) D. A. Webb  
    Indian--*Terminalia catappa* L.  
    Java--*Canarium indicum* L.  
    tropical--*Terminalia catappa* L.

alocasia, giant--*Alocasia macrorrhiza* (L.) G. Don  
aloe, Barbados--*Aloe barbadensis* Mill.  
    candelabra--*A. arborescens* Mill.  
    Cape--*A. ferox* Mill.  
    Mediterranean--*A. barbadensis* Mill.  
    true--*A. barbadensis* Mill.  
althea, shrub--*Hibiscus syriacus* L.  
alyceclover--*Alysicarpus vaginalis* (L.) DC.  
alyssum, hoary--*Berteroa incana* (L.) DC.  
    sweet--*Lobularia maritima* (L.) Desv.  
amada--*Curcuma amada* Roxb.  
amaranth, Chinese--*Amaranthus tricolor* L.  
    globe--*Gomphrena globosa* L.  
    livid--*Amaranthus lividus* L.  
    Palmer--*A. palmeri* S. Wats.  
    slender--*A. viridis* L.  
    spiny--*A. spinosus* L.  
ambatch--*Aeschynomene elaphroxylon* (Guill. & Perr.) Taub.  
ambrette--*Abelmoschus moschatus* Medik.  
ammi, greater--*Ammi majus* L.  
    toothpick--*A. visnaga* (L.) Lam.  
ammoniakum--*Dorema ammoniacum* D. Don  
amole--*Chlorogalum pomeridianum* (DC.) Kunth  
amyris, balsam--*Amyris balsamifera* L.  
andromeda, Japanese--*Pieris japonica* (Thunb.) D. Don ex G. Don  
anemone, European wood--*Anemone nemorosa* L.  
    Japanese--*A. hupehensis* var. *japonica* (Thunb.) Bowles & Stearn  
angelica, garden--*Angelica archangelica* L.  
anise--*Pimpinella anisum* L.  
anise-tree, star--*Illicium verum* Hook. f.  
annatto--*Bixa orellana* L.  
anoda, spurred--*Anoda cristata* (L.) Schlecht.  
anu--*Tropaeolum tuberosum* Ruiz & Pavon  
apple--*Malus sylvestris* Mill.  
    balsam--*Momordica balsamina* L., *M. charantia* L.  
    crab--(see crabapple)  
    custard--*Annona reticulata* L.  
    custard, wild--*A. senegalensis* Pers.  
    golden--*Spondias dulcis* Parkins.  
kei--*Dovyalis caffra* (Hook. f. & Harv.) Warb.  
mammee (mammy)--*Mammea americana* L.  
mammy, African--*M. africana* Sabine  
may--*Podophyllum peltatum* L.  
Mexican--*Casimiroa edulis* Llave & Lex.  
pond--*Annona glabra* L.  
rose--*Syzygium jambos* (L.) Alst.  
rose, watery--*S. aqueum* (Burm. f.) Alst.  
star--*Chrysophyllum cainito* L.  
star, African--*C. delevoyi* De Wild.  
sugar--*Annona squamosa* L.  
wonder--*Momordica balsamina* L.  
wood, Indian--*Feronia limonia* (L.) Swingle

applemint--*Mentha rotundifolia* (L.) Huds.  
apple-of-Peru--*Nicandra physalodes* (L.) Gaertn.  
apricot--*Prunus armeniaca* L.  
    Japanese--*P. mume* Sieb. & Zucc.  
aralia, threadleaf false--*Dizygotheca elegantissima* (Veitch) Vig. & Guill.  
aramina--*Urena lobata* L.  
arar-tree--*Tetraclinis articulata* (Vahl) Mast.  
arbor-vitae--*Thuja occidentalis* L.  
areca-nut--*Areca catechu* L.  
arnica--*Arnica montana* L.  
    European--*A. montana* L.  
arracacha--*Arracacia xanthorrhiza* Bancroft  
arrow-arum--*Peltandra virginica* (L.) Schott & Endl.  
arrowhead, Chinese--*Sagittaria sagittifolia* L.  
    common--*S. latifolia* Willd.  
    slender--*S. graminea* Michx.  
arrowroot--*Maranta arundinacea* L.  
    East Indian--*Tacca leontopetaloides* (L.) Ktze.  
    Fiji--*T. leontopetaloides* (L.) Ktze.  
    Queensland--*Canna edulis* Ker  
arrow-wood--*Viburnum dentatum* L.  
artichoke--*Cynara scolymus* L.  
    Chinese--*Stachys affinis* Bge.  
    globe--*Cynara scolymus* L.  
    Jerusalem--*Helianthus tuberosus* L.  
artillery-plant--*Pilea microphylla* (L.) Liebm.  
artilleryweed--*P. microphylla* (L.) Liebm.  
arum, whitespot giant--*Amorphophallus campanulatus* (Roxb.) Bl. ex Decne.  
asafetida--*Ferula assa-foetida* L.  
ash, black--*Fraxinus nigra* Marsh.  
    blue--*F. quadrangulata* Michx.  
    European--*F. excelsior* L.  
    flowering--*F. ormus* L.  
    green--*F. pennsylvanica* Marsh.  
    manna--*F. ormus* L.  
    Oregon--*F. latifolia* Benth.  
    white--*F. americana* L.  
asparagus, garden--*Asparagus officinalis* L.  
aspen, bigtooth--*Populus grandidentata* Michx.  
    large-toothed--*P. grandidentata* Michx.  
    quaking--*P. tremuloides* Michx.  
    trembling--*P. tremuloides* Michx.  
aster, China--*Callistephus chinensis* (L.) Nees  
    Stokes'--*Stokesia laevis* (Hill) Greene  
ati--*Calophyllum inophyllum* L.  
aubergine--*Solanum melongena* L.  
aucuba, Japanese--*Aucuba japonica* Thunb.  
Australian-pine--*Casuarina equisetifolia* J. R. & G. Forst.  
avaram--*Cassia auriculata* L.  
avens--*Geum urbanum* L.  
avocado--*Persea americana* Mill.  
ayahuasca--*Banisteriopsis caapi* (Spruce ex Griseb.) Morton

azalea, flame--*Rhododendron calendulaceum* (Michx.) Torr.  
azolla--*Azolla caroliniana* Willd.  
babassu--*Orbignya barbosiana* Burret  
baboon-spice--*Aframomum sceprium* (Oliv. & Hanb.) K. Schum.  
babul--*Acacia nilotica* (L.) Del.  
bacury--*Platonia esculenta* (Arr. Cam.) Rickett & Stafl.  
bael, Indian--*Aegle marmelos* (L.) Corr.  
bael-tree--*A. marmelos* (L.) Corr.  
bahia-grass--*Paspalum notatum* Fluegge  
balata--*Manilkara bidentata* (A. DC.) A. Chev.  
bald-cypress--*Taxodium distichum* (L.) L. C. Rich.  
balm, lemon--*Melissa officinalis* L.  
balsam, garden--*Impatiens balsamina* L.  
Tolu--*Myroxylon balsamum* (L.) Harms  
balsam-apple--*Momordica* spp.  
balsam-of-Peru--*Myroxylon balsamum* var. *pereirae* (Royle) Harms  
balsam-of-Tolu--*M. balsamum* (L.) Harms  
balsam-pear--*Momordica charantia* L.  
balsam-tree, African copaiba--*Daniellia oliveri* (Rolfe) Hutch. & Dalz.  
balsamo--*Buinesia sarmienti* Lorentz ex Griseb.  
bamboo, hedge--*Bambusa multiplex* (Lour.) Raeusch.  
Japanese timber--*Phyllostachys bambusoides* Sieb. & Zucc.  
male--*Dendrocalamus strictus* (Roxb.) Nees  
Meyer--*Phyllostachys meyeri* McClure  
puntingpole--*Bambusa tuldaoides* Munro  
Simon--*Arundinaria simonii* (Carr.) A. & C. Riv.  
sweet shoot--*Phyllostachys dulcis* McClure  
Tonkin--*Arundinaria amabilis* McClure  
banana--*Musa X paradisiaca* L.  
Abyssinian--*Ensete ventricosum* (Welw.) Cheesem.  
dwarf--*Musa acuminata* Colla  
banyan, Indian--*Ficus benghalensis* L.  
baobab--*Adansonia digitata* L.  
Barbados-cherry--*Malpighia* spp.  
barberry, American--*Berberis canadensis* Mill.  
European--*B. vulgaris* L.  
Japanese--*B. thunbergii* DC.  
barilla--*Halogeton glomeratus* (Bieb.) C. A. Mey.  
barley--*Hordeum vulgare* L.  
bulbous--*H. bulbosum* L.  
foxtail--*H. jubatum* L.  
little--*H. pusillum* Nutt.  
wall--*H. murinum* L.  
barnyardgrass--*Echinochloa crusgalli* (L.) Beauv.  
barrelclover--*Medicago truncatula* Gaertn.  
barwood--*Baphia nitida* Lodd., *Pterocarpus erinaceus* Poir., *P. soyauxii* Taub.  
basil--*Ocimum basilicum* L.  
camphor--*O. kilimandscharicum* Guercke  
hoary--*O. canum* Sims, *O. kilimandscharicum* Guercke  
holy--*O. sanctum* L.  
basket-of-gold--*Aurinia saxatilis* (L.) Desv.  
basswood, American--*Tilia americana* L.

bast, Cuban--*Hibiscus elatus* Sw.  
bauhinia, purple--*Bauhinia purpurea* L.  
bay--*Laurus nobilis* L.  
loblolly--*Gordonia lasianthus* (L.) Ellis  
bay-rum-tree--*Pimenta racemosa* (Mill.) J. W. Moore  
beachgrass, American--*Ammophila breviligulata* Fern.  
European--*A. arenaria* (L.) Link  
bean, adzuki--*Vigna angularis* (Willd.) Ohwi & Ohashi  
African locust--*Parkia filicoidea* Welw. ex Oliv.  
African yam--*Sphenostylis stenocarpa* (Hochst. ex A. Rich.) Harms  
asparagus--*Vigna unguiculata* subsp. *sesquipedalis* (L.) Verdc.  
Bengal--*Mucuna aterrima* (Piper & Tracy) Holland  
*bertoni*--*Vigna caracalla* (L.) Verdc.  
bonavist--*Dolichos lablab* L.  
butter--*Phaseolus lunatus* L.  
calabar--*Physostigma venenosum* Balf.  
fava--*Vicia faba* L.  
garden--*Phaseolus vulgaris* L.  
gemsbok--*Bauhinia esculenta* Burchell  
goa--*Psophocarpus tetragonolobus* (L.) DC.  
green--*Phaseolus vulgaris* L.  
haricot--*P. vulgaris* L.  
horse--*Vicia faba* L.  
hyacinth--*Dolichos lablab* L.  
ice cream--*Inga edulis* Mart.  
jequirity--*Abrus precatorius* L.  
jumbie--*Leucaena leucocephala* (Lam.) De Wit  
kidney--*Phaseolus vulgaris* L.  
lablab--*Dolichos lablab* L.  
lima--*Phaseolus lunatus* L.  
mat--*Vigna aconitifolia* (Jacq.) Marechal  
Mauritius--*Mucuna aterrima* (Piper & Tracy) Holland  
moth--*Vigna aconitifolia* (Jacq.) Marechal  
mung--*V. radiata* (L.) Wilczek var. *radiata*  
precatory--*Abrus precatorius* L.  
purple--*Macroptilium atropurpureum* (DC.) Urb.  
rice--*Vigna umbellata* (Thunb.) Ohwi & Ohashi  
scarlet runner--*Phaseolus coccineus* L.  
tepary--*P. acutifolius* A. Gray  
thicket--*P. polystachios* (L.) B.S.P.  
tonka--*Dipteryx odorata* (Aubl.) Willd., *D. oppositifolia* (Aubl.) Willd.  
wild--*Phaseolus polystachios* (L.) B.S.P.  
windsor--*Vicia faba* L.  
winged--*Psophocarpus tetragonolobus* (L.) DC.  
yam--*Pachyrhizus* spp.  
yard-long--*Vigna unguiculata* subsp. *sesquipedalis* (L.) Verdc.  
beanvine--*Phaseolus polystachios* (L.) B.S.P.  
bearberry--*Arctostaphylos uva-ursi* (L.) Spreng.  
bearmat--*Chamaebatia foliolosa* Benth.  
beautyberry, American--*Callicarpa americana* L.  
bedstraw, catchweed--*Galium aparine* L.  
northern--*G. boreale* L.

smooth--*G. mollugo* L.  
beebalm, spotted--*Monarda punctata* L.  
beech, American--*Fagus grandifolia* Ehrh.  
blue--*Carpinus caroliniana* Walt.  
European--*Fagus sylvatica* L.  
beefwood-tree--*Casuarina equisetifolia* J. R. & G. Forst.  
beet, garden--*Beta vulgaris* L.  
    sugar--*B. vulgaris* L.  
beetroot--*B. vulgaris* L.  
beggarlice--*Desmodium intortum* (Mill.) Fawc. & Rendle  
beggarticks--*Bidens bipinnata* L.  
    coreopsis--*B. polylepis* Blake  
    devils--*B. frondosa* L.  
    hairy--*B. pilosa* L.  
    leafybract--*B. comosa* (A. Gray) Wieg.  
    nodding--*B. cernua* L.  
    purplestem--*B. connata* Muhl.  
    tall--*B. vulgata* Greene  
beggarweed, Florida--*Desmodium tortuosum* (Sw.) DC.  
    threeflower--*D. triflorum* (L.) DC.  
belladonna--*Atropa bella-donna* L.  
bent, loose silky--*Apera spica-venti* (L.) Beauv.  
bentgrass, colonial--*Agrostis tenuis* Sibth.  
    creeping--*A. stolonifera* L. sens. lat.  
    Rhode Island--*A. tenuis* Sibth.  
    rough--*A. scabra* Willd.  
    velvet--*A. canina* L.  
benzoin, Siam--*Styrax tonkinensis* (Pierre) Craib ex Hartwich, *S. benzoides*  
    Craib  
bergamot, wild--*Monarda fistulosa* L.  
Bermuda-buttercup--*Oxalis pes-caprae* L.  
bermudagrass--*Cynodon dactylon* (L.) Pers.  
    African--*C. transvaalensis* Burtt Davy  
    giant--*C. dactylon* var. *aridus* Harlan & de Wet  
betel-nut--*Areca catechu* L.  
betony, artichoke--*Stachys affinis* Bge.  
bignay--*Antidesma bunius* (L.) Spreng.  
bigtree--*Sequoia adendron giganteum* (Lindl.) Buchh.  
bilberry--*Vaccinium myrtillus* L.  
bilimbi--*Averrhoa bilimbi* L.  
bindweed, black--*Polygonum convolvulus* L.  
    field--*Convolvulus arvensis* L.  
    hedge--*C. sepium* L.  
birch, black--*Betula lenta* L.  
    European white--*B. pendula* Roth  
    paper--*B. papyrifera* Marsh.  
    sweet--*B. lenta* L.  
    yellow--*B. alleghaniensis* Britton  
bird-of-paradise--*Strelitzia reginae* Ait.  
bitterweed--*Helenium amarum* (Raf.) H. Rock  
bitterwood--*Picrasma excelsa* (Sw.) Planch., *Quassia amara* L.  
blackberry, Allegheny--*Rubus allegheniensis* Porter

blackberry (continued)

California--*R. ursinus* Cham. & Schlecht.  
common--*R. allegheniensis* Porter  
cutleaf--*R. laciniatus* Willd.  
European--*R. fruticosus* L.  
evergreen--*R. laciniatus* Willd.  
Pacific--*R. ursinus* Cham. & Schlecht.

blackhaw--*Viburnum prunifolium* L.  
rusty--*V. rufidulum* Raf.

blackthorn--*Prunus spinosa* L.

blackwood--*Acacia melanoxylon* R. Br.

bladder-flower--*Araujia sericofera* Brot.

bladderpod, Fendler--*Lesquerella fendleri* (A. Gray) S. Wats.  
Gordon--*L. gordonii* (A. Gray) S. Wats.

bladderwort, common--*Utricularia vulgaris* L.

blazing-star--*Liatris spicata* (L.) Willd.

blite, wild--*Amaranthus lividus* L.

blueberry, black highbush--*Vaccinium atrococcum* (A. Gray) A. Heller  
early sweet--*V. vacillans* Torr.  
highbush--*V. corymbosum* L.  
late sweet--*V. angustifolium* Ait.  
low--*V. vacillans* Torr.  
lowbush--*V. angustifolium* Ait.  
low sweet--*V. angustifolium* Ait.  
rabbit-eye--*V. ashei* Reade  
sourtop--*V. myrtilloides* Michx.  
velvetleaf--*V. myrtilloides* Michx.

bluegrass, alpine--*Poa alpina* L.  
annual--*P. annua* L.  
big--*P. ampla* Merr.  
bulbous--*P. bulbosa* L.  
Canada--*P. compressa* L.  
Canby--*P. canbyi* (Scribn.) Piper  
fowl--*P. palustris* L.  
glaucantha--*P. glauca* Gaud.  
Kentucky--*P. pratensis* L.  
mutton--*P. fendleriana* (Steud.) Vasey  
Nevada--*P. nevadensis* Vasey ex Scribn.  
plains--*P. arida* Vasey  
roughstalk--*P. trivialis* L.  
Sandberg--*P. secunda* Presl  
Texas--*P. arachnifera* Torr.  
upland--*P. glauca* Gaud.  
Wheeler--*P. nervosa* (Hock.) Vasey  
wood--*P. nemoralis* L.

bluestem, angleton--*Dichanthium aristatum* (Poir.) C. E. Hubb.  
big--*Andropogon gerardii* Vitm.  
cane--*Bothriochloa barbinodis* (Lag.) Herter  
Caucasian--*B. caucasica* (Trin.) C. E. Hubb.  
diaz--*Dichanthium annulatum* (Forsk.) Stapf  
King ranch--*Bothriochloa ischaemum* var. *songarica* (Rupr. ex Fisch. & Mey.)  
Celar. & Harlan

little--*Schizachyrium scoparium* (Michx.) Nash  
medio--*Dichanthium papillosum* (Hochst. ex A. Rich.) Stapf  
pitted--*Bothriochloa pertusa* (L.) A. Camus  
sand--*Andropogon hallii* Hack.  
silky--*Dichanthium sericeum* (R. Br.) Camus  
silver--*Bothriochloa saccharoides* (Sw.) Rydb.  
yellow--*B. ischaemum* (L.) Keng var. *ischaemum*  
blueweed--*Echium vulgare* L.  
bo-tree--*Ficus religiosa* L.  
boldo--*Peumus boldus* Mol.  
boleko-nut--*Ongokea gore* (Hua) Pierre  
bolo-bolo--*Clappertonia ficiifolia* (Willd.) Decne.  
boneset--*Eupatorium perfoliatum* L.  
borage--*Borago officinalis* L.  
    Indian--*Coleus amboinicus* Lour.  
borecole--*Brassica oleracea* (Acephala Group)  
boronia, sweet--*Boronia megastigma* Nees ex Bartl.  
bottlebrush, crimson--*Callistemon citrinus* (Curt.) Stapf  
bounding-bet--*Saponaria officinalis* L.  
boxelder--*Acer negundo* L.  
boxwood, common--*Buxus sempervirens* L.  
    littleleaf--*B. microphylla* Sieb. & Zucc.  
    Turkish--*B. sempervirens* L.  
boysenberry--*Rubus ursinus* var. *loganobaccus* (L. H. Bailey) L. H. Bailey  
brazilnut, Brazil-nut--*Bertholletia excelsa* Humb. & Bonpl.  
brazilwood--*Caesalpinia echinata* Lam.  
breadfruit--*Artocarpus altilis* (Parkins.) Fosb.  
    African--*Treculia africana* Decne.  
breadnut--*Brosimum alicastrum* Sw. subsp. *alicastrum*  
briar-root--*Erica arborea* L.  
bright-eyes--*Catharanthus roseus* (L.) G. Don  
broadbean--*Vicia faba* L.  
broccoli--*Brassica oleracea* (Botrytis Group)  
    asparagus--*B. oleracea* (Italica Group)  
    sprouting--*B. oleracea* (Italica Group)  
brome, barren--*Bromus sterilis* L.  
California--*B. carinatus* Hook. & Arn.  
compact--*B. madritensis* L.  
downy--*B. tectorum* L.  
drooping--*B. tectorum* L.  
chalk false--*Brachypodium pinnatum* (L.) Beauv.  
field--*Bromus arvensis* L.  
foxtail--*B. rubens* L.  
Japanese--*B. japonicus* Thunb. ex Murr.  
Madrid--*B. madritensis* L.  
meadow--*B. erectus* Huds.  
mountain--*B. marginatus* Nees ex Steud.  
poverty--*B. sterilis* L.  
rattlesnake--*B. briziformis* Fisch. & Mey.  
red--*B. rubens* L.  
ripgut--*B. rigidus* Roth  
rye--*B. secalinus* L.

brome (continued)

sand--*B. arenarius* Labill.

slender false--*Brachypodium sylvaticum* (Huds.) Beauv.

smooth--*Bromus inermis* Leyss.

soft--*B. mollis* L.

Spanish--*B. madritensis* L.

sterile--*B. sterilis* L.

upright--*B. erectus* Huds.

broom, Scotch--*Cytisus scoparius* (L.) Link

Spanish--*Spartium junceum* L.

broomcorn--*Sorghum bicolor* (L.) Moench

broomrape, clover--*Orobanche minor* Sm.

hemp--*O. ramosa* L.

broomsedge--*Andropogon virginicus* L.

broomweed--*Gutierrezia dracunculoides* (DC.) Blake

browntop--*Agrostis tenuis* Sibth.

brunswickgrass--*Paspalum nicorae* Parodi

brussels-sprouts--*Brassica oleracea* (Gemmifera Group)

buchu--*Agathosma* spp.

Indian--*Myrtus communis* L.

buckeye, California--*Aesculus californica* (Spach) Nutt.

Ohio--*A. glabra* Willd.

red--*A. pavia* L.

yellow--*A. octandra* Marsh.

buckthorn, alder--*Frangula alnus* Mill.

cascara--*Rhamnus purshianus* DC.

Chinese--*R. utilis* Decne.

European--*R. catharticus* L.

glossy--*Frangula alnus* Mill.

buckwheat--*Fagopyrum esculentum* Moench

Tartary--*F. tataricum* (L.) Gaertn.

wild--*Polygonum convolvulus* L.

buckwheat-ine--*Brunnichia cirrhosa* Gaertn.

buffalobur--*Solanum rostratum* Dun.

buffalograss--*Buchloe dactyloides* (Nutt.) Engelm.

buffaloweed--*Ambrosia trifida* L.

buffelgrass--*Cenchrus ciliaris* L.

bullbrier--*Smilax rotundifolia* L.

bullnettle--*Cnidoscolus stimulosus* (Michx.) Engelm. & A. Gray

Texas--*C. texanus* (Muell.-Arg.) Small

bullock's-heart--*Annona reticulata* L.

bulrush, American--*Scirpus americanus* Pers.

California--*S. californicus* (C. A. Mey.) Steud.

hardstem--*S. acutus* Muhl.

southern--*S. californicus* (C. A. Mey.) Steud.

woolgrass--*S. cyperinus* (L.) Kunth

bumelia, gum--*Bumelia lanuginosa* (Michx.) Pers.

bunchberry--*Cornus canadensis* L.

bunchgrass, feather--*Stipa viridula* Trin.

bungu--*Ceratotheca sesamoides* Endl.

bunya-bunya--*Araucaria bidwillii* Hook.

bur, Sacramento--*Triumfetta semitriloba* Jacq.

burclover, California--*Medicago polymorpha* L.  
    little--*M. minima* (L.) Bartal.  
    spotted--*M. arabica* (L.) Huds.  
    Tifton--*M. rigidula* (L.) Al1.

burdock, common--*Arctium minus* Bernh.  
    edible--*A. lappa* L.  
    great--*A. lappa* L.  
    lesser--*A. minus* Bernh.

burgrass--*Cenchrus incertus* M. A. Curtis

burnet--*Sanguisorba minor* Scop.  
    small--*S. minor* Scop.

burning-bush--*Euonymus atropurpurea* Jacq.

burnweed--*Erechtites hieracifolia* (L.) Raf. ex DC.  
    American--*E. hieracifolia* (L.) Raf. ex DC.

burroweed--*Haplopappus tenuisectus* (Greene) Blake ex Benson

bursage, skeletonleaf--*Ambrosia tomentosa* Nutt.  
    woollyleaf--*A. grayi* (A. Nels.) Shinners

butter-and-eggs--*Linaria vulgaris* Mill.

butterbur--*Petasites japonicus* (Sieb. & Zucc.) Fr. Schmidt

buttercup, bulbous--*Ranunculus bulbosus* L.  
    corn--*R. arvensis* L.  
    creeping--*R. repens* L.  
    kidneyleaf--*R. abortivus* L.  
    smallflower--*R. abortivus* L.  
    tall--*R. acris* L.

butternut--*Juglans cinerea* L.

butterprint--*Abutilon theophrasti* Medik.

butterseed--*Butyrospermum paradoxum* (Gaertn. f.) Hepper subsp. *parkii*  
(G. Don) Hepper

butter-tree--*Pentadesma butyracea* Sabine

butterweed--*Conyza canadensis* (L.) Cronq.

buttonbush--*Cephaelanthus occidentalis* L.

buttonclover--*Medicago orbicularis* (L.) Bartal.

buttonweed--*Diodia teres* Walt.

caapi--*Banisteriopsis caapi* (Spruce ex Griseb.) Morton, B. *inebrians* Morton

cabbage--*Brassica oleracea* (Capitata Group)  
    Chinese--*B. rapa* (Pekinensis Group)  
    savoy--*B. oleracea* (Capitata Group)  
    tronchuda--*B. oleracea* (Tronchuda Group)  
    wild--*B. oleracea* L.

cabomba--*Cabomba caroliniana* A. Gray

cacao--*Theobroma cacao* L. subsp. *cacao*

cachibou--*Calathea lutea* (Aubl.) G. F. W. Mey.

actus, cochineal--*Nopalea cochenillifera* (L.) Salm-Dyck  
    fish-hook--*Ferocactus wislizenii* (Engelm.) Britt. & Rose

cadillo--*Urena lobata* L.

caesarweed--*U. lobata*

caia, wild--*Cleome viscosa* L.

cajeput--*Melaleuca cajuputi* Powell, M. *leucadendron* (L.) L.

calabash--*Crescentia cujete* L.

calamus--*Acorus calamus* L.

calla, common--*Zantedeschia aethiopica* (L.) Spreng.

caltrop--*Trapa natans* L.  
camas, common--*Camassia quamash* (Pursh) Greene  
camellia, common--*Camellia japonica* L.  
    sasanqua--*C. sasanqua* Thunb.  
camel's-foot--*Bauhinia esculenta* Burchell  
camelthorn--*Alhagi pseudalhagi* (Bieb.) Desv.  
camphor, Borneo--*Dryobalanops aromatica* Gaertn. f.  
    Nagi--*Blumea balsamifera* (L.) DC.  
camphor-tree--*Cinnamomum camphora* (L.) J. S. Presl  
campion, white--*Silene alba* (Mill.) Krause  
camwood--*Baphia nitida* Lodd.  
canaigre--*Rumex hymenosepalus* Torr.  
canarygrass--*Phalaris canariensis* L.  
    bulbous--*P. aquatica* L.  
    hood--*P. paradoxa* L.  
    littleseed--*P. minor* Retz.  
    reed--*P. arundinacea* L.  
candelilla--*Euphorbia antisyphilitica* Zucc.  
candleberry--*Aleurites moluccana* (L.) Willd.  
candlenut--*A. moluccana* (L.) Willd.  
candletree--*Parmentiera cerifera* Seem.  
candytuft, globe--*Iberis umbellata* L.  
    rocket--*I. amara* L.  
cane, giant--*Arundinaria gigantea* (Walt.) Muhl. subsp. *gigantea*  
    switch--*A. gigantea* (Walt.) Muhl. subsp. *tecta* (Walt.) McClure  
    Tonkin--*A. amabilis* McClure  
canella--*Canella winterana* (L.) Gaertn.  
canistel--*Pouteria campechiana* (H.B.K.) Baehni  
canna, edible--*Canna edulis* Ker  
cannonball-tree--*Couroupita guianensis* Aubl.  
cantala--*Agave cantala* (Haw.) Roxb.  
cantaloupe--*Cucumis melo* L.  
Cape-gooseberry--*Physalis peruviana* L.  
    dwarf--*P. pruinosa* L.  
Cape-honeysuckle--*Tecomaria capensis* (Thunb.) Spach  
Cape-jasmine--*Gardenia jasminoides* Ellis  
caper--*Capparis spinosa* L.  
capucine--*Tropaeolum tuberosum* Ruiz & Pavon  
carambola--*Averrhoa carambola* L.  
caraway--*Carum carvi* L.  
cardamom--*Elettaria cardamomum* (L.) Maton  
    round--*Amomum compactum* Soland. ex Maton  
cardamon--*Elettaria cardamomum* (L.) Maton  
cardoon--*Cynara cardunculus* L.  
careless-weed--*Amaranthus palmeri* S. Wats.  
caribgrass--*Eriochloa polystachya* H.B.K.  
carissa, Egyptian--*Carissa edulis* Vahl  
carnation--*Dianthus caryophyllus* L.  
carob--*Ceratonia siliqua* L.  
carpetgrass--*Axonopus affinis* Chase  
    tropical--*A. compressus* (Sw.) Beauv.  
carpetweed--*Mollugo verticillata* L.

carrot--*Daucus carota* L. subsp. *sativus* (Hoffm.) Arcang.  
Peruvian--*Arracacia xanthorrhiza* Bancroft  
wild--*Daucus carota* L. subsp. *carota*  
casaba--*Cucumis melo* L.  
casabana--*Sicana odorifera* (Vell.) Naud.  
cascarilla--*Croton eluteria* (L.) Sw.  
cashew--*Anacardium occidentale* L.  
cassava--*Manihot esculenta* Crantz  
cassia--*Cinnamomum aromaticum* Nees  
padang--*C. burmannii* (Nees) Bl.  
purging--*Cassia fistula* L.  
cassie--*Acacia farnesiana* (L.) Willd.  
castorbean--*Ricinus communis* L.  
catalpa, Indian bean--*Catalpa bignonioides* Walt.  
northern--*C. speciosa* (Warder ex Barney) Warder ex Engelm.  
southern--*C. bignonioides* Walt.  
western--*C. speciosa* (Warder ex Barney) Warder ex Engelm.  
catawba-tree--*C. speciosa* (Warder ex Barney) Warder ex Engelm.  
catbrier--*Smilax glauca* Walt., *S. rotundifolia* L.  
catchfly, night-flowering--*Silene noctiflora* L.  
sleepy--*S. antirrhina* L.  
catclaw--*Acacia greggii* A. Gray  
catclaw-vine--*Macfadyena unguis-cati* (L.) A. Gentry  
catechu--*Acacia catechu* (L. f.) Willd.  
catjang--*Vigna unguiculata* subsp. *cylindrica* (L.) Verdc.  
catnip--*Nepeta cataria* L.  
cat's-ear, smooth--*Hypochoeris glabra* L.  
spotted--*H. radicata* L.  
cattail, common--*Typha latifolia* L.  
narrowleaf--*T. angustifolia* L.  
cauassu--*Calathea lutea* (Aubl.) G. F. W. Mey.  
cauliflower--*Brassica oleracea* (Botrytis Group)  
cedar, Alaska--*Chamaecyparis nootkatensis* (D. Don) Spach  
Atlantic white--*C. thyoides* (L.) B.S.P.  
cigar box--*Cedrela odorata* L.  
eastern red--*Juniperus virginiana* L.  
incense--*Calocedrus decurrens* (Torr.) Florin  
northern white--*Thuja occidentalis* L.  
Port Orford--*Chamaecyparis lawsoniana* (A. Murr.) Parl.  
southern white--*C. thyoides* (L.) B.S.P.  
Spanish--*Cedrela odorata* L.  
West Indian--*C. odorata* L.  
western red--*Thuja plicata* Donn ex D. Don  
cedro--*Cedrela odorata* L.  
ceiba--*Ceiba pentandra* (L.) Gaertn.  
celandine, greater--*Chelidonium majus* L.  
celeriac--*Apium graveolens* L. var. *rapaceum* (Mill.) Gaudich.  
celery--*A. graveolens* L. var. *dulce* (Mill.) Pers.  
knob--*A. graveolens* var. *rapaceum* (Mill.) Gaudich.  
slender--*A. leptophyllum* (Pers.) F. v. Muell. ex Benth.  
turnip-rooted--*A. graveolens* var. *rapaceum* (Mill.) Gaudich.  
wild--*A. leptophyllum* (Pers.) F. v. Muell. ex Benth.

celery-pine--*Phyllocladus trichomanoides* G. Don  
celery-root--*Apium graveolens* var. *rapaceum* (Mill.) Gaudich.  
celtuce--*Lactuca sativa* L.  
ceniza--*Leucophyllum frutescens* (Berland.) I. M. Johnst.  
centaury--*Centaurea erythraea* Rafn  
century-plant--*Agave americana* L.  
ceriman--*Monstera deliciosa* Liebm.  
Ceylon-gooseberry--*Dovyalis hebecarpa* (Gardn.) Warb.  
chaconier--*Warszewiczia coccinea* (Vahl) Kl.  
chamisa--*Atriplex canescens* (Pursh) Nutt.  
chamise--*Adenostoma fasciculatum* Hook. & Arn.  
chamomile--*Chamaemelum nobile* (L.) All.  
corn--*Anthemis arvensis* L.  
garden--*Chamaemelum nobile* (L.) All.  
German--*Matricaria chamomilla* L.  
mayweed--*Anthemis cotula* L.  
Roman--*Chamaemelum nobile* (L.) All.  
sweet false--*Matricaria chamomilla* L.  
wild--*M. chamomilla* L.  
yellow--*Anthemis tinctoria* L.  
chapote--*Diospyros texana* Scheele  
chard--*Beta vulgaris* L.  
Swiss--*B. vulgaris* L.  
charlock--*Sinapis arvensis* L.  
chaulmoogra--*Hydnocarpus kurzii* (King) Warb.  
chavar--*Hitchenia caulina* (Grah.) Baker  
chaya--*Cnidoscolus aconitifolius* (Mill.) I. M. Johnst., *C. chayamansa* McVaugh  
chayote--*Sechium edule* (Jacq.) Sw.  
cheat--*Bromus secalinus* L.  
cheatgrass--*B. secalinus* L., *B. tectorum* L.  
cheeses--*Malva neglecta* Wallr.  
chempedak--*Artocarpus integer* (Thunb.) Merr.  
cherimoya--*Annona cherimola* Mill.  
cherry, Barbados--*Malpighia glabra* L., *M. puniceifolia* L.  
black--*Prunus serotina* Ehrh.  
Japanese flowering--*P. serrulata* Lindl.  
Jerusalem--*Solanum pseudocapsicum* L.  
mahaleb--*Prunus mahaleb* L.  
mazzard--*P. avium* (L.) L.  
Peruvian--*Physalis peruviana* L.  
pin--*Prunus pensylvanica* L. f.  
sour--*P. cerasus* L.  
Surinam--*Eugenia uniflora* L.  
sweet--*Prunus avium* (L.) L.  
West Indian--*Malpighia puniceifolia* L.  
cherry-laurel--*Prunus laurocerasus* L.  
chervil--*Anthriscus cerefolium* (L.) Hoffm.  
turnip-rooted--*Chaerophyllum bulbosum* L.  
chess--*Bromus secalinus* L.  
Australian--*B. arenarius* Labill.  
downy--*B. tectorum* L.  
foxtail--*B. rubens* L.

hairy--*B. commutatus* Schrad.  
Japanese--*B. japonicus* Thunb. ex Murr.  
rattlesnake--*B. briziformis* Fisch. & Mey.  
soft--*B. mollis* L.  
chestnut, American--*Castanea dentata* (Marsh.) Borkh.  
Chinese--*C. mollissima* Blume  
European--*C. sativa* Mill.  
Japanese--*C. crenata* Sieb. & Zucc.  
chia--*Salvia* spp.  
California--*S. columbariae* Benth.  
chickpea--*Cicer arietinum* L.  
chickweed, common--*Stellaria media* (L.) Vill.  
field--*Cerastium arvense* L.  
mouse-ear--*C. vulgatum* L.  
chicle--*Manilkara zapota* (L.) van Royen  
chicory--*Cichorium intybus* L.  
chilipiquin--*Capsicum annuum* var. *glabriusculum* (Dunal) Heiser  
& Pickersgill  
China-aster--*Callistephus chinensis* (L.) Nees  
China-root--*Smilax china* L.  
chinaberry--*Melia azedarach* L.  
Chinese-artichoke--*Stachys affinis* Bge.  
Chinese-gooseberry--*Actinidia chinensis* Planch.  
chinkapin (chinquapin), Allegheny--*Castanea pumila* (L.) Mill.  
bush--*Castanopsis sempervirens* (Kell.) Dudl.  
California--*C. sempervirens* (Kell.) Dudl.  
golden--*C. chrysophylla* (Dougl.) A. DC.  
Sierra--*C. sempervirens* (Kell.) Dudl.  
chirauli-nut--*Buchanania latifolia* Roxb.  
chives--*Allium schoenoprasum* L.  
Chinese--*A. tuberosum* Rottl. ex Spreng.  
chokecherry--*Prunus virginiana* L.  
chopsuy greens--*Chrysanthemum carinatum* Schousb.  
Christmas-rose--*Helleborus niger* L.  
chrysanthemum, florist's--*Chrysanthemum morifolium* Ramat.  
chufa--*Cyperus esculentus* L.  
cigar-box-cedar--*Cedrela odorata* L.  
cineraria, florist's--*Senecio X hybridus* (Willd.) Regel  
cinnamon--*Cinnamomum verum* J. S. Presl  
cinnamon-vine--*Dioscorea oppositifolia* L.  
cinquefoil, common--*Potentilla canadensis* L.  
rough--*P. norvegica* L.  
silverweed--*P. anserina* L.  
sulphur--*P. recta* L.  
upright--*P. recta* L.  
citron--*Citrus medica* L.  
citron (melon)--*Citrullus lanatus* var. *citroides* (Bailey) Mansf.  
clammyweed--*Polanisia dodecandra* (L.) DC.  
clary--*Salvia sclarea* L.  
cleavers--*Galium aparine* L.  
cloudberry--*Rubus chamaemorus* L.  
clove--*Syzygium aromaticum* (L.) Merr. & Perry

clover, alsike--*Trifolium hybridum* L.  
alyce--*Alysicarpus vaginalis* (L.) DC.  
arrowleaf--*Trifolium vesiculosum* Savi  
ball--*T. nigrescens* Viv.  
berseem--*T. alexandrinum* L.  
cluster--*T. glomeratum* L.  
crimson--*T. incarnatum* L.  
Egyptian--*T. alexandrinum* L.  
hop--*T. aureum* Poll.  
kaimi--*Desmodium canum* (J. F. Gmel.) Schinz & Thell.  
Kenya--*Trifolium semipilosum* Fresen.  
knotted--*T. striatum* L.  
kura--*T. ambiguum* Bieb.  
ladino--*T. repens* L.  
lappa--*T. lappaceum* L.  
large hop--*T. campestre* Schreb.  
Mexican--*Richardia scabra* L.  
oneleaf--*Alysicarpus vaginalis* (L.) DC.  
Persian--*Trifolium resupinatum* L.  
rabbit foot--*T. arvense* L.  
red--*T. pratense* L.  
reversed--*T. resupinatum* L.  
rose--*T. hirtum* All.  
seaside--*T. willdenovii* Spreng.  
small hop--*T. dubium* Sibth.  
strawberry--*T. fragiferum* L.  
striate--*T. striatum* L.  
sub--*T. subterraneum* L.  
subterranean--*T. subterraneum* L.  
white--*T. repens* L.  
whitetip--*T. variegatum* Nutt.  
zigzag--*T. medium* L.  
clusterbean--*Cyamopsis tetragonoloba* (L.) Taub.  
coca--*Erythroxylum coca* Lam.  
coccus-wood--*Brya ebenus* (L.) DC.  
cockle, corn--*Agrostemma githago* L.  
white--*Silene alba* (Mill.) Krause  
cocklebur, common--*Xanthium strumarium* L.  
spiny--*X. spinosum* L.  
cockscomb--*Celosia cristata* L.  
cocksfoot--*Dactylis glomerata* L.  
cocona--*Solanum hyporrhodium* A. Br. & Bouché, S. topiro Humb. & Bonpl.  
ex Dunal  
coconut--*Cocos nucifera* L.  
cocoplum--*Chrysobalanus icaco* L.  
coffee--*Coffea arabica* L.  
Bengal--*C. bengalensis* Roxb. ex Heyne & Willd.  
Congo--*C. congensis* Froehner  
liberica--*C. liberica* Bull ex Hiern  
negro--*Cassia occidentalis* L.  
robusta--*Coffea canephora* Pierre ex Froehner  
coffee-tree, Kentucky--*Gymnocladus dioica* (L.) K. Koch

cogongrass--*Imperata cylindrica* (L.) Beauv.  
coleus--*Coleus blumei* Benth.  
coleus-potato--*Solenostemon rotundifolius* (Poir.) J. K. Morton  
colewort--*Crambe abyssinica* Hochst. ex R. E. Fries  
collards--*Brassica oleracea* (Acephala Group)  
colocynth--*Citrullus colocynthis* (L.) Schrad.  
coltsfoot--*Tussilago farfara* L.  
columbine, European--*Aquilegia vulgaris* L.  
colza--*Brassica napus* L.  
comfrey, blue--*Symphytum X uplandicum* Nym.  
    common--*S. officinale* L.  
    prickly--*S. asperum* Lepech.  
    Quaker--*S. X uplandicum* Nym.  
    Russian--*S. X uplandicum* Nym.  
conchito--*Macroptilium atropurpureum* (DC.) Urb.  
condorvine--*Marsdenia reichenbachii* Triana  
confederate-rose--*Hibiscus mutabilis*  
coontail--*Ceratophyllum demersum* L.  
coontie--*Zamia floridana* A. DC.  
copaiba--*Copaifera officinalis* (Jacq.) L.  
copal, Accra--*Daniellia ogea* (Harms) Rolfe ex Holland  
    Benin--*D. ogea* (Harms) Rolfe ex Holland  
    Zanzibar--*Trachylobium verrucosum* (Gaertn.) Oliv.  
copal-tree, gum--*Daniellia ogea* (Harms) Rolfe ex Holland  
    Niger--*D. thurifera* Bennett  
copapayo--*Cnidoscolus aconitifolius* (Mill.) I. M. Johnst.  
copperleaf, chenille--*Acalypha hispida* Burm. f.  
    painted--*A. wilkesiana* Muell.-Arg.  
    rhombic--*A. rhomboidea* Raf.  
    Virginia--*A. virginica* L.  
corazon--*Annona reticulata* L.  
cordgrass, salt-marsh--*Spartina alterniflora* Loisel.  
    salt-meadow--*S. patens* (Ait.) Muhl.  
    smooth--*S. alterniflora* Loisel.  
coreopsis, plains--*Coreopsis tinctoria* Nutt.  
coriander--*Coriandrum sativum* L.  
    false--*Eryngium foetidum* L.  
corkwood-tree--*Duboisia myoporoides* R. Br.  
corm-root, sweet--*Calathea allouia* (Aubl.) Lindl.  
corn--*Zea mays* L. subsp. *mays*  
    guinea--*Sorghum bicolor* (L.) Moench  
    kaffir--*S. bicolor* (L.) Moench  
cornflower--*Centaurea cyanus* L.  
cornsalad--*Valerianella locusta* (L.) Laterrade  
    European--*V. locusta* (L.) Laterrade  
    Italian--*V. eriocarpa* Desv.  
costmary--*Chrysanthemum balsamita* L.  
cotton--*Gossypium hirsutum* L.  
    American-Egyptian--*G. barbadense* L.  
    extra long staple--*G. barbadense* L.  
    Hawaiian--*G. tomentosum* Nutt. ex Seem.  
    Sea Island--*G. barbadense* L.

cotton (continued)  
    upland--*G. hirsutum* L.  
cotton-rose--*Hibiscus mutabilis* L.  
cottonwood, eastern--*Populus deltoides* Bartr. ex Marsh.  
    plains--*P. sargentii* Dode  
couchgrass--*Agropyron repens* (L.) Beauv.  
country-potato--*Coleus parviflorus* Benth.  
cowberry--*Vaccinium vitis-idaea* L.  
cowfoot--*Pothomorphe umbellata* (L.) Miq.  
cowpea--*Vigna unguiculata* (L.) Walp. subsp. *unguiculata*  
cow-tree--*Brosimum utile* (H.B.K.) Pitt.  
coyo--*Persea schiedeana* Nees  
crabapple, prairie--*Malus ioensis* (Wood) Britt.  
    Siberian--*M. baccata* (L.) Borkh.  
    Soulard--*M. X soulardii* (Bailey) Britt.  
    southern--*M. angustifolia* (Ait.) Michx.  
    sweet--*M. coronaria* (L.) Mill.  
crabgrass, hairy--*Digitaria sanguinalis* (L.) Scop.  
    large--*D. sanguinalis* (L.) Scop.  
    smooth--*D. ischaemum* (Schreb.) Schreb. ex Muhl.  
crab's-eyes--*Abrus precatorius* L.  
crabwood--*Carapa guianensis* Aubl.  
crambe--*Crambe abyssinica* Hochst. ex R. E. Fries  
cranberry--*Vaccinium macrocarpon* Ait.  
    American--*V. macrocarpon* Ait.  
    large--*V. macrocarpon* Ait.  
    mountain--*V. vitis-idaea* L.  
    rock--*V. vitis-idaea* L.  
    small--*V. oxycoccus* L.  
cranberry-bush, European--*Viburnum opulus* L.  
crazyweed, Lambert--*Oxytropis lambertii* Pursh  
creeper, Virginia--*Parthenocissus inserta* (Kerner) K. Fritsch, P.  
    *quinquefolia* (L.) Planch.  
creosote-bush--*Larrea tridentata* (DC.) Cov.  
cress, garden--*Lepidium sativum* L.  
    hoary--*Cardaria draba* (L.) Desv.  
    Indian--*Tropaeolum majus* L.  
    mouse-ear--*Arabidopsis thaliana* (L.) Heynh.  
    Para--*Spilanthes acmella* (L.) Murr.  
    upland--*Barbarea vulgaris* R. Br.  
crinkle-awn--*Trachypogon secundus* (Presl) Scribn.  
crocus, autumn--*Colchicum autumnale* L.  
    saffron--*Crocus sativus* L.  
crotalaria, lanceleaf--*Crotalaria lanceolata* E. Mey.  
    showy--*C. spectabilis* Roth  
    smooth--*C. pallida* Ait.  
croton, garden--*Codiaeum variegatum* (L.) Bl.  
    purging--*Croton tiglium* L.  
    woolly--*C. capitatus* Michx.  
crowfoot, cursed--*Ranunculus sceleratus* L.  
    small-flowered--*R. abortivus* L.  
crown-of-thorns--*Euphorbia milii* Desmoulins

crownvetch--*Coronilla varia* L.  
    trailing--*C. varia* L.  
cuachilote--*Parmentiera aculeata* (H.B.K.) L. Wms.  
cubeb--*Piper cubeba* L. f.  
cucumber--*Cucumis sativus* L.  
    African horned--*C. metuliferus* E. Mey. ex Naud.  
    squirting--*Ecballium elaterium* (L.) A. Rich.  
cuckumbertree--*Magnolia acuminata* (L.) L.  
cudweed, fragrant--*Gnaphalium obtusifolium* L.  
    low--*G. uliginosum* L.  
cumin--*Cuminum cyminum* L.  
    black--*Nigella sativa* L.  
cupgrass, woolly--*Eriochloa villosa* (Thunb.) Kunth  
currant, American black--*Ribes americanum* Mill.  
    black--*R. nigrum* L.  
buffalo--*R. odoratum* H. L. Wendl.  
golden--*R. aureum* Pursh  
Missouri--*R. odoratum* H. L. Wendl.  
red--*R. rubrum* L.  
red-flowered--*R. sanguineum* Pursh  
white--*R. rubrum* L.  
    wild black--*R. americanum* Mill.  
curry-leaf-tree--*Murraya koenigii* (L.) Spreng.  
curse--*Clidemia hirta* (L.) D. Don  
custard-apple--*Annona reticulata* L.  
    wild--*A. senegalensis* Pers.  
utch, black--*Acacia catechu* (L. f.) Willd.  
cutgrass, giant--*Zizaniopsis miliacea* (Michx.) Doell & Aschers.  
    rice--*Leersia oryzoides* (L.) Sw.  
    southern--*L. hexandra* Sw.  
cyclamen, florist's--*Cyclamen persicum* Mill.  
cypress, bald--*Taxodium distichum* (L.) L. C. Rich.  
    Hinoki false--*Chamaecyparis obtusa* (Sieb. & Zucc.) Sieb. & Zucc. ex Endl.  
    Italian--*Cupressus sempervirens* L.  
    pond--*Taxodium ascendens* Brongn.  
daffodil, common--*Narcissus pseudonarcissus* L.  
dagame--*Calycophyllum candidissimum* (Vahl) DC.  
dahoon--*Ilex cassine* L.  
daisy, English--*Bellis perennis* L.  
    oxeye--*Chrysanthemum leucanthemum* L.  
dallisgrass--*Paspalum dilatatum* Poir.  
damar, Batavian--*Shorea wiesneri* Schiffn.  
    black--*Canarium strictum* Roxb.  
dame's-rocket--*Hesperis matronalis* L.  
damiana--*Turnera diffusa* Willd.  
dammar, white--*Vateria indica* L.  
dandelion, Carolina false--*Pyrrhopappus carolinianus* (Walt.) DC.  
    common--*Taraxacum officinale* Wiggers  
    redseed--*T. laevigatum* (Willd.) DC.  
    Russian--*T. kok-saghyz* Rodin  
dangleberry--*Gaylussacia frondosa* (L.) Torr. & A. Gray  
darnel--*Lolium temulentum* L.

darnel (continued)

- Persian--*L. persicum* Boiss. & Hohen. ex Boiss.  
dasheen--*Colocasia esculenta* (L.) Schott  
date, desert--*Balanites aegyptiaca* (L.) Del.  
    wild--*Phoenix sylvestris* (L.) Roxb.  
datura, Hindu--*Datura metel* L.  
dayflower--*Commelina communis* L.  
deadnettle, purple--*Lamium purpureum* L.  
    red--*L. purpureum* L.  
    spotted--*L. maculatum* L.  
    white--*L. album* L.  
degame--*Calycophyllum candidissimum* (Vahl) DC.  
derris--*Derris* spp.  
desert-date--*Balanites aegyptiaca* (L.) Del.  
desert-rose, Sturt's--*Gossypium sturtianum* J. H. Willis  
desmodium, greenleaf--*Desmodium intortum* (Mill.) Fawc. & Rendle  
devilgrass--*Cynodon dactylon* (L.) Pers.  
devilsclaw--*Proboscidea louisianica* (Mill.) Thell.  
devil's-paintbrush--*Hieracium aurantiacum* L.  
devil's-tongue--*Amorphophallus rivieri* Dur.  
devil's-walkingstick--*Aralia spinosa* L.  
dewberry--*Rubus ursinus* Cham. & Schlecht.  
    northern--*R. flagellaris* Willd.  
    southern--*R. trivialis* Michx.  
dichondra--*Dichondra micrantha* Urb.  
digitalis--*Digitalis lanata* Ehrh.  
dill--*Anethum graveolens* L.  
divi-divi--*Caesalpinia coriaria* (Jacq.) Willd.  
dock, bitter--*Rumex obtusifolius* L.  
    broadleaf--*R. obtusifolius* L.  
    cluster--*R. conglomeratus* Murr.  
    curly--*R. crispus* L.  
    patience--*R. patientia* L.  
    sharp--*R. conglomeratus* Murr.  
    spinach--*R. patientia* L.  
    tanner's--*R. hymenosepalus* Torr.  
    yellow--*R. crispus* L.  
dodder, clover--*Cuscuta epithymum* (L.) L.  
    field--*C. campestris* Yuncker  
    flax--*C. epilinum* Weihe  
    hazel--*C. coryli* Engelm.  
    largeseed--*C. indecora* Choisy  
    smallseed--*C. approximata* Bab.  
    swamp--*C. gronovii* Willd.  
dogbane, hemp--*Apocynum cannabinum* L.  
    spreading--*A. androsaemifolium* L.  
dogberry--*Ribes cynosbati* L.  
dogfennel--*Eupatorium capillifolium* (Lam.) Small, *Anthemis cotula* L.  
dogwood, flowering--*Cornus florida* L.  
    roughleaf--*C. drummondii* C. A. Meyer  
Douglas-fir--*Pseudotsuga menziesii* (Mirbel) Franco  
dragonhead--*Dracocephalum parviflorum* Nutt.

dragon-tree--*Dracaena draco* L.  
Socotra--*D. cinnabari* Balf. f.  
dropseed, annual--*Sporobolus neglectus* Nash  
poverty--*S. vaginiflorus* (Torr.) Wood  
prairie--*S. heterolepis* (A. Gray) A. Gray  
sand--*S. cryptandrus* (Torr.) A. Gray  
dropwort, water--*Oenanthe javanica* (Bl.) DC.  
duckweed, common--*Lemna minor* L.  
giant--*Spirodela polyrhiza* (L.) Schleid.  
great--*S. polyrhiza* (L.) Schleid.  
star--*Lemna trisulca* L.  
dumbcane, spotted--*Dieffenbachia maculata* (Lodd.) G. Don  
durian--*Durio zibethinus* Murr.  
durra--*Sorghum bicolor* (L.) Moench  
dyer's-greenweed--*Genista tinctoria* L.  
dyer's-rocket--*Reseda luteola* L.  
dyer's-woad--*Isatis tinctoria* L.  
earpod-tree--*Enterolobium cyclocarpum* (Jacq.) Griseb.  
eben-tree--*Dacryodes edulis* (G. Don) H. J. Lam  
ebony--*Diospyros ebenum* Koenig ex Retz.  
American--*Brya ebenus* (L.) DC.  
West Indian--*B. ebenus* (L.) DC.  
eclipta--*Eclipta alba* (L.) Hassk.  
eddoe--*Colocasia esculenta* (L.) Schott  
eelgrass--*Zostera marina* L.  
egeria--*Egeria densa* Planch.  
egg-fruit-tree--*Pouteria campechiana* (H.B.K.) Baehni  
eggplant--*Solanum melongena* L.  
einkorn--*Triticum monococcum* L.  
wild--*T. boeoticum* Boiss.  
elder, American--*Sambucus canadensis* L.  
blueberry--*S. glauca* Nutt.  
European--*S. nigra* L.  
European red--*S. racemosa* L.  
elderberry, American--*S. canadensis* L.  
blue--*S. glauca* Nutt.  
western--*S. glauca* Nutt.  
elecampane--*Inula helenium* L.  
elephant-bush--*Portulacaria afra* (L.) Jacq.  
elephant-climber--*Argyreia nervosa* (Burm. f.) Boj.  
elm, American--*Ulmus americana* L.  
Chinese--*U. parvifolia* Jacq.  
English--*U. procera* Salisb.  
rock--*U. thomasii* Sarg.  
Siberian--*U. pumila* L.  
slippery--*U. rubra* Muhl.  
winged--*U. alata* Michx.  
elodea--*Elodea canadensis* Michx.  
emblic--*Phyllanthus emblica* L.  
emmer--*Triticum dicoccum* Schrank  
wild--*T. dicoccoides* (Koern. ex Aschers. & Graebn.) Aaronsohn  
endive--*Cichorium endivia* L.

ensete--Ensete ventricosum (Welw.) Cheesem.  
ephedra, Chinese--Ephedra sinica Stapf  
    gray--*E. nevadensis* S. Wats.  
    green--*E. viridis* Cov.  
    longleaf--*E. trifurca* Torr.  
erysimum, Afghan--*Erysimum perofskianum* Fisch. & Mey.  
escallonia, red--*Escallonia rubra* (Ruiz & Pavon) Pers.  
esparto--*Stipa tenacissima* L.  
euonymus, winged--*Euonymus alata* (Thunb.) Sieb.  
euryale--*Euryale ferox* Salisb.  
evening-primrose, common--*Oenothera biennis* L.  
    cutleaf--*O. laciniata* Hill  
evergreen, Chinese--*Aglaonema modestum* Schott ex Engl.  
everlasting, pearly--*Anaphalis margaritacea* (L.) Benth. & Hook. f.  
falseflax, largeseed--*Camelina sativa* (L.) Crantz  
    smallseed--*C. microcarpa* Andrz. ex DC.  
fameflower--*Talinum triangulare* (Jacq.) Willd.  
fanwort--*Cabomba caroliniana* A. Gray  
feathertop--*Pennisetum villosum* R. Br. ex Fresen.  
fennel--*Foeniculum vulgare* Mill.  
    Florence--*F. vulgare* Mill.  
    Spanish--*Nigella hispanica* L.  
fenugreek--*Trigonella foenum-graecum* L.  
fern, bracken--*Pteridium aquilinum* (L.) Kuhn  
    cinnamon--*Osmunda cinnamomea* L.  
    interrupted--*O. claytoniana* L.  
    royal--*O. regalis* L.  
    sword--*Nephrolepis exaltata* (L.) Schott  
fernbrush--*Chamaebatiaria millefolium* (Torr.) Maxim.  
fescue, alpine--*Festuca ovina* L. var. *brachyphylla* (Schult.) Piper  
    Arizona--*F. arizonica* Vasey  
    chewings--*F. rubra* subsp. *commutata* Gaud.  
    foxtail--*Vulpia myuros* var. *hirsuta* Hack.  
    green--*Festuca viridula* Vasey  
    hair--*F. tenuifolia* Sibth.  
    hard--*F. longifolia* Thuill.  
    Idaho--*F. idahoensis* Elmer  
    meadow--*F. pratensis* Huds.  
    rattail--*Vulpia myuros* (L.) C. C. Gmel.  
    red--*Festuca rubra* L.  
    shade--*F. heterophylla* Lam.  
    sheep--*F. ovina* L.  
    six-weeks--*Vulpia octoflora* (Walt.) Rydb.  
    slender--*Festuca tenuifolia* Sibth.  
    squirreltail--*Vulpia bromoides* (L.) S. F. Gray  
    tall--*Festuca arundinacea* Schreb.  
fiber, Tampico--*Agave lecheguilla* Torr.  
fieldcress, yellow--*Rorippa sylvestris* (L.) Bess.  
fig, common--*Ficus carica* L.  
    creeping--*F. pumila* L.  
    India rubber--*F. elastica* Roxb. ex Hornem.  
    Indian laurel--*F. retusa* L.

weeping--*F. benjamina* L.  
filaree, broadleaf--*Erodium botrys* (Cav.) Bertol.  
redstem--*E. cicutarium* (L.) L'Hér. ex Ait.  
whitestem--*E. moschatum* (L.) L'Hér. ex Ait.  
filbert, Chinese--*Corylus chinensis* Franch.  
European--*C. avellana* L.  
giant--*C. maxima* Mill.  
Turkish--*C. colurna* L.  
fingergrass, feather--*Chloris virgata* Sw.  
radiate--*C. radiata* (L.) Sw.  
woolly--*Digitaria pentzii* Stent  
finocchio--*Foeniculum vulgare* Mill.  
fique--*Furcraea macrophylla* Baker  
fir, alpine--*Abies lasiocarpa* (Hook.) Nutt.  
balsam--*A. balsamea* (L.) Mill.  
California red--*A. magnifica* A. Murr.  
Douglas--*Pseudotsuga menziesii* (Mirbel) Franco  
grand--*Abies grandis* (Dougl. ex D. Don) Lindl.  
lowland white--*A. grandis* (Dougl. ex D. Don) Lindl.  
noble--*A. procera* Rehder  
silver--*A. alba* Mill.  
subalpine--*A. lasiocarpa* (Hook.) Nutt.  
white--*A. concolor* (Gord. & Glend.) Lindl. ex Hildebr.  
firethorn, scarlet--*Pyracantha coccinea* M. J. Roem.  
flagroot--*Acorus calamus* L.  
flamboyant-tree--*Delonix regia* (Boj. ex Hook.) Raf.  
flame-of-the-woods--*Ixora coccinea* L.  
flame-tree--*Delonix regia* (Boj. ex Hook.) Raf.  
flatpod--*Adenocarpus decorticans* Boiss.  
flatweed--*Hypochoeris radicata* L.  
flax--*Linum usitatissimum* L.  
New Zealand--*Phormium tenax* J. R. & G. Forst.  
fleabane, annual--*Erigeron annuus* (L.) Pers.  
flixweed--*Descurainia sophia* (L.) Webb ex Prantl  
flower-of-an-hour--*Hibiscus trionum* L.  
fog, Yorkshire--*Holcus lanatus* L.  
fog-fruit--*Phyla nodiflora* (L.) Greene  
fonio--*Digitaria exilis* (Kippist) Stapf  
black--*D. iburua* Stapf  
forget-me-not, Chinese--*Cynoglossum amabile* Stapf & Drumm.  
four-o'clock, common--*Mirabilis jalapa* L.  
foxglove--*Digitalis purpurea* L.  
foxnut--*Euryale ferox* Salisb.  
foxtail, bristly--*Setaria verticillata* (L.) Beauv.  
creeping--*Alopecurus arundinaceus* Poir.  
giant--*Setaria faberi* Herrm.  
green--*S. viridis* (L.) Beauv.  
knotroot--*S. geniculata* (Lam.) Beauv.  
meadow--*Alopecurus pratensis* L.  
water--*A. geniculatus* L.  
yellow--*Setaria glauca* (L.) Beauv.  
foxtailgrass, West Indian--*Andropogon bicornis* L.

frangipani--*Plumeria rubra* L.  
frankincense--*Boswellia carteri* Birdw.  
Sierra Leone--*Daniellia thurifera* Bennett  
frankincense-tree--*D. thurifera* Bennett  
franklinia--*Franklinia alatamaha* Bartr. ex Marsh.  
French-mulberry--*Callicarpa americana* L.  
friar's-cap--*Aconitum napellus* L.  
frogbit--*Limnobium spongia* (Bosc) Steud.  
fumitory--*Fumaria officinalis* L.  
fustic-mulberry--*Chlorophora tinctoria* (L.) Gaudich. ex Benth. & Hook. f.  
galanga--*Kaempferia galanga* L.  
greater--*Alpinia galanga* (L.) Willd.  
lesser--*A. officinarum* Hance  
galbanum--*Ferula gummosa* Boiss.  
galega--*Galega officinalis* L.  
galinsoga, hairy--*Galinsoga ciliata* (Raf.) Blake  
smallflower--*G. parviflora* Cav.  
gallan--*Cyrtosperma chamissonis* (Schott) Merr.  
gallberry--*Ilex glabra* (L.) A. Gray  
gamagrass, eastern--*Tripsacum dactyloides* (L.) L.  
gambier--*Uncaria gambir* (Hunter) Roxb.  
gamboge--*Garcinia hanburyi* Hook. f.  
garbanzo--*Cicer arietinum* L.  
garden-huckleberry--*Solanum melanocerasum* All.  
garlic--*Allium sativum* L.  
elephant--*A. ampeloprasum* L.  
field--*A. vineale* L.  
great-headed--*A. ampeloprasum* L.  
oriental--*A. tuberosum* Rottl. ex Spreng.  
wild--*A. vineale* L.  
gas-plant--*Dictamnus albus* L.  
gaura, biennial--*Gaura biennis* L.  
genipap--*Genipa americana* L.  
gentian, yellow--*Gentiana lutea* L.  
geranium, apple--*Pelargonium odoratissimum* (L.) L'Hér. ex Ait.  
Carolina--*Geranium carolinianum* L.  
cutleaf--*G. dissectum* L.  
dovefoot--*G. molle* L.  
horseshoe--*Pelargonium zonale* (L.) L'Hér. ex Ait.  
ivy--*P. peltatum* (L.) L'Hér. ex Ait.  
nutmeg--*P. odoratissimum* (L.) L'Hér. ex Ait.  
rose--*P. graveolens* L'Hér. ex Ait.  
spotted--*Geranium maculatum* L.  
wild--*G. maculatum* L.  
zonal--*Pelargonium zonale* (L.) L'Hér. ex Ait.  
gherkin, West Indian--*Cucumis anguria* L.  
gill-over-the-ground--*Glechoma hederacea* L.  
gilo--*Solanum gilo* Raddi  
ginger--*Zingiber officinale* Roscoe  
mango--*Curcuma amada* Roxb.  
ginkgo--*Ginkgo biloba* L.  
ginseng--*Panax pseudoginseng* Wall.

American--*P. quinquefolius* L.  
giradol--*Chrozophora tinctoria* (L.) A. Juss.  
girasole--*Helianthus tuberosus* L.  
globe-amaranth--*Gomphrena globosa* L.  
gloxinia--*Sinningia speciosa* (Lodd.) Hiern  
goatgrass, barb--*Aegilops triuncialis* L.  
    jointed--*A. cylindrica* Host  
goatsbeard--*Tragopogon pratensis* L.  
goat's-rue--*Galega officinalis* L.  
golden-apple--*Spondias dulcis* Parkins.  
golden-fleece--*Haplopappus arborescens* (A. Gray) Hall  
goldenrain-tree--*Koelreuteria paniculata* Laxm.  
goldenrod, Canada--*Solidago canadensis* L.  
    Leavenworth--*S. leavenworthii* Torr. & A. Gray  
    sweet--*S. odora* Ait.  
    tall--*S. altissima* L.  
goldenseal--*Hydrastis canadensis* L.  
golden-shower--*Cassia fistula* L.  
goldenweed, fleece--*Haplopappus arborescens* (A. Gray) Hall  
goober--*Arachis hypogaea* L.  
Good-King-Henry--*Chenopodium bonus-henricus* L.  
gooseberry, Cape--*Physalis peruviana* L.  
    Ceylon--*Dovyalis hebecarpa* (Gardn.) Warb.  
    Chinese--*Actinidia chinensis* Planch.  
    dwarf Cape--*Physalis pruinosa* L.  
    European--*Ribes uva-crispa* L.  
    hairy--*R. hirtellum* Michx.  
    Indian--*Phyllanthus acidus* (L.) Skeels  
    pasture--*Ribes cynosbati* L.  
    prickly--*R. cynosbati* L.  
gooseberry-tree, Otaheite--*Phyllanthus acidus* (L.) Skeels  
goosefoot, Jerusalem-oak--*Chenopodium botrys* L.  
    many-seeded--*C. polyspermum* L.  
    nettleleaf--*C. murale* L.  
    perennial--*C. bonus-henricus* L.  
    red--*C. rubrum* L.  
goosegrass--*Eleusine indica* (L.) Gaertn.  
gorse--*Ulex europaeus* L.  
gourd, bitter--*Momordica charantia* L.  
    buffalo--*Cucurbita foetidissima* H.B.K.  
    calabash--*Lagenaria siceraria* (Mol.) Standl.  
    figleaf--*Cucurbita ficifolia* Bouché  
    hedgehog--*Cucumis dipsaceus* Ehrenb. ex Spach  
    ivy--*Coccinia grandis* (L.) Voigt  
    Malabar--*Cucurbita ficifolia* Bouché  
    teasel--*Cucumis dipsaceus* Ehrenb. ex Spach  
    Texas--*Cucurbita texana* A. Gray  
    white-flowered--*Lagenaria siceraria* (Mol.) Standl.  
goutweed--*Aegopodium podagraria* L.  
    bishop's--*A. podagraria* L.  
governor's-plum--*Flacourtie indica* (Burm. f.) Merr.  
gow-kee--*Lycium chinense* Mill.

grains-of-paradise--*Aframomum sceptrum* (Oliv. & Hanb.) K. Schum.  
gram, black--*Vigna mungo* (L.) Hepper  
green--*V. radiata* (L.) Wilczek var. *radiata*  
horse--*Macrotyloma uniflorum* (Lam.) Verdc.  
grama, black--*Bouteloua eriopoda* (Torr.) Torr.  
blue--*B. gracilis* (Willd. ex H.B.K.) Lag. ex Griffiths  
hairy--*B. hirsuta* Lag.  
side-oats--*B. curtipendula* (Michx.) Torr.  
granadilla--*Passiflora ligularis* Juss.  
giant--*P. quadrangularis* L.  
purple--*P. edulis* Sims  
sweet--*P. ligularis* Juss.  
yellow--*P. laurifolia* L.  
granjeno--*Celtis pallida* Torr.  
grape, fox--*Vitis labrusca* L.  
frost--*V. vulpina* L.  
muscadine--*V. rotundifolia* Michx.  
riverbank--*V. riparia* Michx.  
sand--*V. rupestris* Scheele  
summer--*V. aestivalis* Michx.  
wine--*V. vinifera* L.  
winter--*V. vulpina* L.  
grapefruit--*Citrus paradisi* Macfad.  
grape-tree, Brazilian--*Myrciaria cauliflora* (Mart.) Berg  
grass, antelope--*Echinochloa pyramidalis* (Lam.) Hitchc. & Chase  
Bahia--*Paspalum notatum* Fluegge  
barnyard--*Echinochloa crusgalli* (L.) Beauv.  
Bermuda--*Cynodon dactylon* (L.) Pers.  
big quaking--*Briza maxima* L.  
billion dollar--*Echinochloa crusgalli* (L.) Beauv. var. *frumentacea*  
(Link) W. F. Wight  
Brunswick--*Paspalum nicorae* Parodi  
camel--*Cymbopogon schoenanthus* (L.) Spreng.  
centipede--*Eremochloa ophiuroides* (Munro) Hack.  
citronella--*Cymbopogon nardus* (L.) Rendle  
Columbus--*Sorghum X alnum* Parodi  
creeping soft--*Holcus mollis* L.  
crested dogtail--*Cynosurus cristatus* L.  
crowfoot--*Dactyloctenium aegyptium* (L.) Beauv.  
elephant--*Pennisetum purpureum* Schumach.  
galleta--*Hilaria jamesii* (Torr.) Benth.  
Harding--*Phalaris stenoptera* Hack.  
hedgehog--*Cenchrus echinatus* L.  
hurricane--*Bothriochloa pertusa* (L.) A. Camus  
Indian--*Sorghastrum nutans* (L.) Nash  
jaragua--*Hyparrhenia rufa* (Nees) Stapf  
Johnson--*Sorghum halepense* (L.) Pers.  
limpo--*Hemarthria altissima* (Poir.) Stapf & C. E. Hubb.  
little quaking--*Briza minor* L.  
Manila--*Zoysia matrella* (L.) Merr.  
marram--*Ammophila arenaria* (L.) Link  
mascarene--*Zoysia tenuifolia* Willd. ex Thiele

molasses--*Melinis minutiflora* Beauv.  
napier--*Pennisetum purpureum* Schumach.  
Natal--*Rhynchelytrum repens* (Willd.) C. E. Hubb.  
Nile--*Acroceras macrum* Stapf  
palisade--*Brachiaria brizantha* (Hochst. ex A. Rich.) Stapf  
Para--*B. mutica* (Forsk.) Stapf  
perennial quaking--*Briza media* L.  
porcupine--*Stipa spartea* Trin.  
rabbitfoot--*Polypogon monspeliensis* (L.) Desf.  
rescue--*Bromus unioloides* H.B.K.  
Rhodes--*Chloris gayana* Kunth  
ridging--*Andropogon bicornis* L.  
ripgut--*Bromus rigidus* Roth  
rosha--*Cymbopogon martinii* (Roxb.) W. Wats.  
St. Augustine--*Stenotaphrum secundatum* (Walt.) Ktze.  
signal--*Brachiaria brizantha* (Hochst. ex A. Rich.) Stapf  
spike--*Distichlis spicata* (L.) Greene  
Sudan--*Sorghum sudanense* (Piper) Stapf  
sweet-pitted--*Bothriochloa insculpta* (Hochst.) A. Camus  
tobosa--*Hilaria mutica* (Buckl.) Benth.  
tor--*Brachypodium pinnatum* (L.) Beauv.  
tumble windmill--*Chloris verticillata* Nutt.  
Tunis--*Sorghum virgatum* (Hack.) Stapf  
uva--*Gynerium sagittatum* (Aubl.) Beauv.  
Vasey--*Paspalum urvillei* Steud.  
windmill--*Chloris verticillata* Nutt.  
greasewood--*Sarcobatus vermiculatus* (Hook.) Torr.  
greenbrier, cat--*Smilax glauca* Walt.  
common--*S. rotundifolia* L.  
greens, mustard--*Brassica juncea* (L.) Czern. & Coss.  
gromwell, corn--*Lithospermum arvense* L.  
western--*L. ruderale* Dougl. ex Lehm.  
groundcherry, clammy--*Physalis heterophylla* Nees  
downy--*P. pubescens* L.  
hairy--*P. pruinosa* L.  
Peruvian--*P. peruviana* L.  
tomatillo--*P. ixocarpa* Brot. ex Hornem.  
groundnut--*Arachis hypogaea* L.  
Bambarra--*Voandzeia subterranea* (L.) Thou.  
geocarpa--*Kerstingiella geocarpa* Harms  
Kersting's--*K. geocarpa* Harms  
groundsel, common--*Senecio vulgaris* L.  
grumichama--*Eugenia dombeyi* (Spreng.) Skeels  
gruya--*Canna edulis* Ker  
guajillo--*Acacia berlandieri* Benth.  
guanacaste--*Enterolobium cyclocarpum* (Jacq.) Griseb.  
guar--*Cyamopsis tetragonoloba* (L.) Taub.  
guaraguao--*Guarea trichilioides* L.  
guarana--*Paullinia cupana* Kunth ex H.B.K.  
guava, common--*Psidium guajava* L.  
Guinea--*P. guineense* Sw.  
mountain--*P. montanum* Sw.  
purple--*P. cattleianum* Sabine

guava (continued)

- strawberry--*P. cattleianum* Sabine  
wild--*P. friedrichsthalianum* (Berg) Niedz.  
guayule--*Parthenium argentatum* A. Gray  
gelder-Rose--*Viburnum opulus* L.  
guinea-corn--*Sorghum bicolor* (L.) Moench  
guineagrass--*Panicum maximum* Jacq.  
gum, black--*Nyssa sylvatica* Marsh.  
blue--*Eucalyptus globulus* Labill.  
Senegal--*Acacia senegal* (L.) Willd.  
sour--*Nyssa sylvatica* Marsh.  
gum arabic--*Acacia senegal* (L.) Willd.  
gum ghatti--*Anogeissus latifolia* (Roxb. ex DC.) Wall. ex Bedd.  
gum tragacanth--*Astragalus gummifer* Labill.  
gumbo-limbo--*Bursera simaruba* (L.) Sarg.  
gutta-percha--*Palaquium gutta* (Hook.) Baill.  
gympie-nut--*Macadamia ternifolia* F. v. Muell.  
gypsyweed--*Veronica officinalis* L.  
hackberry--*Celtis occidentalis* L.  
desert--*C. pallida* Torr.  
netleaf--*C. reticulata* Torr.  
hairgrass, tufted--*Deschampsia cespitosa* (L.) Beauv.  
halogeton--*Halogeton glomeratus* (Bieb.) C. A. Mey.  
Hanover-salad--*Brassica napus* (Pabularia Group)  
hardhack--*Spiraea tomentosa* L.  
hausa-potato--*Solenostemon rotundifolius* (Poir.) J. K. Morton  
hawksbeard, narrowleaf--*Crepis tectorum* L.  
hawkweed, common--*Hieracium vulgatum* Fries  
king devil--*H. florentinum* All.  
mouse-ear--*H. pilosella* L.  
orange--*H. aurantiacum* L.  
yellow--*H. pratense* Tausch  
yellowdevil--*H. floribundum* Wimm. & Grab.  
hazel, American--*Corylus americana* Walt.  
beaked--*C. cornuta* Marsh.  
California--*C. cornuta* var. *californica* (A. DC.) Sharp  
Chinese--*C. chinensis* Franch.  
Himalayan--*C. ferox* Wall.  
Siberian--*C. heterophylla* Fisch. ex Besser  
Tibetan--*C. tibetica* Batal.  
Turkish--*C. colurna* L.  
hazelnut, Chinese--*C. chinensis* Franch.  
heal-all--*Prunella vulgaris* L.  
heather--*Calluna vulgaris* (L.) Hull  
heliotrope, garden--*Valeriana officinalis* L.  
Indian--*Heliotropium indicum* L.  
seaside--*H. curassavicum* L.  
hellebore, false--*Veratrum viride* Ait.  
white--*V. viride* Ait.  
hemlock, eastern--*Tsuga canadensis* (L.) Carr.  
mountain--*T. mertensiana* (Bong.) Carr.  
poison--*Conium maculatum* L.

western--*Tsuga heterophylla* (Raf.) Sarg.  
hemp--*Cannabis sativa* L.  
bowstring--*Sansevieria senegambica* Baker  
Cuban--*Furcraea hexapetala* (Jacq.) Urb.  
Indian--*Apocynum cannabinum* L.  
Manila--*Musa textilis* Née  
Mauritius--*Furcraea foetida* (L.) Haw.  
sunn--*Crotalaria juncea* L.  
hempnettle--*Galeopsis tetrahit* L.  
hempweed, climbing--*Mikania scandens* (L.) Willd.  
hen-and-chickens--*Sempervivum tectorum* L.  
henbane--*Hyoscyamus niger* L.  
    black--*H. niger* L.  
henbit--*Lamium amplexicaule* L.  
henequen--*Agave fourcroydes* Lem.  
henna--*Lawsonia inermis* L.  
herald's-trumpet--*Beaumontia grandiflora* (Roxb.) Wall.  
Hercules-club--*Aralia spinosa* L.  
hibiscus, Chinese--*Hibiscus rosa-sinensis* L.  
    Hawaiian--*H. rosa-sinensis* L.  
    sea--*H. tiliaceus* L.  
hickory, bitternut--*Carya cordiformis* (Wangenh.) K. Koch  
    black--*C. texana* Buckl.  
    mockernut--*C. tomentosa* (Poir.) Nutt.  
    nutmeg--*C. myristiciformis* (Michx. f.) Nutt.  
    pignut--*C. glabra* (Mill.) Sweet  
    shagbark--*C. ovata* (Mill.) K. Koch  
    shellbark--*C. laciniosa* (Michx. f.) Loud.  
hippocrepis--*Hippocrepis commutata* Pau  
hog-plum--*Spondias mombin* L.  
hogweed--*Conyza canadensis* (L.) Cronq.  
holly, American--*Ilex opaca* Ait.  
    Chinese--*I. cornuta* Lindl. & Paxt.  
    dahoon--*I. cassine* L.  
    English--*I. aquifolium* L.  
    Japanese--*I. crenata* Thunb.  
    Krug's--*I. krugiana* Loes.  
    tawnyberry--*I. krugiana* Loes.  
hollyhock--*Alcea rosea* L.  
honesty--*Lunaria annua* L.  
honewort--*Cryptotaenia canadensis* (L.) DC.  
honeydew--*Cucumis melo* L.  
honeylocust--*Gleditsia triacanthos* L.  
honeysuckle, bush--*Diervilla lonicera* Mill.  
    Cape--*Tecomaria capensis* (Thunb.) Spach  
    Japanese--*Lonicera japonica* Thunb.  
hophornbeam, eastern--*Ostrya virginiana* (Mill.) K. Koch  
hops--*Humulus lupulus* L.  
horehound--*Marrubium vulgare* L.  
    white--*M. vulgare* L.  
hornbeam, American--*Carpinus caroliniana* Walt.  
    European--*C. betulus* L.

horn-nut--*Trapa bicornis* Osb.  
horsebean--*Canavalia ensiformis* (L.) DC.  
horsechestnut--*Aesculus hippocastanum* L.  
    Japanese--*A. turbinata* Bl.  
horsemint--*Monarda punctata* L.  
horsenettle--*Solanum carolinense* L.  
horseradish--*Armoracia rusticana* Gaertn., Mey., & Scherb.  
horseradish-tree--*Moringa oleifera* Lam.  
horsetail, field--*Equisetum arvense* L.  
horseweed--*Conyza canadensis* (L.) Cronq.  
hound's-tongue--*Cynoglossum officinale* L.  
huckleberry, black--*Gaylussacia baccata* (Wangenh.) K. Koch  
    dwarf--*G. dumosa* (Andr.) Torr. & A. Gray  
huesito--*Malpighia glabra* L.  
huisache--*Acacia farnesiana* (L.) Willd.  
hungry-rice--*Digitaria* spp.  
huon-pine--*Dacrydium franklinii* Hook. f.  
husk-tomato--*Physalis ixocarpa* Brot. ex Hornem.  
hyacinth, common--*Hyacinthus orientalis* L.  
hydrangea, smooth--*Hydrangea arborescens* L.  
hydrilla--*Hydrilla verticillata* (L. f.) Royle  
hyssop--*Hyssopus officinalis* L.  
    hedge--*Gratiola officinalis* L.  
icaco--*Chrysobalanus icaco* L.  
ice-plant--*Mesembryanthemum crystallinum* L.  
ilama--*Annona diversifolia* Saff.  
imbu--*Spondias tuberosa* Arr. Cam. ex Koster  
immortelle, mountain--*Erythrina poeppigiana* (Walp.) O. F. Cook  
Inca-wheat--*Amaranthus caudatus* L.  
incense-cedar--*Calocedrus decurrens* (Torr.) Florin  
Indian-almond--*Terminalia catappa* L.  
Indian-bark--*Cinnamomum tamala* (Buch.-Ham.) Nees & Oberm.  
Indian-cress--*Tropaeolum majus* L.  
Indian-gooseberry--*Phyllanthus acidus* (L.) Skeels  
indiangrass--*Sorghastrum nutans* (L.) Nash  
Indian-laburnum--*Cassia fistula* L.  
Indian-mulberry--*Morinda citrifolia* L.  
Indian-tobacco--*Lobelia inflata* L.  
indigo--*Indigofera tinctoria* L.  
    hairy--*I. hirsuta* L.  
inkberry--*Ilex glabra* (L.) Gray  
insect-flower, Persian--*Chrysanthemum coccineum* Willd.  
ippecac--*Cephaelis ipecacuanha* (Brot.) A. Rich.  
    false--*Asclepias curassavica* L.  
iris, yellowflag--*Iris pseudacorus* L.  
ironweed, tall--*Vernonia altissima* Nutt.  
    western--*V. baldwinii* Torr.  
ironwood, Bornean--*Eusideroxylon lauriflora* (Blanco) J. Schulze-Motel  
istle, tula--*Agave lecheguilla* Torr.  
itchgrass--*Rottboellia exaltata* L. f.  
ivy, Boston--*Parthenocissus tricuspidata* (Sieb. & Zucc.) Planch.  
    English--*Hedera helix* L.  
    German--*Senecio mikanioides* Otto ex Walp.

grape--*Cissus rhombifolia* Vahl  
ground--*Glechoma hederacea* L.  
Kenilworth--*Cymbalaria muralis* Gaertn., Mey. & Scherb.  
poison--*Toxicodendron radicans* (L.) Ktze.  
jaboticaba--*Myrciaria cauliflora* (Mart.) Berg  
jacaranda--*Jacaranda mimosifolia* D. Don  
jack--*Artocarpus heterophyllus* Lam.  
    monkey--*A. rigidus* Bl.  
jackbean--*Canavalia ensiformis* (L.) DC.  
    oblique-seed--*C. plagiisperma* Piper  
jackfruit--*Artocarpus heterophyllus* Lam.  
jalap--*Ipomoea purga* (Wender.) Hayne  
    Indian--*Operculina turpethum* (L.) Manso  
jambos--*Syzygium jambos* (L.) Alst.  
jasmine, Cape--*Gardenia jasminoides* Ellis  
    Japanese--*Jasminum mesnyi* Hance  
    royal--*J. grandiflorum* L.  
    winter--*J. nudiflorum* Lindl.  
Java-almond--*Canarium indicum* L.  
Java-olive--*Sterculia foetida* L.  
Java-plum--*Syzygium cumini* (L.) Skeels  
jelutong--*Dyera costulata* (Miq.) Hook. f.  
Jerusalem-artichoke--*Helianthus tuberosus* L.  
Jerusalem-cherry--*Solanum pseudocapsicum* L.  
jessamine, night--*Cestrum nocturnum* L.  
    orange--*Murraya paniculata* (L.) Jack  
    poet's--*Jasminum officinale* L.  
Jew-plum--*Spondias dulcis* Parkins.  
jicama--*Pachyrhizus erosus* (L.) Urb.  
Jimsonweed--*Datura stramonium* L.  
Job's-tears--*Coix lacryma-jobi* L.  
johnsongrass--*Sorghum halepense* (L.) Pers.  
joint-fir--*Gnetum buchholzianum* Engler  
joint-vetch--*Aeschynomene americana* L.  
jojoba--*Simmondsia chinensis* (Link) C. Schneid.  
jonquil--*Narcissus jonquilla* L.  
jujube, common--*Ziziphus jujuba* Mill.  
junglerice--*Echinochloa colonum* (L.) Link  
juniper, Chinese--*Juniperus chinensis* L.  
    common--*J. communis* L.  
    one-seed--*J. monosperma* (Engelm.) Sarg.  
    pinchot--*J. pinchotii* Sudw.  
    redberry--*J. pinchotii* Sudw.  
jute, China--*Abutilon theophrasti* Medik.  
    Cuba--*Sida rhombifolia* L.  
    nalata--*Corchorus olitorius* L.  
    tussa--*C. olitorius* L.  
    white--*C. capsularis* L.  
kadjatoa--*Eugeissona utilis* Becc.  
kaffir-corn--*Sorghum bicolor* (L.) Moench  
kaffir-potato--*Plectranthus esculentus* N. E. Br.  
kahika--*Podocarpus dacrydioides* A. Rich.  
kaimi-clover--*Desmodium canum* (J. F. Gmel.) Schinz & Thell.

kale--*Brassica oleracea* L. (Acephala Group)  
Chinese--*B. oleracea* (Alboglabra Group)  
ruvo--*B. rapa* (Ruvo Group)  
Siberian--*B. napus* (Pabularia Group)  
tronchuda--*B. oleracea* (Tronchuda Group)  
kamraj--*Helminthostachys zeylanica* (L.) Hook.  
kanari--*Canarium indicum* L.  
kapok--*Ceiba pentandra* (L.) Gaertn.  
kapundung--*Baccaurea racemosa* (Bl.) Muell.-Arg.  
karanda--*Carissa carandas* L.  
kava--*Piper methysticum* G. Forst.  
kei-apple--*Dovyalis caffra* (Hook. f. & Harv.) Warb.  
kenaf--*Hibiscus cannabinus* L.  
ketembilla--*Dovyalis hebecarpa* (Gardn.) Warb.  
khat--*Catha edulis* (Vahl) Forsk. ex Endl.  
khella--*Ammi visnaga* (L.) Lam.  
kher--*Acacia senegal* (L.) Willd.  
kidney-vetch--*Anthyllis vulneraria* L.  
kikuyugrass--*Pennisetum clandestinum* Hochst. ex Chiov.  
kino--*Eucalyptus camaldulensis* Dehnh.  
Bengal--*Butea monosperma* (Lam.) Taub.  
Malabar--*Pterocarpus marsupium* Roxb.  
kiwi--*Actinidia chinensis* Planch.  
kleingrass--*Panicum coloratum* L.  
knapweed, black--*Centaurea nigra* L.  
brown--*C. jacea* L.  
diffuse--*C. diffusa* Lam.  
Russian--*C. repens* L.  
spotted--*C. maculosa* Lam.  
knawel--*Scleranthus annuus* L.  
knotgrass--*Paspalum distichum* L.  
knotweed, erect--*Polygonum erectum* L.  
Japanese--*P. cuspidatum* Sieb. & Zucc.  
prostrate--*P. aviculare* L.  
silversheath--*P. argyrocoleon* Steud. ex Kunze  
kochia--*Kochia scoparia* (L.) Schrad.  
kodo--*Paspalum scrobiculatum* L.  
kodra--*P. scrobiculatum* L.  
kohlrabi--*Brassica oleracea* (Gongylodes Group)  
koshum--*Dovyalis abyssinica* (A. Rich.) Warb.  
kudzu--*Pueraria lobata* (Willd.) Ohwi  
tropical--*P. phaseoloides* (Roxb.) Benth.  
kumquat, Hongkong--*Fortunella hindsii* (Champ.) Swingle  
Meiwa--*F. crassifolia* Swingle  
oval--*F. margarita* (Lour.) Swingle  
round--*F. japonica* (Thunb.) Swingle  
kurrat--*Allium ampeloprasum* L.  
kwahu--*Barleria opaca* (Vahl) Nees  
kyllinga, green--*Cyperus brevifolius* (Rottb.) Hassk.  
laburnum, Indian--*Cassia fistula* L.  
lac-tree--*Schleichera oleosa* (Lour.) Merr.  
lacebark--*Lagetta lagetto* (Sw.) Nash.

lacegrass--*Eragrostis capillaris* (L.) Nees  
lacquer, Burmese--*Melanorrhoea usitata* Wall.  
Chinese--*Toxicodendron vernicifluum* (Stokes) Barkl.  
lady's-sorrel, creeping--*Oxalis corniculata* L.  
ladysthumb--*Polygonum persicaria* L.  
lagetto--*Lagetta lagetto* (Sw.) Nash.  
lambkill--*Kalmia angustifolia* L.  
lamb's-lettuce--*Valerianella locusta* (L.) Laterrade  
lambsquarters, lamb's-quarters--*Chenopodium album* L.  
lancewood--*Oxandra lanceolata* (Sw.) Baill.  
langsat--*Lansium domesticum* Corr.  
lantana--*Lantana camara* L.  
lantern-plant, Chinese--*Physalis alkekengi* L.  
larch, European--*Larix decidua* Mill.  
Japanese--*L. kaempferi* (Lamb.) Carr.  
western--*L. occidentalis* Nutt.  
larkspur--*Consolida ambigua* (L.) P. W. Ball & Heywood  
laurel--*Laurus nobilis* L.  
California--*Umbellularia californica* (Hook. & Arn.) Nutt.  
cherry--*Prunus laurocerasus* L.  
Chinese--*Antidesma bunius* (L.) Spreng.  
great--*Rhododendron maximum* L.  
Grecian--*Laurus nobilis* L.  
Indian--*Calophyllum inophyllum* L.  
mountain--*Kalmia latifolia* L.  
purple--*Rhododendron catawbiense* Michx.  
sheep--*Kalmia angustifolia* L.  
laurelwood--*Calophyllum inophyllum* L.  
lavender--*Lavandula angustifolia* Mill.  
broad-leaved--*L. latifolia* Medik.  
French--*L. stoechas* L.  
lavender-cotton--*Santolina chamaecyparissus* L.  
lawngrass, Japanese--*Zoysia japonica* Steud.  
leadtree--*Leucaena leucocephala* (Lam.) De Wit  
leatherstem--*Jatropha dioica* Cerv.  
leatherwood--*Dirca palustris* L.  
lebbeck--*Albizia lebbeck* (L.) Benth.  
lechuguilla--*Agave lecheguilla* Torr.  
leek--*Allium ampeloprasum* L.  
wild--*A. tricoccum* Ait.  
lemon--*Citrus limon* (L.) Burm. f.  
lemongrass, East Indian--*Cymbopogon flexuosus* (Nees ex Steud.) W. Wats.  
West Indian--*C. citratus* (DC.) Stapf  
lentil--*Lens culinaris* Medik.  
leren--*Calathea allouia* (Aubl.) Lindl.  
lespedeza, bicolor--*Lespedeza bicolor* Turcz.  
common--*L. striata* (Thunb.) Hook. & Arn.  
Japanese--*L. striata* (Thunb.) Hook. & Arn.  
Korean--*L. stipulacea* Maxim.  
sericea--*L. cuneata* (Dum.) G. Don  
striate--*L. striata* (Thunb.) Hook. & Arn.  
lettuce--*Lactuca sativa* L.

lettuce (continued)  
blue--*L. pulchella* (Pursh) DC.  
*Canada* wild--*L. canadensis* L.  
prickly--*L. serriola* L.  
tall--*L. canadensis* L.  
willowleaf--*L. saligna* L.  
leucaena--*Leucaena leucocephala* (Lam.) de Wit  
licorice, American--*Glycyrrhiza lepidota* Pursh  
common--*G. glabra* L.  
wild--*G. lepidota* Pursh  
lignum-vitae--*Guaiacum* spp.  
hollywood--*G. sanctum* L.  
lilac, common--*Syringa vulgaris* L.  
lily, Madonna--*Lilium candidum* L.  
martagon--*L. martagon* L.  
trumpet--*L. longiflorum* Thunb.  
lily-of-the-Nile--*Agapanthus africanus* (L.) Hoffm.  
lily-of-the-valley--*Convallaria majalis* L.  
lilyturf, dwarf--*Ophiopogon japonicus* (L. f.) Ker  
lime--*Citrus aurantiifolia* (Christm.) Swingle  
Australian desert--*Eremocitrus glauca* (Lindl.) Swingle  
Spanish--*Melicoccus bijugatus* Jacq.  
limeberry--*Triphasia trifolia* (Burm. f.) P. Wils.  
linden--*Tilia americana* L.  
bigleaf--*T. platyphyllos* Scop.  
European--*T. X europaea* L.  
littleleaf--*T. cordata* Mill.  
lingen--*Vaccinium vitis-idaea* L.  
litchi--*Litchi chinensis* Sonn.  
loblolly-bay--*Gordonia lasianthus* (L.) Ellis  
loco, Lambert--*Oxytropis lambertii* Pursh  
woolly--*Astragalus mollissimus* Torr.  
locust, black--*Robinia pseudoacacia* L.  
locustberry--*Byrsonima lucida* (Mill.) DC.  
loganberry--*Rubus ursinus* var. *loganobaccus* (L. H. Bailey) L. H. Bailey  
logwood--*Haematoxylum campechianum* L.  
lokao--*Rhamnus* spp.  
longan--*Dimocarpus longan* Lour.  
loofah--*Luffa aegyptiaca* Mill.  
smooth--*L. aegyptiaca* Mill.  
loosestrife, purple--*Lythrum salicaria* L.  
spiked--*L. salicaria* L.  
swamp--*Lysimachia terrestris* (L.) B.S.P.  
loquat--*Eriobotrya japonica* (Thunb.) Lindl.  
lotus--*Nelumbo nucifera* Gaertn.  
American--*N. lutea* (Willd.) Pers.  
East Indian--*N. nucifera* Gaertn.  
Egyptian--*Nymphaea lotus* L.  
sacred--*Nelumbo nucifera* Gaertn.  
lovage--*Levisticum officinale* W. D. J. Koch  
lovegrass, Boer--*Eragrostis chloromelas* Steud.  
India--*E. pilosa* (L.) Beauv.

Lehmann--*E. lehmanniana* Nees  
little--*E. minor* Host  
sand--*E. trichodes* (Nutt.) Wood  
tufted--*E. pectinacea* (Michx.) Nees  
weeping--*E. curvula* (Schrad.) Nees  
Wilman--*E. superba* Peyr.  
love-lies-bleeding--*Amaranthus caudatus* L.  
lucerne--*Medicago sativa* L. subsp. *sativa*  
    Brazilian--*Stylosanthes guianensis* (Aubl.) Sw.  
    tree--*Cytisus proliferus* L. f.  
lucky-nut--*Thevetia peruviana* (Pers.) K. Schum.  
luffa--*Luffa aegyptiaca* Mill.  
    angled--*L. acutangula* (L.) Roxb.  
lulo--*Solanum quitoense* Lam.  
lupine, Egyptian--*Lupinus albus* L.  
    European blue--*L. angustifolius* L.  
    European yellow--*L. luteus* L.  
    white--*L. albus* L.  
lychee--*Litchi chinensis* Sonn.  
lynchnis, evening--*Silene alba* (Mill.) Krause  
maackia, amur--*Maackia amurensis* Rupr. & Maxim.  
maca--*Lepidium meyenii* Walp.  
macadamia-nut--*Macadamia* spp.  
mace--*Myristica fragrans* Houtt.  
madder--*Rubia tinctorum* L.  
    field--*Sherardia arvensis* L.  
madrone, Pacific--*Arbutus menziesii* Pursh  
magnolia, Fraser--*Magnolia fraseri* Walt.  
    southern--*M. grandiflora* L.  
    star--*M. stellata* (Sieb. & Zucc.) Maxim.  
    sweetbay--*M. virginiana* L.  
maguey--*Agave atrovirens* Karw. ex Salm-Dyck  
mahoe--*Hibiscus tiliaceus* L.  
    blue--*H. elatus* Sw.  
    mountain--*H. elatus* Sw.  
mahogany, West Indies--*Swietenia mahagoni* (L.) Jacq.  
mahua--*Madhuca longifolia* (L.) Macbr.  
ma-huang--*Ephedra equisetina* Bunge  
maidencane--*Panicum hemitomon* Schult.  
maize--*Zea mays* L. subsp. *mays*  
majagua--*Hibiscus tiliaceus* L.  
Malabar-nut--*Justicia adhatoda* L.  
Malabar-spinach--*Basella alba* L.  
mallow, alkali--*Sida hederacea* (Dougl.) Torr.  
    common--*Malva neglecta* Wallr.  
    dwarf--*M. pusilla* Sm.  
    high--*M. sylvestris* L.  
    little--*M. parviflora* L.  
    musk--*M. moschata* L.  
    swamp rose--*Hibiscus moscheutos* L.  
    Venice--*H. trionum* L.  
mallow-rose--*H. moscheutos* L.

mampee-apple, mammy-apple--*Mammea americana* L.  
African--*M. africana* Sabine  
manchineel--*Hippomane mancinella* L.  
mandarin--*Citrus reticulata* Blanco  
mandrake--*Mandragora* spp.  
mangabeira--*Hancornia speciosa* Gomes  
mangel--*Beta vulgaris* L.  
mango--*Mangifera indica* L.  
mango-ginger--*Curcuma amada* Roxb.  
mangold--*Beta vulgaris* L.  
mangosteen--*Garcinia mangostana* L.  
mangrove--*Rhizophora mangle* L.  
American--*R. mangle* L.  
black--*Avicennia germinans* (L.) L.  
button--*Conocarpus erectus* L.  
red--*Rhizophora mangle* L.  
white--*Laguncularia racemosa* (L.) Gaertn. f.  
mani--*Arachis hypogaea* L.  
manicoba--*Manihot caerulescens* Pohl subsp. *caerulescens*  
manicoba brava--*M. catingae* Ule  
manicoba rubber--*M. dichotoma* Ule  
manioc--*M. esculenta* Crantz  
manketti--*Ricinodendron rautanenii* Schinz  
mannagrass, fowl--*Glyceria striata* (Lam.) Hitchc.  
water--*G. fluitans* (L.) R. Br.  
maple, ash-leaved--*Acer negundo* L.  
bigleaf--*A. macrophyllum* Pursh  
black--*A. nigrum* Michx. f.  
hard--*A. saccharum* Marsh.  
mountain--*A. spicatum* Lam.  
Norway--*A. platanoides* L.  
red--*A. rubrum* L.  
rock--*A. saccharum* Marsh.  
silver--*A. saccharinum* L.  
soft--*A. saccharinum* L.  
striped--*A. pensylvanicum* L.  
sugar--*A. saccharum* Marsh.  
sycamore--*A. pseudoplatanus* L.  
vine--*A. circinatum* Pursh  
white--*A. saccharinum* L.  
mapuey--*Dioscorea trifida* L. f.  
margosa--*Azadirachta indica* A. Juss.  
maria--*Calophyllum brasiliense* Camb.  
marigold--*Tagetes erecta* L.  
French--*T. patula* L.  
marsh--*Caltha palustris* L.  
pot--*Calendula officinalis* L.  
sweet-scented--*Tagetes lucida* Cav.  
wild--*T. minuta* L.  
marihuana--*Cannabis sativa* L.  
marijuana--*C. sativa* L.  
marjoram, Egyptian--*Origanum maru* L.

pot--*O. onites* L.  
sweet--*O. majorana* L.  
wild--*O. vulgare* L.  
marking-nut--*Semecarpus anacardium* L. f.  
marmelade-box--*Genipa americana* L.  
marrow, wild--*Cucurbita texana* A. Gray  
marrows--*Cucurbita* spp.  
marshcress--*Rorippa islandica* (Oeder) Borbas  
marsh-elder--*Iva xanthifolia* Nutt.  
marsh-mallow--*Althaea officinalis* L., *Hibiscus moscheutos* subsp.  
                  *palustris* (L.) R. Clausen  
marsh-marigold--*Caltha palustris* L.  
mastic--*Pistacia lentiscus* L.  
maté--*Ilex paraguariensis* St. Hil.  
mayapple; may-apple--*Podophyllum peltatum* L.  
maypop--*Passiflora incarnata* L.  
mayweed--*Anthemis cotula* L.  
              scentless--*Matricaria inodora* L.  
              stinking--*Anthemis cotula* L.  
meadowfoam--*Limnanthes* spp.  
medic, black--*Medicago lupulina* L.  
              snail--*M. scutellata* (L.) Mill.  
medlar--*Mespilus germanica* L.  
medusahead--*Taeniatherum asperum* (Simonkai) Nevski  
Melegueta-pepper--*Aframomum melegueta* K. Schum.  
melon, preserving--*Citrullus lanatus* var. *citroides* (Bailey) Mansf.  
              stock--*C. lanatus* var. *citroides* (Bailey) Mansf.  
melon-pear--*Solanum muricatum* Ait.  
melons--*Cucumis melo* L.  
menteng--*Baccaurea racemosa* (Bl.) Muell.-Arg.  
mesquite--*Prosopis* spp.  
              curly--*Hilaria belangeri* (Steud.) Nash  
              honey--*Prosopis glandulosa* Torr. var. *glandulosa*  
              western honey--*P. glandulosa* var. *torreyana* (L. Benson) M. C. Johnst.  
mesquitegrass, vine--*Panicum obtusum* H.B.K.  
metel--*Datura metel* L.  
Mexican-clover--*Richardia scabra* L.  
mezereon--*Daphne mezereum* L.  
mignonette, common--*Reseda odorata* L.  
milkbush--*Euphorbia tirucalli* L.  
milkvetch, cicer--*Astragalus cicer* L.  
milkweed, bloodflower--*Asclepias curassavica* L.  
              common--*A. syriaca* L.  
              desert--*A. subulata* Decne.  
              eastern whorled--*A. verticillata* L.  
millet, adlay--*Coix lacryma-jobi* L.  
              African--*Eleusine coracana* (L.) Gaertn.  
              broom--*Panicum miliaceum* L.  
              browntop--*Brachiaria ramosa* (L.) Stapf  
              bulrush--*Pennisetum americanum* (L.) Leeke  
              common--*Panicum miliaceum* L.  
              finger--*Eleusine coracana* (L.) Gaertn.

millet (continued)

- foxtail--*Setaria italica* (L.) Beauv.  
German--*S. italica* (L.) Beauv.  
hog--*Panicum miliaceum* L.  
Hungarian--*Setaria italica* (L.) Beauv.  
Italian--*S. italica* (L.) Beauv.  
Japanese--*Echinochloa crusgalli* var. *frumentacea* (Link) W. F. Wight  
koda--*Paspalum commersonii* Lam.  
kodo--*P. scrobiculatum* L.  
little--*Panicum sumatrense* Roth ex Roem. & Schult.  
pearl--*Pennisetum americanum* (L.) Leeke  
proso--*Panicum miliaceum* L.  
shama--*Echinochloa colonum* (L.) Link  
Texas--*Panicum texanum* Buckl.  
milo--*Sorghum bicolor* (L.) Moench  
mimosa--*Albizia julibrissin* Durazz.  
miner's-lettuce--*Claytonia perfoliata* Donn ex Willd.  
mint, corn--*Mentha arvensis* L.  
field--*M. arvensis* L.  
Japanese--*M. arvensis* L.  
lemon--*M. X piperita* var. *citrata* (Ehrh.) Briq.  
red--*M. X gentilis* L.  
miracle-fruit--*Thaumatococcus daniellii* (Benn.) Benth., *Gymnema sylvestre* (Retz.) Schult.  
miraculous-berry--*Synsepalum dulcificum* (Schum.) Daniell  
miscanthus--*Misanthus sinensis* Anderss.  
moa-tree--*Madhuca indica* Gmel.  
mole-plant--*Euphorbia lathyrus* L.  
mombin, red--*Spondias purpurea* L.  
moneywort--*Lysimachia nummularia* L.  
monkey-bread--*Adansonia digitata* L.  
monkey-puzzle-tree--*Araucaria araucana* (Mol.) K. Koch  
monkshood--*Aconitum napellus* L.  
monstera--*Monstera deliciosa* Liebm.  
moonflower--*Ipomoea alba* L.  
purple--*I. turbinata* Lag.  
Moreton Bay-pine--*Araucaria cunninghamii* D. Don  
morning-glory, beach--*Ipomoea pes-caprae* (L.) R. Br.  
bigroot--*I. pandurata* (L.) G. F. W. Mey.  
Cairo--*I. cairica* (L.) Sweet  
common--*I. purpurea* (L.) Roth  
cypressvine--*I. quamoclit* L.  
ivyleaf--*I. hederacea* (L.) Jacq.  
seafoam--*I. stolonifera* (Cyrill.) J. F. Gmel.  
swamp--*I. aquatica* Forsk.  
tall--*I. purpurea* (L.) Roth  
morrito--*Crescentia alata* H.B.K.  
moss, Spanish--*Tillandsia usneoides* (L.) L.  
motherwort--*Leonurus cardiaca* L.  
mountain-ash, European--*Sorbus aucuparia* L.  
mu-oil-tree--*Aleurites montana* (Lour.) Wils.  
mugwort--*Artemisia vulgaris* L.

western--*A. ludoviciana* Nutt.  
muhly, alkali--*Muhlenbergia asperifolia* (Nees & Mey.) Parodi  
Mexican--*M. mexicana* (L.) Trin.  
spike--*M. wrightii* Vasey  
mulberry, black--*Morus nigra* L.  
French--*Callicarpa americana* L.  
fustic--*Chlorophora tinctoria* (L.) Gaudich. ex Benth. & Hook. f.  
Indian--*Morinda citrifolia* L.  
paper--*Broussonetia papyrifera* (L.) Vent.  
red--*Morus rubra* L.  
white--*M. alba* L.  
mullein--*Verbascum thapsus* L.  
moth--*V. blattaria* L.  
muriti--*Mauritia flexuosa* L. f.  
muskmelon--*Cucumis melo* L.  
muskwood, American--*Guarea trichilioides* L.  
mustard, Abyssinian--*Brassica carinata* A. Br.  
black--*B. nigra* (L.) Koch  
broad-beaked--*B. narinosa* L. H. Bailey  
garlic--*Alliaria petiolata* (Bieb.) Cavara & Grande  
hare's-ear--*Conringia orientalis* (L.) Dumort.  
hedge--*Sisymbrium officinale* (L.) Scop.  
Indian--*Brassica juncea* (L.) Czern. & Coss.  
spinach--*B. rapa* (Perviridis Group)  
tansy--*Descurainia pinnata* (Walt.) Britt.  
treacle--*Erysimum repandum* L.  
tumble--*Sisymbrium altissimum* L.  
white--*Sinapis alba* L.  
wormseed--*Erysimum cheiranthoides* L.  
Muster-John-Henry--*Tagetes minuta* L.  
myrobalan--*Phyllanthus emblica* L.  
myrrh--*Myrrhis odorata* (L.) Scop.  
myrtle--*Myrtus communis* L.  
running--*Vinca minor* L.  
naiad, hollyleaf--*Najas marina* L.  
marine--*N. marina* L.  
slender--*N. flexilis* (Willd.) Rostk. & Schmidt  
southern--*N. guadalupensis* (Spreng.) Magnus  
spiny--*N. marina* L.  
nami--*Dioscorea hispida* Dennst.  
nannyberry--*Viburnum lentago* L.  
naranjilla--*Solanum quitoense* Lam.  
narcissus, poet's--*Narcissus poeticus* L.  
polyanthus--*N. tazetta* L.  
naseberry--*Manilkara zapota* (L.) van Royen  
nasturtium, garden--*Tropaeolum majus* L.  
shield--*T. peltophorum* Benth.  
natalgrass--*Rhynchospora repens* (Willd.) C. E. Hubb.  
Natal-plum--*Carissa macrocarpa* (Eckl.) A. DC.  
neckweed--*Veronica peregrina* L.  
nectarine--*Prunus persica* (L.) Batsch  
needle-and-thread grass--*Stipa comata* Trin. & Rupr.

needlegrass, blackseed--*S. avenacea* L.  
California--*S. pulchra* Hitchc.  
green--*S. viridula* Trin.  
purple--*S. pulchra* Hitchc.  
needles, Spanish--*Bidens bipinnata* L.  
neem--*Azadirachta indica* A. Juss.  
negro-coffee--*Cassia occidentalis* L.  
negro-pepper--*Xylopia aethiopica* (Dunal) A. Rich.  
nettle, burning--*Urtica urens* L.  
dog--*U. urens* L.  
European--*U. dioica* L.  
stinging--*U. dioica* L.  
New Zealand-flax--*Phormium tenax* J. R. & G. Forst.  
New Zealand-spinach--*Tetragonia tetragonoides* (Pall.) Ktze.  
nickerbean, gray--*Caesalpinia bonduc* (L.) Roxb.  
nickers, yellow--*C. bonduc* (L.) Roxb.  
Niger-seed--*Guizotia abyssinica* (L. f.) Cass.  
nightshade, bitter--*Solanum dulcamara* L.  
black--*S. nigrum* L.  
deadly--*Atropa bella-donna* L.  
hairy--*Solanum sarrachoides* Sendt.  
silverleaf--*S. elaeagnifolium* Cav.  
soda-apple--*S. aculeastrum* Dunal  
nimblewill--*Muhlenbergia schreberi* Gmel.  
ninebark--*Physocarpus opulifolius* (L.) Maxim.  
nipplewort--*Lapsana communis* L.  
niruri--*Phyllanthus niruri* L.  
nispero--*Manilkara zapota* (L.) van Royen  
nut, areca--*Areca catechu* L.  
betel--*A. catechu* L.  
boleko--*Ongokea gore* (Hua) Pierre  
Brazil--*Bertholletia excelsa* Humb. & Bonpl.  
Chirauli--*Buchanania latifolia* Roxb.  
gympie--*Macadamia ternifolia* F. v. Muell.  
horn--*Trapa bicornis* Osb.  
lucky--*Thevetia peruviana* (Pers.) K. Schum.  
macadamia--*Macadamia integrifolia* Maiden & Betche, *M. tetraphylla*  
L. Johnson  
Malabar--*Justicia adhatoda* L.  
marking--*Semecarpus anacardium* L. f.  
paradise--*Lecythis zabucajo* Aubl.  
pistachio--*Pistacia vera* L.  
sapucaia--*Lecythis zabucajo* Aubl.  
singhara--*Trapa bispinosa* Roxb.  
souari--*Caryocar nuciferum* L.  
nutgrass--*Cyperus rotundus* L.  
nutmeg--*Myristica fragrans* Houtt.  
calabash--*Monodora myristica* (Gaertn.) Dunal  
nut sedge--*Cyperus rotundus* L.  
false--*C. strigosus* L.  
purple--*C. rotundus* L.  
yellow--*C. esculentus* L.

oak, Aleppo--*Quercus infectoria* Olivier  
black--*Q. velutina* Lam.  
blackjack--*Q. marilandica* Muenchh.  
bur--*Q. macrocarpa* Michx.  
California live--*Q. agrifolia* Née  
Catesby's--*Q. laevis* Walt.  
chestnut--*Q. prinus* L.  
coast live--*Q. agrifolia* Née  
cork--*Q. suber* L.  
durmast--*Q. petraea* (Mattuschka) Liebl.  
English--*Q. robur* L.  
European turkey--*Q. cerris* L.  
holly--*Q. ilex* L.  
interior live--*Q. wislizenii* A. DC.  
live--*Q. virginiana* Mill.  
mossy cup--*Q. macrocarpa* Michx.  
northern red--*Q. rubra* L.  
overcup--*Q. lyrata* Walt.  
pin--*Q. palustris* Muenchh.  
possum--*Q. nigra* L.  
post--*Q. stellata* Wangenh.  
rock chestnut--*Q. prinus* L.  
sawtooth--*Q. acutissima* Carruth.  
scarlet--*Q. coccinea* Muenchh.  
shingle--*Q. imbricaria* Michx.  
silk--*Grevillea robusta* A. Cunn. ex R. Br.  
southern red--*Quercus falcata* Michx.  
Spanish--*Q. falcata* Michx.  
swamp post--*Q. lyrata* Walt.  
swamp white--*Q. bicolor* Willd.  
turkey--*Q. laevis* Walt.  
water--*Q. nigra* L.  
white--*Q. alba* L.  
willow--*Q. phellos* L.  
oat (oats)--*Avena sativa* L.  
Abyssinian--*A. abyssinica* Hochst. ex A. Rich.  
Algerian--*A. byzantina* K. Koch  
animated--*A. sterilis* L.  
bristle--*A. strigosa* Schreb.  
common--*A. sativa* L.  
Mediterranean--*A. byzantina* K. Koch  
naked--*A. nuda* L.  
red--*A. byzantina* K. Koch  
sand--*A. strigosa* Schreb.  
slender--*A. barbata* Pott ex Link  
small--*A. strigosa* Schreb.  
wild--*A. fatua* L.  
oatgrass, black--*Stipa avenacea* L.  
poverty--*Danthonia spicata* (L.) Beauv. ex Roem. & Schult.  
tall--*Arrhenatherum elatius* (L.) Beauv. ex J. & C. Presl  
oats, sea--*Uniola paniculata* L.  
oca--*Oxalis tuberosa* Mol.

ocumo--*Xanthosoma sagittifolium* (L.) Schott  
oil-bean-tree--*Pentaclethra macrophylla* Benth.  
oiticica--*Licania rigida* Benth.  
okra--*Abelmoschus esculentus* (L.) Moench  
oleander--*Nerium oleander* L.  
yellow--*Thevetia peruviana* (Pers.) K. Schum.  
oleaster--*Elaeagnus angustifolia* L.  
olive--*Olea europaea* L.  
Java--*Sterculia foetida* L.  
Russian--*Elaeagnus angustifolia* L.  
oneleaf-clover--*Alysicarpus vaginalis* (L.) DC.  
onion--*Allium cepa* L.  
Beltsville bunching--*A. cepa* L. X *A. fistulosum* L.  
Egyptian--*A. cepa* L.  
Japanese bunching--*A. fistulosum* L.  
multiplier--*A. cepa* L.  
potato--*A. cepa* L.  
top--*A. cepa* L.  
tree--*A. cepa* L.  
Welsh--*A. fistulosum* L.  
wild--*A. canadense* L.  
orach--*Atriplex hortensis* L.  
garden--*A. hortensis* L.  
halberdleaf--*A. patula* subsp. *hastata* (L.) Hall & Clem.  
spreading--*A. patula* L. subsp. *patula*  
orache--*A. hortensis* L.  
orange, King--*Citrus* X *nobilis* Lour.  
Seville--*C. aurantium* L.  
sour--*C. aurantium* L.  
sweet--*C. sinensis* (L.) Osb.  
tachibana--*C. tachibana* (Makino) Tanaka  
temple--*C. reticulata* Blanco X *C. sinensis* (L.) Osb.  
trifoliate--*Poncirus trifoliata* (L.) Raf.  
orange-trumpet--*Pyrostegia venusta* (Ker) Miers  
orchardgrass--*Dactylis glomerata* L.  
ordeal-tree--*Erythrophleum suaveolens* (Guill. & Perrot.) Brenan  
oregano--*Origanum vulgare* L., *Lippia* spp.  
orris--*Iris* X *germanica* var. *florentina* (L.) Dykes  
osage-orange--*Maclura pomifera* (Raf.) Schneid.  
osier, purple--*Salix purpurea* L.  
osmanthus, Fortune's--*Osmanthus* X *fortunei* Carr.  
holly--*O. heterophyllus* (G. Don) P. S. Green  
sweet--*O. fragrans* (Thunb.) Lour.  
ouabain--*Strophanthus gratus* (Wall. & Hook. ex Benth.) Baill.  
oudo--*Aralia cordata* Thunb.  
owala oil--*Pentaclethra macrophylla* Benth.  
oxalis, buttercup--*Oxalis pes-caprae* L.  
oyster-plant--*Tragopogon porrifolius* L.  
black--*Scorzonera hispanica* L.  
Spanish--*Scolymus hispanicus* L.  
oysternut--*Telfairia* spp.  
padang-cassia--*Cinnamomum burmannii* (Nees) Bl.

pagoda-tree, Japanese--*Sophora japonica* L.  
paintbrush, devils--*Hieracium aurantiacum* L.  
pak-choi--*Brassica rapa* (Chinensis Group)  
    false--*B. parachinensis* L. H. Bailey  
palm, African fan--*Borassus flabellifer* L.  
    African oil--*Elaeis guineensis* Jacq.  
    Bahia piassaba--*Attalea funifera* Mart. ex Spreng.  
    betel--*Areca catechu* L.  
    cabbage--*Euterpe oleracea* Mart.  
    Canary Island date--*Phoenix canariensis* Hort. ex Chaub.  
    carnauba wax--*Copernicia prunifera* (Mill.) H. E. Moore  
    Chile coco--*Jubaea chilensis* (Mol.) Baill.  
cohune--*Orbignya cohune* (Mart.) Dahlgr. ex Standl.  
date--*Phoenix dactylifera* L.  
doum--*Hyphaene thebaica* (L.) Mart.  
European fan--*Chamaerops humilis* L.  
fishtail--*Caryota urens* L.  
Florida cabbage--*Sabal palmetto* (Walt.) Lodd. ex Schult. & Schult. f.  
Florida silver--*Coccothrinax argentata* (Jacq.) Bailey  
gru-gru--*Acrocomia totai* Mart.  
Ivory Coast raphia--*Raphia hookeri* Mann & Wendl.  
ivory nut--*Phytelephas macrocarpa* Ruiz & Pavon  
    Caroline--*Metroxylon amicarum* (Wendl.) Becc.  
Madagascar--*Chrysalidocarpus lutescens* (Bory) Wendl.  
ouricury--*Syagrus coronata* (Mart.) Becc.  
Palmyra--*Borassus flabellifer* L.  
Panama hat--*Carludovica palmata* Ruiz & Pavon  
parlor--*Chamaedorea elegans* Mart.  
peach--*Bactris gasipaes* H.B.K.  
pigmy date--*Phoenix roebelenii* O'Brien  
Puerto Rico hat--*Sabal causiarum* (Cook) Becc.  
queen--*Arecastrum romanzoffianum* (Cham.) Becc.  
raffia--*Raphia farinifera* (Gaertn.) Hy1.  
rattan--*Eremospatha macrocarpa* (Mann & Wendl.) Wendl.  
sago--*Metroxylon sagu* Rottb.  
Senegal date--*Phoenix reclinata* Jacq.  
sentry--*Howea forsteriana* (C. Moore & F. v. Muell.) Becc.  
sugar--*Arenga pinnata* (Wurmb) Merr.  
tagua--*Phytelephas macrocarpa* Ruiz & Pavon  
totai--*Acrocomia totai* Mart.  
wax--*Ceroxylon alpinum* Bonpl.  
West African piassava--*Raphia vinifera* Beauv.  
wine--*R. vinifera* Beauv.  
palmarosa--*Cymbopogon martinii* (Roxb.) W. Wats.  
palmetto, cabbage--*Sabal palmetto* (Walt.) Lodd. ex Schult. & Schult. f.  
    saw--*Serenoa repens* (Bartr.) Small  
pampasgrass--*Cortaderia selloana* (Schult.) Aschers. & Graebn.  
pangolagrass--*Digitaria decumbens* Stent  
panicgrass, blue--*Panicum antidotale* Retz.  
    bulb--*P. bulbosum* H.B.K.  
panicum, browntop--*P. fasciculatum* Sw.  
    fall--*P. dichotomiflorum* Michx.

panicum (continued)

Texas--*P. texanum* Buckl.

pansy--*Viola tricolor* L.

European field--*V. arvensis* Murr.

papaya--*Carica papaya* L.

mountain--*C. pubescens* Lenné & K. Koch

papyrus--*Cyperus papyrus* L.

paradise-flower--*Caesalpinia pulcherrima* (L.) Sw.

paradise-nut--*Lecythis zabucajo* Aubl.

paradise-tree--*Simarouba glauca* DC.

paragrass--*Brachiaria mutica* (Forsk.) Stapf

Parana-pine--*Araucaria angustifolia* (Bertol.) Ktze.

parasol-tree, Chinese--*Firmiana simplex* (L.) W. F. Wight

pareira--*Chondrodendron tomentosum* Ruiz & Pavon

parrotfeather--*Myriophyllum brasiliense* Camb.

parsley--*Petroselinum crispum* (Mill.) Nym. ex A. W. Hill

parsnip--*Pastinaca sativa* L.

wild--*P. sativa* L.

paspalum, field--*Paspalum laeve* Michx.

fringeleaf--*P. ciliatifolium* Michx.

Panama--*P. fimbriatum* H.B.K.

sour--*P. conjugatum* Berg.

water--*P. fluitans* (Ell.) Kunth

passion-flower, maypop--*Passiflora incarnata* L.

passion-fruit, banana--*P. mollissima* (H.B.K.) L. H. Bailey

passion-vine, Crato--*P. cincinnata* Mast.

patchouli--*Pogostemon cablin* (Blanco) Benth.

paulownia, royal--*Paulownia tomentosa* (Thunb.) Steud.

pawpaw--*Asimina triloba* (L.) Dunal

pea, asparagus--*Psophocarpus tetragonolobus* (L.) DC., *Tetragonolobus purpureus* Moench

black-eyed--*Vigna unguiculata* (L.) Walp. subsp. *unguiculata*

butterfly--*Clitoria ternatea* L.

Caley--*Lathyrus hirsutus* L.

chickling--*L. sativus* L.

crowder--*Vigna unguiculata* (L.) Walp. subsp. *unguiculata*

everlasting--*Lathyrus latifolius* L.

field--*Pisum sativum* L.

flat--*Lathyrus sylvestris* L.

garden--*Pisum sativum* L.

grass--*Lathyrus sativus* L.

partridge--*Cassia fasciculata* Michx.

perennial--*Lathyrus latifolius* L.

pigeon--*Cajanus cajan* (L.) Huth

rosary--*Abrus precatorius* L.

rough--*Lathyrus hirsutus* L.

southern--*Vigna unguiculata* (L.) Walp. subsp. *unguiculata*

sweet--*Lathyrus odoratus* L.

Tangier--*L. tingitanus* L.

winged--*Tetragonolobus purpureus* Moench

yam--*Sphenostylis stenocarpa* (Hochst. ex A. Rich.) Harms

yellow--*Lathyrus aphaca* L.

peach--*Prunus persica* (L.) Batsch  
peanut--*Arachis hypogaea* L.  
pear--*Pyrus communis* L.  
    Callery--*P. calleryana* Decne.  
    Chinese--*P. pyrifolia* (Burm. f.) Nakai  
    Japanese--*P. pyrifolia* (Burm. f.) Nakai  
    Oriental--*P. pyrifolia* (Burm. f.) Nakai  
    sand--*P. pyrifolia* (Burm. f.) Nakai  
pearlwort--*Sagina procumbens* L.  
    bird's-eye--*S. procumbens* L.  
peavine, flat--*Lathyrus sylvestris* L.  
pecan--*Carya illinoensis* (Wangenh.) K. Koch  
peepul tree--*Ficus religiosa* L.  
pellitory, Pennsylvania--*Parietaria pensylvanica* Muhl.  
pennycress, field--*Thlaspi arvense* L.  
    thoroughwort--*T. perfoliatum* L.  
pennyroyal, American--*Hedeoma pulegioides* (L.) Pers.  
    European--*Mentha pulegium* L.  
pennywort, Asiatic--*Centella asiatica* (L.) Urb.  
    lawn--*Hydrocotyle sibthorpioides* Lam.  
    water--*H. umbellata* L.  
peperomia, oval-leaf--*Peperomia obtusifolia* (L.) A. Dietr.  
pepino--*Solanum muricatum* Ait.  
pepper, African--*Xylopia aethiopica* (Dunal) A. Rich.  
    bell--*Capsicum annuum* L. var. *annuum*  
    betel--*Piper betel* L.  
    bird--*Capsicum annuum* var. *glabriuscum* (Dunal) Heiser & Pickersgill,  
        *C. frutescens* L.  
    black--*Piper nigrum* L.  
    Celebes--*P. ornatum* N. E. Br.  
    chili--*Capsicum annuum* L. var. *annuum*, *C. frutescens* L.  
    green--*C. annuum* L. var. *annuum*  
    Indian long--*Piper longum* L.  
    Javanese long--*P. retrofractum* Vahl  
    mango--*Capsicum annuum* L. var. *annuum*  
    Melegueta--*Aframomum melegueta* (Rosc.) K. Schum.  
    negro--*Xylopia aethiopica* (Dunal) A. Rich.  
    paprika--*Capsicum annuum* L. var. *annuum*  
    spiked--*Piper aduncum* L.  
    tabasco--*Capsicum frutescens* L.  
peppergrass--*Lepidium virginicum* L.  
peppermint--*Mentha X piperita* L.  
peppertree, Brazil--*Schinus terebinthifolius* Radji  
    California--*S. molle* L.  
pepperweed, field--*Lepidium campestre* (L.) R. Br.  
    Virginia--*L. virginicum* L.  
pequi--*Caryocar brasiliense* Camb.  
perilla--*Perilla frutescens* (L.) Britt.  
periwinkle, common--*Vinca minor* L.  
    Madagascar--*Catharanthus roseus* (L.) G. Don  
persimmon, American--*Diospyros virginiana* L.  
    black--*D. texana* Scheele

persimmon (continued)

common--*D. virginiana* L.  
Japanese--*D. kaki* L. f.  
kaki--*D. kaki* L. f.  
Mexican--*D. texana* Scheele  
Texas--*D. texana* Scheele  
Peruvian-carrot--*Arracacia xanthorrhiza* Bancroft  
Peruvian-cherry--*Physalis peruviana* L.  
pe-tsai--*Brassica rapa* (Pekinensis Group)  
petunia, garden--*Petunia hybrida* Vilm.  
    large white--*P. axillaris* (Lam.) B.S.P.  
    violet-flowered--*P. violacea* Lindl.  
    whitemoon--*P. axillaris* (Lam.) B.S.P.  
peyote--*Lophophora williamsii* (Lem. ex Salm-Dyck) Coulter.  
phalsa--*Grewia asiatica* L.  
pheasant-tree, Argus--*Dracontomelon mangiferum* Bl.  
philodendron, heart-leaf--*Philodendron scandens* K. Koch & Sello  
phoenix-tree--*Firmiana simplex* (L.) W. F. Wight  
piassava, Para--*Leopoldinia piassaba* Wallace  
pichi-pichi--*Fabiana imbricata* Ruiz & Pavon  
pickerelweed--*Pontederia cordata* L. var. *cordata*  
    lanceleaf--*P. cordata* var. *lancifolia* (Muhl.) Torr.  
piganum, harmel--*Peganum harmala* L.  
pigeon-wings, Asian--*Clitoria ternatea* L.  
pignut--*Carya cordiformis* (Wangenh.) K. Koch  
pigweed, prostrate--*Amaranthus blitoides* S. Wats.  
    redroot--*A. retroflexus* L.  
    rough--*A. retroflexus* L.  
    Russian--*Axyris amaranthoides* L.  
    smooth--*Amaranthus hybridus* L.  
    tumble--*A. albus* L.  
pimpernel, scarlet--*Anagallis arvensis* L.  
pine, Aleppo--*Pinus halepensis* Mill.  
    Australian--*Casuarina equisetifolia* J. R. & G. Forst.  
    Austrian--*Pinus nigra* Arnold  
    black--*P. nigra* Arnold  
    Caribbean--*P. caribaea* Morelet  
    celery--*Phyllocladus trichomanoides* D. Don  
    Corsican--*Pinus nigra* Arnold  
    digger--*P. sabiniana* Dougl. ex D. Don  
    eastern white--*P. strobus* L.  
    huon--*Dacrydium franklinii* Hook. f.  
    Italian stone--*Pinus pinea* L.  
    jack--*P. banksiana* Lamb.  
    Japanese black--*P. thunbergiana* Franco  
    Jeffrey--*P. jeffreyi* Grev. & Balf.  
    loblolly--*P. taeda* L.  
    lodgepole--*P. contorta* Dougl. ex Loud.  
    longleaf--*P. palustris* Mill.  
    maritime--*P. pinaster* Ait.  
    Merkus--*P. merkusii* Jungh. & De Vr.  
    Monterey--*P. radiata* D. Don

Moreton Bay--*Araucaria cunninghamii* D. Don  
New Zealand red--*Dacrydium cupressinum* Soland. ex Lamb.  
Norway--*Pinus resinosa* Ait.  
Parana--*Araucaria angustifolia* (Bertol.) Ktze.  
pinyon--*Pinus edulis* Engelm.  
pitch--*P. rigida* Mill.  
pond--*P. serotina* Michx.  
ponderosa--*P. ponderosa* Dougl. ex P. & C. Laws.  
red--*P. resinosa* Ait.  
Scotch--*P. sylvestris* L.  
shortleaf--*P. echinata* Mill.  
slash--*P. elliottii* Engelm.  
sugar--*P. lambertiana* Dougl.  
Swiss mountain--*P. mugo* Turra  
Swiss stone--*P. cembra* L.  
table mountain--*P. pungens* Lamb.  
Torrey--*P. torreyana* Parry ex Carr.  
Virginia--*P. virginiana* Mill.  
western white--*P. monticola* Dougl. ex D. Don  
pineapple--*Ananas comosus* (L.) Merr.  
pineapple-weed--*Matricaria matricarioides* (Less.) Porter  
pink, Indian--*Spigelia marilandica* L.  
pinyon--*Pinus edulis* Engelm.  
Mexican--*P. cembroides* Zucc.  
Parry--*P. quadrifolia* Parl. ex Sudw.  
singleleaf--*P. monophylla* Torr. & Frem.  
pistachio-nut--*Pistacia vera* L.  
pitanga--*Eugenia uniflora* L.  
pittosporum--*Pittosporum undulatum* Vent.  
pituri--*Duboisia hopwoodii* F. v. Muell.  
planetree, London--*Platanus X acerifolia* (Ait.) Willd.  
Oriental--*P. orientalis* L.  
plantain--*Musa X paradisiaca* L., *Plantago* spp.  
blackseed--*Plantago rugelii* Decne.  
bracted--*P. aristata* Michx.  
broadleaf--*P. major* L.  
buckhorn--*P. lanceolata* L.  
common--*P. major* L.  
English--*P. lanceolata* L.  
great--*P. major* L.  
hoary--*P. media* L.  
paleseed--*P. virginica* L.  
Rugel's--*P. rugelii* Decne.  
plum, American--*Prunus americana* Marsh.  
beach--*P. maritima* Marsh.  
bullace--*P. insititia* L.  
Canada--*P. nigra* Ait.  
chickasaw--*P. angustifolia* Marsh.  
common--*P. domestica* L.  
damson--*P. insititia* L.  
European--*P. domestica* L.  
garden--*P. domestica* L.

plum (continued)

governor's--*Flacourzia indica* (Burm. f.) Merr.  
hog--*Spondias mombin* L.  
hortulan--*Prunus hortulana* L. H. Bailey  
Japanese--*P. salicina* Lindl.  
Java--*Syzygium cumini* (L.) Skeels  
Jew--*Spondias dulcis* Parkins.  
Klamath--*Prunus subcordata* Benth.  
myrobalan--*P. cerasifera* Ehrh.  
Natal--*Carissa macrocarpa* (Eckl.) A. DC.  
Pacific--*Prunus subcordata* Benth.  
prune--*P. domestica* L.  
plumberry--*Byrsonima lucida* (Mill.) DC.  
pochote--*Ceiba aesculifolia* (H.B.K.) Britten and Baker  
poinciana, royal--*Delonix regia* (Boj. ex Hook.) Raf.  
poinsettia--*Euphorbia pulcherrima* Willd. ex Kl.  
poison-hemlock--*Conium maculatum* L.  
poison-oak, Pacific--*Toxicodendron diversilobum* (Torr. & A. Gray) Greene  
western--*T. diversilobum* (Torr. & A. Gray) Greene  
poke--*Phytolacca americana* L.  
pokeweed--*P. americana* L.  
polypremen--*Polypremum procumbens* L.  
pomegranate--*Punica granatum* L.  
pond-apple--*Annona glabra* L.  
pond-cypress--*Taxodium ascendens* Brongn.  
pondweed, American--*Potamogeton nodosus* Poir.  
curlyleaf--*P. crispus* L.  
Illinois--*P. illinoensis* Morong  
leafy--*P. foliosus* Raf.  
Richardson--*P. richardsonii* (A. Benn.) Rydb.  
sago--*P. pectinatus* L.  
small--*P. pusillus* L.  
pongam--*Pongamia pinnata* (L.) Pierre  
poorjoe--*Diodia teres* Walt.  
poplar, black--*Populus nigra* L.  
    tulip--*Liriodendron tulipifera* L.  
    white--*Populus alba* L.  
    yellow--*Liriodendron tulipifera* L.  
poppy, California--*Eschscholzia californica* Cham.  
    corn--*Papaver rhoes* L.  
Mexican prickly--*Argemone mexicana* L.  
opium--*Papaver somniferum* L.  
Oriental--*P. bracteatum* Lindl., *P. orientale* L., *P. pseudo-orientale*  
(Fedde) Medw.  
pops, Christmas--*Turbina corymbosa* (L.) Raf.  
porana-vine--*Porana paniculata* Roxb.  
Port Oxford-cedar--*Chamaecyparis lawsoniana* (A. Murr.) Parl.  
potato--*Solanum tuberosum* L.  
    coleus--*Solenostemon rotundifolius* (Poir.) J. K. Morton  
    country--*Coleus parviflorus* Benth.  
    hausa--*Solenostemon rotundifolius* (Poir.) J. K. Morton  
    Irish--*Solanum tuberosum* L.

kaffir--*Plectranthus esculentus* N. E. Br.  
sweet--*Ipomoea batatas* (L.) Lam.  
white--*Solanum tuberosum* L.  
potatobean, American--*Aipos americana* Medik.  
pot-marigold--*Calendula officinalis* L.  
povertygrass--*Danthonia spicata* (L.) Beauv. ex Roem. & Schult.  
pricklepoppy, Mexican--*Argemone mexicana* L.  
pricklypear, elephant-ear--*Opuntia tuna* (L.) Mill.  
    Indianfig--*O. ficus-indica* (L.) Mill.  
    Lindheimer--*O. lindheimeri* Engelm.  
    mission--*O. megacantha* Salm-Dyck  
    Texas--*O. lindheimeri* Engelm.  
prickly-poppy, Mexican--*Argemone mexicana* L.  
pride-of-Barbados--*Caesalpinia pulcherrima* (L.) Sw.  
pride-of-Burma--*Amherstia nobilis* Wall.  
princess-feather--*Amaranthus hypochondriacus* L.  
princess-tree--*Paulownia tomentosa* (Thunb.) Steud.  
privet, amur--*Ligustrum amurense* Carr.  
    California--*L. ovalifolium* Hassk.  
    common--*L. vulgare* L.  
    glossy--*L. lucidum* Ait.  
swamp--*Forestiera acuminata* (Michx.) Poir.  
proboscis-flower--*Proboscidea louisianica* (Mill.) Thell.  
psoralea, scurfy--*Psoralea tenuiflora* Pursh  
pulasan--*Nephelium mutabile* Bl.  
pummelo--*Citrus grandis* (L.) Osb.  
pumpkin--*Cucurbita* spp.  
puncture-vine--*Tribulus terrestris* L.  
purpletop--*Tridens flavus* (L.) Hitchc.  
purslane--*Portulaca oleracea* L.  
    winter--*Claytonia perfoliata* Donn ex Willd.  
pusley, Florida--*Richardia scabra* L.  
pyrethrum--*Chrysanthemum cinerariifolium* (Trevir.) Vis.  
quackgrass--*Agropyron repens* (L.) Beauv.  
quassia, Jamaican--*Picrasma excelsa* (Sw.) Planch.  
quebracho--*Schinopsis balansae* Engl.  
    red--*S. quebracho-colorado* (Schlecht.) Barkl. & T. Meyer  
Queen Anne's-lace--*Daucus carota* L. subsp. *carota*  
queen-of-the-meadow--*Filipendula ulmaria* (L.) Maxim.  
quetembila--*Dovyalis hebecarpa* (Gardn.) Warb.  
quince--*Cydonia oblonga* Mill.  
quinine--*Cinchona* spp.  
quinoa--*Chenopodium quinoa* Willd.  
rabbitbrush, Douglas--*Chrysothamnus viscidiflorus* (Hook.) Nutt.  
    rubber--*C. nauseosus* (Pall.) Britt.  
radish--*Raphanus sativus* L.  
    wild--*R. raphanistrum* L.  
ragi--*Eleusine coracana* (L.) Gaertn.  
ragweed, common--*Ambrosia artemisiifolia* L.  
    giant--*A. trifida* L.  
    western--*A. psilostachya* DC.  
ragwort, tansy--*Senecio jacobaea* L.

rain-tree--*Samanea saman* (Jacq.) Merr.  
rakkyo--*Allium chinense* G. Don  
rambai--*Baccaurea motleyana* (Muell.-Arg.) Muell.-Arg.  
rambutan--*Nephelium lappaceum* L.  
ramie--*Boehmeria nivea* (L.) Gaudich.  
ramon--*Brosimum alicastrum* Sw. subsp. *alicastrum*  
ramp--*Allium tricoccum* Ait.  
rampion--*Campanula rapunculus* L.  
ram's-horn--*Proboscidea louisianica* (Mill.) Thell.  
rape--*Brassica napus* L.  
raspberry, American red--*Rubus idaeus* L. var. *strigosus* (Michx.) Maxim.  
    black--*R. occidentalis* L.  
    European red--*R. idaeus* L. var. *idaeus*  
    purple--*R. occidentalis* L. X *R. idaeus* L.  
    purple-flowering--*R. odoratus* L.  
    red--*R. idaeus* L. var. *idaeus*  
ratala--*Coleus parviflorus* Benth.  
rattan--*Calamus rotang* L.  
rattlesnake-weed--*Daucus pusillus* Michx.  
redbay--*Persea borbonia* (L.) Spreng.  
redbud, eastern--*Cercis canadensis* L.  
red-cedar, eastern--*Juniperus virginiana* L.  
    western--*Thuja plicata* Donn ex G. Don  
red-pine, New Zealand--*Dacrydium cupressinum* Soland. ex Lamb.  
redtop--*Agrostis gigantea* Roth  
redvine--*Brunnichia cirrhosa* Gaertn.  
redwood--*Sequoia sempervirens* (D. Don) Endl.  
    coast--*S. sempervirens* (D. Don) Endl.  
    dawn--*Metasequoia glyptostroboides* Hu & Cheng  
reed, common--*Phragmites australis* (Cav.) Trin. ex Steud.  
    giant--*Arundo donax* L.  
rengas--*Gluta rengas* L.  
rhodesgrass--*Chloris gayana* Kunth  
rhododendron, Canadian--*Rhododendron canadense* (L.) Torr.  
    Catawba--*R. catawbiense* Michx.  
    great--*R. maximum* L.  
    rosebay--*R. maximum* L.  
rhodora--*R. canadense* (L.) Torr.  
rhubarb--*Rheum rhabarbarum* L.  
    Chinese--*R. officinale* Baill., *R. palmatum* L.  
rice--*Oryza sativa* L.  
    African--*O. glaberrima* Steud.  
    hungry--*Digitaria exilis* (Kippist) Stapf, *D. iburua* Stapf  
rice-paper-plant--*Tetrapanax papyrifer* (Hook.) K. Koch  
ricegrass, Indian--*Oryzopsis hymenoides* (Roem. & Schult.) Ricker  
    jungle--*Echinochloa colonum* (L.) Link  
    Mandan--*X Stiporyzopsis caduca* (Beal) B. L. Johnson & Rogler  
ringworm-bush--*Cassia alata* L.  
rocket, dame's--*Hesperis matronalis* L.  
    dyer's--*Reseda luteola* L.  
garden--*Eruca vesicaria* (L.) Cav. subsp. *sativa* (Mill.) Thell.  
yellow--*Barbarea vulgaris* R. Br.

rocket-salad--*Eruca vesicaria* (L.) Cav. subsp. *sativa* (Mill.) Thell.  
rocoto--*Capsicum pubescens* Ruiz & Pavon  
roka--*Eruca vesicaria* (L.) Cav. subsp. *sativa* (Mill.) Thell.  
roquette--*E. vesicaria* (L.) Cav. subsp. *sativa* (Mill.) Thell.  
rose, Arkansas--*Rosa arkansana* Porter  
cabbage--*R. centifolia* L.  
Cherokee--*R. laevigata* Michx.  
damask--*R. damascena* Mill.  
dog--*R. canina* L.  
French--*R. gallica* L.  
Macartney--*R. bracteata* Wendl.  
multiflora--*R. multiflora* Thunb. ex Murr.  
prairie--*R. setigera* Michx.  
rose-apple--*Syzygium jambos* (L.) Alst.  
watery--*S. aqueum* (Burm. f.) Alst.  
rosebay, mountain--*Rhododendron catawbiense* Michx.  
roselle--*Hibiscus sabdariffa* L.  
rose-mallow, swamp--*H. moscheutos* L.  
rosemary--*Rosmarinus officinalis* L.  
rose-of-China--*Hibiscus rosa-sinensis* L.  
rose-of-Sharon--*H. syriacus* L.  
rosewood, Indian--*Dalbergia* spp.  
rougeplant--*Rivina humilis* L.  
rowan--*Sorbus aucuparia* L.  
rubber, castilloa--*Castilla elastica* Sessé subsp. *elastica*  
    caucho--*C. ulei* Warb.  
    Lagos silk--*Funtumia africana* (Benth.) Stapf, *F. elastica* (Preuss) Stapf  
    Landolphia--*Landolphia heudelotii* A. DC.  
rubber-plant--*Ficus elastica* Roxb. ex Hornem.  
rubber-tree--*Hevea brasiliensis* (Willd. ex A. Juss.) Muell.-Arg.  
    ceara--*Manihot glaziovii* Muell.-Arg.  
rubberweed, bitter--*Hymenoxys odorata* DC.  
rue, African--*Peganum harmala* L.  
    common--*Ruta graveolens* L.  
rupturewort--*Herniaria glabra* L.  
rush, Baltic--*Juncus balticus* Willd.  
    path--*J. tenuis* Willd.  
    slender--*J. tenuis* Willd.  
    soft--*J. effusus* L.  
    toad--*J. bufonius* L.  
rutabaga--*Brassica napus* (*Napobrassica* Group)  
rye--*Secale cereale* L.  
ryegrass, annual--*Lolium multiflorum* Lam.  
    English--*L. perenne* L.  
    Italian--*L. multiflorum* Lam.  
    perennial--*L. perenne* L.  
    Wimmera--*L. rigidum* Gaud., *L. rigidum* Gaud. X *L. multiflorum* Lam.  
sacaton--*Sporobolus wrightii* Munro ex Scribn.  
    alkali--*S. airoides* (Torr.) Torr.  
safflower--*Carthamus tinctorius* L.  
saffron, meadow--*Colchicum autumnale* L.  
sage--*Salvia officinalis* L.

sage (continued)

- lyre-leaved--*S. lyrata* L.  
scarlet--*S. splendens* F. Sellow ex Roem. & Schult.  
sagebrush, big--*Artemisia tridentata* Nutt.  
California--*A. californica* Less.  
fringed--*A. frigida* Willd.  
low--*A. arbuscula* Nutt.  
silver--*A. cana* Pursh  
sago, queen--*Cycas circinalis* L.  
saguaro--*Cereus giganteus* Engelm.  
sainfoin--*Onobrychis viciifolia* Scop.  
St. John's-bread--*Ceratonia siliqua* L.  
St. John's-wort, common--*Hypericum perforatum* L.  
spotted--*H. punctatum* Lam.  
salal--*Gaultheria shallon* Pursh  
salamander-tree--*Antidesma bunius* (L.) Spreng.  
salmonberry--*Rubus spectabilis* Pursh  
salsify--*Tragopogon porrifolius* L.  
black--*Scorzonera hispanica* L.  
meadow--*Tragopogon pratensis* L.  
Spanish--*Scorzonera hispanica* L.  
western--*Tragopogon dubius* Scop.  
saltbush, fourwing--*Atriplex canescens* (Pursh) Nutt.  
old man--*A. nummularia* Lindl.  
saltcedar--*Tamarix ramosissima* Ledeb.  
saltgrass, desert--*Distichlis stricta* (Torr.) Rydb.  
seashore--*D. spicata* (L.) Greene  
salvinia--*Salvinia rotundifolia* Willd.  
saman--*Samanea saman* (Jacq.) Merr.  
sandalwood--*Santalum album* L.  
red--*Pterocarpus santalinus* L. f.  
sandarac--*Tetraclinis articulata* (Vahl) Mast.  
sandbur, dune--*Cenchrus tribuloides* L.  
field--*C. incertus* M.A. Curtis  
longspine--*C. longispinus* (Hack.) Fern.  
southern--*C. echinatus* L.  
sandreed, prairie--*Calamovilfa longifolia* (Hook.) Scribn.  
sandspurry, red--*Spergularia rubra* (L.) J. & C. Presl  
sandwort, thymeleaf--*Arenaria serpyllifolia* L.  
sangre-de-drago--*Jatropha dioica* Cerv.  
santonica--*Artemisia cina* Berg & Schmidt  
sapodilla--*Manilkara zapota* (L.) van Royen  
sapote--*Pouteria sapota* (Jacq.) H. E. Moore & Stearn  
black--*Diospyros digyna* Jacq.  
mamee--*Pouteria sapota* (Jacq.) H. E. Moore & Stearn  
white--*Casimiroa edulis* Llave & Lex.  
sappanwood--*Caesalpinia sappan* L.  
sapucaia-nut--*Lecythis zabuajo* Aubl.  
sarsaparilla--*Smilax aristolochiifolia* Mill.  
Jamaican--*S. regelii* Killip & Morton  
sassafras--*Sassafras albidum* (Nutt.) Nees  
sasswood--*Erythrophleum suaveolens* (Guill. & Perrot.) Brenan  
sausage-tree--*Kigelia africana* (Lam.) Benth.

savin--*Juniperus sabina* L.  
savory, summer--*Satureja hortensis* L.  
    winter--*S. montana* L.  
sawbrier--*Smilax glauca* Walt.  
sawgrass--*Cladium jamaicense* Crantz  
    smooth--*C. mariscoides* (Muhl.) Torr.  
scammony--*Convolvulus scammonia* L.  
scorpion-senna--*Coronilla emerus* L.  
scouring-rush--*Equisetum hyemale* L.  
scratchgrass--*Muhlenbergia asperifolia* (Nees & Mey.) Parodi  
scurfpea, Arabian--*Psoralea bituminosa* L.  
seagrape--*Coccoloba uvifera* (L.) L.  
seakale--*Crambe maritima* L.  
sea-oats--*Uniola paniculata* L.  
sea-onion--*Urginea maritima* (L.) Baker  
sea-rocket, American--*Cakile edentula* (Bigel.) Hook. subsp. *edentula*  
self-heal--*Prunella vulgaris* L.  
senna, Alexandrian--*Cassia senna* L.  
    coffee--*C. occidentalis* L.  
scorpion--*Coronilla emerus* L.  
Siamese--*Cassia siamea* Lam.  
sickle--*C. tora* L.  
sensitive plant--*Mimosa pudica* L.  
sequoia, giant--*Sequoia adendron giganteum* (Lindl.) Buchh.  
serendipity-berry--*Dioscoreophyllum cumminsii* (Stapf) Diels  
serradella--*Ornithopus sativus* Brot.  
service, tree--*Sorbus domestica* L.  
serviceberry, Allegheny--*Amelanchier laevis* Wieg.  
    downy--*A. arborea* (Michx. f.) Fern.  
    Saskatoon--*A. alnifolia* (Nutt.) Nutt.  
sesame--*Sesamum indicum* L.  
    false--*Ceratotheca sesamoides* Endl.  
sesuvium--*Sesuvium portulacastrum* (L.) L.  
shaddock--*Citrus grandis* (L.) Osb.  
shadscale--*Atriplex confertifolia* (Torr. & Frem.) S. Wats.  
shallot--*Allium cepa* L.  
shattercane--*Sorghum bicolor* (L.) Moench  
shea-butter--*Butyrospermum paradoxum* (Gaertn. f.) Hepper subsp. *parkii*  
    (G. Don) Hepper  
sheepberry--*Viburnum lentago* L.  
shepherd's-purse; shepherdspurse--*Capsella bursa-pastoris* (L.) Medik.  
shittim-wood--*Acacia seyal* Del.  
shoti--*Curcuma zedoaria* (Berg.) Roscoe  
shungiku--*Chrysanthemum carinatum* Schousb.  
sicklepod--*Cassia obtusifolia* L.  
sida, alkali--*Sida hederacea* (Dougl.) Torr.  
    arrowleaf--*S. rhombifolia* L.  
    prickly--*S. spinosa* L.  
    southern--*S. acuta* Burm. f.  
silk-cotton, red--*Bombax ceiba* L.  
silk-cotton-tree--*Ceiba pentandra* (L.) Gaertn.  
silk-oak--*Grevillea robusta* A. Cunn. ex R. Br.

silktree--*Albizia julibrissin* Durazz.  
silverberry--*Elaeagnus commutata* Bernh. ex Rydb.  
silverweed--*Potentilla anserina* L.  
singhara-nut--*Trapa bispinosa* Roxb.  
siratro--*Macroptilium atropurpureum* (DC.) Urb.  
sisal--*Agave sisalana* Perr.  
    wild--*Furcraea macrophylla* Baker  
sissoo--*Dalbergia sissoo* Roxb. ex DC.  
sisu--*D. sissoo* Roxb. ex DC.  
skirret--*Sium sisarum* L.  
sloe--*Prunus spinosa* L.  
sloughgrass--*Beckmannia syzigachne* (Steud.) Fern.  
smartweed, dotted--*Polygonum punctatum* Ell.  
    marshpepper- *P. hydropiper* L.  
    Pennsylvania--*P. pensylvanicum* L.  
    swamp--*P. coccineum* Muhl.  
    water--*P. amphibium* L.  
smilograss--*Oryzopsis miliacea* (L.) Aschers. & Schweinf.  
smoke-tree, common--*Cotinus coggygria* Scop.  
smutgrass--*Sporobolus poiretii* (Roem. & Schult.) Hitchc.  
snailflower--*Vigna caracalla* (L.) Verdc.  
snakegourd--*Trichosanthes anguina* L., *T. cucumerina* L.  
snake-plant--*Sansevieria trifasciata* Prain  
snakeroot, broom--*Gutierrezia sarothrae* (Pursh) Britt. & Rusby  
    Seneca--*Polygala senega* L.  
    white--*Eupatorium rugosum* Houtt.  
snake's-beard--*Ophiopogon japonicus* (L. f.) Ker  
snakeweed, broom--*Gutierrezia sarothrae* (Pursh) Britt. & Rusby  
snapdragon--*Antirrhinum majus* L.  
    dwarf--*Chaenorhinum minus* (L.) Lange  
sneezeweed, bitter--*Helenium amarum* (Raf.) H. Rock  
snow-on-the-mountain--*Euphorbia marginata* Pursh  
snowdrop--*Galanthus nivalis* L.  
soapbark--*Quillaja saponaria* Mol.  
soapberry, wingleaf--*Sapindus saponaria* L.  
soapbush--*Clidemia hirta* (L.) D. Don  
soap-plant--*Chlorogalum pomeridianum* (DC.) Kunth  
soapwort--*Saponaria officinalis* L.  
sorghum, alnum--*Sorghum X alnum* Parodi  
    grain--*S. bicolor* (L.) Moench  
    sweet--*S. bicolor* (L.) Moench  
sorrel--*Rumex acetosa* L.  
    common--*R. acetosella* L.  
    French--*R. scutatus* L.  
    garden--*R. acetosa* L.  
    red--*R. acetosella* L.  
    sheep--*R. acetosella* L.  
    upright yellow--*Oxalis europaea* Jordan  
sourclover--*Melilotus indica* (L.) All.  
sourgrass--*Paspalum conjugatum* Berg.  
soursop--*Annona muricata* L.  
    mountain--*A. montana* Macfad.

sourwood--*Oxydendrum arboreum* (L.) DC.  
southernwood--*Artemisia abrotanum* L.  
sowthistle, annual--*Sonchus oleraceus* L.  
    common--*S. oleraceus* L.  
    perennial--*S. arvensis* L.  
    spiny--*S. asper* (L.) Hill  
    spiny-leaved--*S. asper* (L.) Hill  
soybean--*Glycine max* (L.) Merr.  
Spanish-cedar--*Cedrela odorata* L.  
Spanish-fennel--*Nigella hispanica* L.  
Spanish-moss--*Tillandsia usneoides* (L.) L.  
sparto--*Juncus maritimus* Lam.  
spatterdock--*Nuphar luteum* (L.) Sibth. & Sm.  
spearmint--*Mentha spicata* L.  
    Scotch--*M. X gentilis* L.  
speedwell, common--*Veronica officinalis* L.  
    corn--*V. arvensis* L.  
    field--*V. agrestis* L.  
    purslane--*V. peregrina* L.  
    thymeleaf--*V. serpyllifolia* L.  
spelt--*Triticum spelta* L.  
spicebush--*Lindera benzoin* (L.) Bl.  
spiderflower--*Cleome hasslerana* Chod.  
    African--*Gynandropsis gynandra* (L.) Briq.  
    spiny--*Cleome spinosa* Jacq.  
spiderwort, common--*Tradescantia virginiana* L.  
spikenard--*Aralia cordata* Thunb.  
    wild--*Hyptis suaveolens* (L.) Poit.  
spikerush, slender--*Eleocharis acicularis* (L.) Roem. & Schult.  
spinach--*Spinacia oleracea* L.  
    Malabar--*Basella alba* L.  
    New Zealand--*Tetragonia tetragonoides* (Pall.) Ktze.  
    vine--*Basella alba* L.  
sponge, vegetable--*Luffa aegyptiaca* Mill.  
sprangletop, red--*Leptochloa filiformis* (Lam.) Beauv.  
spring-beauty--*Claytonia virginica* L.  
spruce, black--*Picea mariana* (Mill.) B.S.P.  
    Engelmann--*P. engelmannii* Parry ex Engelm.  
    Norway--*P. abies* (L.) Karst.  
    red--*P. rubens* Sarg.  
    Sitka--*P. sitchensis* (Bong.) Carr.  
    white--*P. glauca* (Moench) Voss  
spurge, caper--*Euphorbia lathyris* L.  
    cypress--*E. cyparissias* L.  
    flowering--*E. corollata* L.  
    garden--*E. hirta* L.  
    leafy--*E. esula* L.  
    nodding--*E. maculata* L.  
    painted--*E. heterophylla* L.  
    petty--*E. peplus* L.  
    spotted--*E. maculata* L.  
spurry, corn--*Spergula arvensis* L.

squash--*Cucurbita* spp.  
squill, red--*Urginea maritima* (L.) Baker  
squirreltail--*Sitanion hystrix* (Nutt.) J. G. Sm.  
star-apple--*Chrysophyllum cainito* L.  
    African--*C. delevoyi* De Wild.  
starfruit--*Averrhoa carambola* L.  
stargrass--*Cynodon plectostachyus* (K. Schum.) Pilg.  
    water--*Heteranthera dubia* (Jacq.) MacM.  
star-of-Bethlehem--*Ornithogalum umbellatum* L.  
starthistle, yellow--*Centaurea solstitialis* L.  
starwort, lesser--*Stellaria graminea* L.  
    little--*S. graminea* L.  
steeplebush--*Spiraea tomentosa* L.  
sterculia, hazel--*Sterculia foetida* L.  
stewartia, mountain--*Stewartia ovata* (Cav.) Weatherby  
    Virginia--*S. malacodendron* L.  
stickseed--*Lappula echinata* Gilib.  
sticktight, European--*L. echinata* Gilib.  
stinkgrass--*Eragrostis cilianensis* (All.) E. Mosher  
stitchwort, lesser--*Stellaria graminea* L.  
stock--*Matthiola incana* (L.) R. Br.  
stonecrop, mossy--*Sedum acre* L.  
strangler-vine--*Morrenia odorata* (Hook. & Arn.) Lindl.  
strawberry, Chilean--*Fragaria chiloensis* (L.) Duch.  
    European--*F. vesca* L.  
    false--*Duchesnea indica* (Andr.) Focke  
    garden--*Fragaria X ananassa* Duch.  
    Indian--*Duchesnea indica* (Andr.) Focke  
    Virginia--*Fragaria virginiana* Duch.  
    woodland--*F. vesca* var. *americana* Porter  
strawberry-bush--*Euonymus americana* L.  
strychnine-tree--*Strychnos nux-vomica* L.  
stylo, Caribbean--*Stylosanthes hamata* (L.) Taub.  
    Townspeople--*S. humilis* H.B.K.  
styrax--*Styrax benzoin* Dryand.  
suckleya, poison--*Suckleya suckleyana* (Torr.) Rydb.  
sudangrass--*Sorghum sudanense* (Piper) Stapf  
sugar-apple--*Annona squamosa* L.  
sugarcane--*Saccharum officinarum* L.  
sumac, Chinese--*Rhus chinensis* Mill.  
    dwarf--*R. copallina* L.  
    poison--*Toxicodendron vernix* (L.) Ktze.  
    shining--*Rhus copallina* L.  
    Sicilian--*R. coriaria* L.  
    smooth--*R. glabra* L.  
    staghorn--*R. typhina* L.  
    winged--*R. copallina* L.  
summer-cypress--*Kochia scoparia* (L.) Schrad.  
sunchoke--*Helianthus annuus* L. X *H. tuberosus* L.  
sundew, round-leaved--*Drosera rotundifolia* L.  
sunflower--*Helianthus annuus* L.  
sunolgrass--*Phalaris coerulescens* Desf.

Surinam-cherry--*Eugenia uniflora* L.  
swallow-wort--*Cynanchum vincetoxicum* (L.) Pers.  
    white--*C. vincetoxicum* (L.) Pers.  
swede--*Brassica napus* (Napo  
brassica Group)  
sweetbay--*Magnolia virginiana* L.  
sweetclover, annual yellow--*Melilotus indica* (L.) All.  
    Indian--*M. indica* (L.) All.  
    tall yellow--*M. altissima* Thuill.  
    white--*M. alba* Medik.  
    yellow--*M. officinalis* Lam.  
sweetfern--*Comptonia peregrina* (L.) J. M. Coul.  
sweetflag--*Acorus calamus* L.  
sweetgrass--*Hierochloë odorata* (L.) Beauv.  
sweetgum--*Liquidambar styraciflua* L.  
sweetsop--*Annona squamosa* L.  
sweet-william--*Dianthus barbatus* L.  
swinecress--*Coronopus didymus* (L.) Sm.  
switchgrass--*Panicum virgatum* L.  
swordbean--*Canavalia ensiformis* (L.) DC., *C. gladiata* (Jacq.) DC.  
sycamore, American--*Platanus occidentalis* L.  
tacca--*Tacca leontopetaloides* (L.) Ktze.  
tallow-tree--*Sapium sebiferum* (L.) Roxb.  
    Chinese--*S. sebiferum* (L.) Roxb.  
tamanu--*Calophyllum inophyllum* L.  
tamarack--*Larix laricina* (Du Roi) K. Koch  
tamarind--*Tamarindus indica* L.  
tamarisk--*Tamarix gallica* L.  
    athel--*T. aphylla* (L.) Karst.  
    French--*T. gallica* L.  
tamarugo--*Prosopis tamarugo* Phil.  
tampala--*Amaranthus tricolor* L.  
tangelo--*Citrus paradisi* Macfad. X *C. reticulata* Blanco  
tangerine--*C. reticulata* Blanco  
tanglehead--*Heteropogon contortus* (L.) Beauv. ex Roem. & Schult.  
tangors--*Citrus reticulata* Blanco X *C. sinensis* (L.) Osb.  
tannia--*Xanthosoma sagittifolium* (L.) Schott  
tansy--*Tanacetum vulgare* L.  
tapioca-plant--*Manihot esculenta* Crantz  
tara--*Caesalpinia spinosa* (Mol.) Ktze.  
tarbush--*Flourensia cernua* DC.  
taro--*Colocasia esculenta* (L.) Schott  
    giant--*Alocasia macrorrhiza* (L.) G. Don  
    swamp--*Cyrtosperma chamissonis* (Schott) Merr.  
tarragon--*Artemisia dracunculus* L.  
tarweed, Chilean--*Madia sativa* Mol.  
    coast--*M. sativa* Mol.  
tasselflower, red--*Emilia sonchifolia* (L.) DC.  
tea--*Camellia sinensis* (L.) Ktze.  
    Assam--*C. sinensis* var. *assamica* (Mast.) Kitamura  
    Mexican--*Chenopodium ambrosioides* L.  
    Mormon--*Ephedra viridis* Cov., *Ephedra* spp.  
    Oswego--*Monarda didyma* L.

tea-tree, Australian--*Leptospermum laevigatum* (Gaertn.) F. v. Muell.  
teak--*Tectona grandis* L. f.  
African--*Chlorophora excelsa* (Welw.) Benth.  
tearthumb, arrow-leaved--*Polygonum sagittatum* L.  
teasel--*Dipsacus sylvestris* Huds.  
teff--*Eragrostis tef* (Zuccagni) Trotter  
teosinte--*Zea mays* subsp. *mexicana* (Schrad.) Iltis  
terongan--*Solanum torvum* Sw.  
thimbleberry--*Rubus odoratus* L.  
western--*R. parviflorus* Nutt.  
thistle, blessed--*Cnicus benedictus* L.  
bull--*Cirsium vulgare* (Savi) Ten.  
Canada--*C. arvense* (L.) Scop.  
golden--*Scolymus hispanicus* L.  
milk--*Silybum marianum* (L.) Gaertn.  
musk--*Carduus nutans* L.  
plumeless--*C. acanthoides* L.  
Russian--*Salsola kali* L.  
Scotch--*Onopordum acanthium* L.  
threesquare, common--*Scirpus americanus* Pers.  
thyme, common--*Thymus vulgaris* L.  
creeping--*T. serpyllum* L.  
Spanish--*Lippia micromera* Schau.  
ti--*Cordyline terminalis* (L.) Kunth  
tickclover, Spanish--*Desmodium uncinatum* (Jacq.) DC.  
tigernut--*Cyperus esculentus* L.  
tiger's-jaw--*Faucaria tigrina* (Haw.) Schwant.  
timothy--*Phleum pratense* L.  
diploid--*P. bertolonii* DC.  
turf--*P. bertolonii* DC.  
toadflax, Dalmatian--*Linaria genistifolia* (L.) Mill. subsp.  
    dalmatica (L.) Maire & Petitmengin  
oldfield--*L. canadensis* (L.) Dumont  
    yellow--*L. vulgaris* Mill.  
tobacco--*Nicotiana tabacum* L.  
    Aztec--*N. rustica* L.  
    Indian--*Lobelia inflata* L.  
    tree--*Nicotiana glauca* Grah.  
    winged--*N. alata* Link & Otto  
tomatillo--*Physalis ixocarpa* Brot. ex Hornem.  
tomato--*Lycopersicon esculentum* Mill.  
    cherry--*L. esculentum* var. *cerasiforme* (Dunal) A. Gray  
    currant--*L. pimpinellifolium* (L.) Mill.  
    husk--*Physalis ixocarpa* Brot. ex Hornem.  
    pear--*Lycopersicon esculentum* f. *pyriforme* (Dunal) C. H. Muller  
    tree--*Cyphomandra betacea* (Cav.) Sendt.  
topiro--*Solanum topiro* Humb. & Bonpl. ex Dunal  
torpedograss--*Panicum repens* L.  
torreya, Japanese--*Torreya nucifera* (L.) Sieb. & Zucc.  
totara--*Podocarpus totara* D. Don  
towelgourd, singkwa--*Luffa acutangula* (L.) Roxb.  
tree-of-heaven--*Ailanthus altissima* (Mill.) Swingle

tree-tomato--*Cyphomandra betacea* (Cav.) Sendt.  
trefoil, birdsfoot--*Lotus corniculatus* L.  
    narrowleaf--*L. tenuis* Waldst. & Kit. ex Willd.  
trifoliate-orange--*Poncirus trifoliata* (L.) Raf.  
triticale--X *Triticosecale*  
tropical-almond--*Terminalia catappa* L.  
trumpet, orange--*Pyrostegia venusta* (Ker) Miers  
trumpet-creeper--*Campsis radicans* (L.) Seem. ex Bur.  
trumpet-flower--*Tecoma stans* (L.) Juss. ex H.B.K.  
trumpet-tree--*Cecropia peltata* L.  
trumpet-vine--*Campsis radicans* (L.) Seem. ex Bur.  
tuberose--*Polianthes tuberosa* L.  
tulip, common--*Tulipa gesneriana* L.  
tulip-poplar--*Liriodendron tulipifera* L.  
tuliptree--*L. tulipifera* L.  
    African--*Spathodea campanulata* Beauv.  
tumbleweed--*Amaranthus albus* L.  
tung, Philippine--*Aleurites trisperma* Blanco  
tung-oil-tree--*A. fordii* Hemsl.  
tunisgrass--*Sorghum virgatum* (Hack.) Stapf  
tupelo--*Nyssa sylvatica* Marsh.  
    black--*N. sylvatica* Marsh.  
    water--*N. aquatica* L.  
turkeyberry--*Solanum torvum* Sw.  
turmeric--*Curcuma domestica* Val.  
turnip--*Brassica rapa* (Rapifera Group)  
turnsole--*Heliotropium indicum* L.  
udo--*Aralia cordata* Thunb.  
ullucu--*Ullucus tuberosus* Caldas  
ulmo--*Eucryphia cordifolia* Cav.  
umbrella-plant--*Cyperus alternifolius* L.  
umkokolo--*Dovyalis caffra* (Hook. f. & Harv.) Warb.  
unicorn-plant--*Proboscidea louisianica* (Mill.) Thell.  
urushi--*Toxicodendron vernicifluum* (Stokes) Barkl.  
valerian, common--*Valeriana officinalis* L.  
vallisneria--*Vallisneria americana* Michx.  
vanilla--*Vanilla planifolia* Andr.  
varnish-bush--*Flourensia cernua* DC.  
vaseygrass--*Paspalum urvillei* Steud.  
vegetable-oyster--*Tragopogon porrifolius* L.  
veldtgrass, perennial--*Ehrharta calycina* Sm.  
velvetbean--*Mucuna deeringiana* (Bort) Merr.  
    cowage--*M. pruriens* (L.) DC.  
velvetgrass--*Holcus lanatus* L.  
    German--*H. mollis* L.  
velvetleaf--*Abutilon theophrasti* Medik.  
velvetplant--*Gynura aurantiaca* (Bl.) DC.  
verbena, lemon--*Aloysia triphylla* (L'Hér.) Britt.  
vernalgrass, sweet--*Anthoxanthum odoratum* L.  
vervain, hoary--*Verbena stricta* Vent.  
    prostrate--*V. bracteata* Lag. & Rodr.  
vetch, bard--*Vicia monantha* Retz.

vetch (continued)  
bird--*V. cracca* L.  
bitter--*V. ervilia* (L.) Willd.  
blackpod--*V. sativa* L. subsp. *nigra* (L.) Ehrh.  
boreal--*V. cracca* L.  
chickling--*Lathyrus sativus* L.  
common--*Vicia sativa* L. subsp. *sativa*  
hairy--*V. villosa* Roth  
Hungarian--*V. pannonica* Crantz  
joint--*Aeschynomene americana* L.  
kidney--*Anthyllis vulneraria* L.  
Narbonne--*Vicia narbonensis* L.  
purple--*V. benghalensis* L.  
single-flowered--*V. articulata* Hornem.  
sparrow--*V. tetrasperma* (L.) Schreb.  
spring--*V. lathyroides* L.  
tiny--*V. hirsuta* (L.) S. F. Gray  
winter--*V. villosa* Roth  
yellow--*V. lutea* L.  
vetiver--*Vetiveria zizanioides* (L.) Nash ex Small  
viburnum, arrow-wood--*Viburnum dentatum* L.  
sweet--*V. lentago* L.  
Victorian-box--*Pittosporum undulatum* Vent.  
vine-spinach--*Basella alba* L.  
violet, African--*Saintpaulia ionantha* Wendl.  
English--*Viola odorata* L.  
field--*V. arvensis* Murr.  
lance-leaved--*V. lanceolata* L.  
sweet--*V. odorata* L.  
wild--*V. tricolor* L.  
Virginia-creeper--*Parthenocissus* spp.  
virola--*Virola calophylla* (Spruce) Warb.  
voavanga--*Vangueria madagascariensis* J. F. Gmel.  
wahoo--*Euonymus atropurpurea* Jacq.  
eastern--*E. atropurpurea* Jacq.  
waldmeister--*Galium odoratum* (L.) Scop.  
wallflower--*Cheiranthus cheiri* L.  
bushy--*Erysimum repandum* L.  
walnut, black--*Juglans nigra* L.  
California--*J. californica* S. Wats.  
Ecuador--*J. honorei* Dode  
English--*J. regia* L.  
Hind's--*J. hindsii* Jeps. ex R. E. Sm.  
Persian--*J. regia* L.  
wampi--*Clausena lansium* (Lour.) Skeels  
wandering-jew--*Zebrina pendula* Schnizl.  
wasabi--*Eutrema wasabi* (Sieb.) Maxim.  
watercelery--*Vallisneria americana* Michx.  
waterchestnut--*Trapa natans* L.  
Chinese--*Eleocharis dulcis* (Burm. f.) Trin. ex Henschel  
watercress--*Nasturtium officinale* R. Br.  
waterfern--*Azolla caroliniana* Willd.

waterhemlock, spotted--*Cicuta maculata* L.  
waterhyacinth--*Eichhornia crassipes* (Mart.) Solms  
anchored--*E. azurea* (Sw.) Kunth  
waterlemon--*Passiflora laurifolia* L.  
waterlettuce--*Pistia stratiotes* L.  
waterlily, fragrant--*Nymphaea odorata* Ait.  
watermeal--*Wolffia columbiana* Karst.  
watermelon--*Citrullus lanatus* (Thunb.) Matsum. & Nakai  
watermilfoil, broadleaf--*Myriophyllum heterophyllum* Michx.  
Eurasian--*M. spicatum* L.  
northern--*M. exalbescens* Fern.  
variable--*M. heterophyllum* Michx.  
whorled--*M. verticillatum* L.  
waternut--*Eleocharis dulcis* (Burm. f.) Trin. ex Henschel  
waterpennywort, lawn--*Hydrocotyle sibthorpioides* Lam.  
waterprimrose, creeping--*Ludwigia peploides* (H.B.K.) Raven subsp. *peploides*  
winged--*L. decurrens* Walt.  
waterpurslane--*L. palustris* (L.) Ell.  
watershield--*Brasenia schreberi* J. F. Gmel.  
water-tree, red--*Erythrophleum suaveolens* (Guill. & Perrot.) Brenan  
wattle, black--*Acacia mearnsii* De Wild.  
Cootamundra--*A. baileyana* F. v. Muell.  
golden--*A. pycnantha* Benth.  
green--*A. decurrens* (Wendl.) Willd.  
silver--*A. dealbata* Link  
waxgourd--*Benincasa hispida* (Thunb.) Cogn.  
waxplant--*Hoya carnosa* (L. f.) R. Br.  
wax-tree--*Toxicodendron succedaneum* (L.) Ktze.  
wayfaring-tree--*Viburnum lantana* L.  
weigela, pink--*Weigela florida* (Bunge) A. DC.  
weld--*Reseda luteola* L.  
West Indian-cedar--*Cedrela odorata* L.  
West Indian-cherry--*Malpighia punicifolia* L.  
West Indian-locust--*Hymenaea courbaril* L.  
wheat, bread--*Triticum aestivum* L.  
club--*T. compactum* Host  
common--*T. aestivum* L.  
cone--*T. turgidum* L.  
durum--*T. durum* Desf.  
Oriental--*T. turanicum* Jakubz.  
Persian--*T. carthlicum* Nevski  
Polish--*T. polonicum* L.  
poulard--*T. turgidum* L.  
rivet--*T. turgidum* L.  
shot--*T. sphaerococcum* Perc.  
wheatgrass, beardless--*Agropyron spicatum* f. *inerme* (Scribn. & Sm.) Beetle  
bluebunch--*A. spicatum* (Pursh) Scribn. & Sm.  
fairway crested--*A. cristatum* (L.) Gaertn.  
intermediate--*A. intermedium* (Host) Beauv. var. *intermedium*  
pubescent--*A. intermedium* var. *trichophorum* (Link) Halac.  
Siberian--*A. sibiricum* (Willd.) Beauv.  
slender--*A. trachycaulum* (Link) Malte ex H. F. Lewis

wheatgrass (continued)

standard crested--*A. desertorum* (Fisch. ex Link) Schult.

streambank--*A. riparium* Scribn. & Sm.

tall--*A. elongatum* (Host) Beauv.

thickspike--*A. dasystachyum* (Hook.) Scribn.

western--*A. smithii* Rydb.

whitebrush--*Aloysia lycioides* Cham.

white-cedar, Atlantic--*Chamaecyparis thyoides* (L.) B.S.P.

northern--*Thuja occidentalis* L.

southern--*Chamaecyparis thyoides* (L.) B.S.P.

whitetop--*Erigeron annuus* (L.) Pers.

whortleberry--*Vaccinium myrtillus* L.

widgeongrass--*Ruppia maritima* L.

wildrice, Manchurian--*Zizania latifolia* (Griseb.) Turcz. ex Stapf

northern--*Z. palustris* L.

southern--*Z. aquatica* L.

wildrye, Altai--*Elymus angustus* Trin.

basin--*E. cinereus* Scribn. & Merr.

beardless--*E. triticoides* Buckl.

blue--*E. glaucus* Buckl.

Canada--*E. canadensis* L.

giant--*E. condensatus* Presl

hairy--*E. villosus* Muhl.

mammoth--*E. giganteus* Vahl

Russian--*Psathyrostachys juncea* (Fisch.) Nevski

Virginia--*Elymus virginicus* L.

willow, basket--*Salix viminalis* L.

black--*S. nigra* Marsh.

crack--*S. fragilis* L.

ditchbank--*S. interior* Rowlee

goat--*S. caprea* L.

peachleaf--*S. amygdaloidea* Anderss.

purple--*S. purpurea* L.

pussy--*S. discolor* Muhl.

sandbar--*S. interior* Rowlee

weeping--*S. babylonica* L.

white--*S. alba* L.

windgrass--*Apera spica-venti* (L.) Beauv.

wineberry--*Rubus phoenicolasius* Maxim.

wintercress--*Barbarea vulgaris* R. Br.

early--*B. verna* (Mill.) Aschers.

wintergreen--*Gaultheria procumbens* L.

Winter's-bark--*Drimys winteri* J. R. & G. Forst.

witchgrass--*Panicum capillare* L.

witch-hazel--*Hamamelis virginiana* L.

witchweed--*Striga asiatica* (L.) Ktze

woad--*Isatis tinctoria* L.

wolfsbane--*Aconitum vulparia* Reichenb.

wonder-apple--*Momordica balsamina* L.

wonderberry--*Solanum burbankii* Bitter

wood-apple, Indian--*Feronia limonia* (L.) Swingle

woodruff--*Galium odoratum* (L.) Scop.

sweet--*G. odoratum* (L.) Scop.  
woodsorrel, common yellow--*Oxalis* spp.  
    creeping--*O. corniculata* L.  
    pink--*O. corymbosa* DC.  
    rose--*O. rubra* St. Hil.  
    yellow--*O. stricta* L.  
wormseed--*Chenopodium ambrosioides* L.  
wormwood--*Artemisia absinthium* L.  
    absinthe--*A. absinthium* L.  
    annual--*A. annua* L.  
Louisiana--*A. ludoviciana* Nutt.  
sea--*A. maritima* L.  
    southern--*A. abrotanum* L.  
yacon--*Polymnia sonchifolia* Poepp. & Endl.  
yajé--*Banisteriopsis caapi* (Spruce ex Griseb.) Morton  
yam, aerial--*Dioscorea bulbifera* L.  
    Asiatic--*D. esculentum* (Lour.) Burk.  
    bitter--*D. dumetorum* (Kunth) Pax  
    bulbil-bearing--*D. bulbifera* L.  
    bush--*D. praehensilis* Benth.  
    Chinese--*D. oppositifolia* L.  
    cluster--*D. dumetorum* (Kunth) Pax  
    cush-cush--*D. trifida* L. f.  
eboe--*D. rotundata* Poir.  
false--*Icacina senegalensis* A. Juss.  
forest--*Dioscorea praehensilis* Benth.  
greater--*D. alata* L.  
Guinea--*D. rotundata* Poir.  
intoxicating--*D. hispida* Dennst.  
lesser--*D. esculenta* (Lour.) Burk.  
potato--*D. bulbifera* L.  
ten months--*D. alata* L.  
twelve months--*D. cayenensis* Lam.  
water--*D. alata* L.  
white--*D. rotundata* Poir.  
white Guinea--*D. rotundata* Poir.  
winged--*D. alata* L.  
yellow--*D. cayenensis* Lam.  
yellow Guinea--*D. cayenensis* Lam.  
yampi--*D. trifida* L. f.  
yardgrass--*Eleusine indica* (L.) Gaertn.  
yarrow--*Achillea millefolium* L.  
yaupon--*Ilex vomitoria* Ait.  
yautia--*Xanthosoma sagittifolium* (L.) Schott  
yellow-bells--*Tecoma stans* (L.) Juss. ex H.B.K.  
yellowcress, creeping--*Rorippa sylvestris* (L.) Bess.  
yellow-poplar--*Liriodendron tulipifera* L.  
yerba-de-la-pastora--*Salvia divinorum* Epling & Jativa  
yew, American--*Taxus canadensis* Marsh.  
    English--*T. baccata* L.  
    Japanese--*T. cuspidata* Sieb. & Zucc.  
    Pacific--*T. brevifolia* Nutt.  
ylang-ylang--*Cananga odorata* (Lam.) Hook. f. & Thoms.

yoco--*Paullinia yoco* Schult. & Killip  
yuca--*Manihot esculenta* Crantz  
yucca, soaptree--*Yucca elata* Engelm.  
    spoonleaf--*Y. filamentosa* L.  
zalil--*Delphinium zalil* Aitch. & Hemsl.  
zebra-plant--*Aphelandra squarrosa* Nees  
zedoary--*Curcuma zedoaria* (Berg.) Roscoe  
zelkova, Japanese--*Zelkova serrata* (Thunb.) Makino  
zinnia--*Zinnia elegans* Jacq.  
zoysia--*Zoysia japonica* Steud.

## LITERATURE CITED

- Adams, C. D. 1972. Flowering plants of Jamaica. 848 pp. Univ. West Indies, Mono, Jamaica.
- Anderson, D. E. 1961. Taxonomy and distribution of the genus Phalaris. Iowa State Jour. Sci. 36: 1-96.
- \_\_\_\_\_. 1974. Taxonomy of the genus Chloris (Gramineae). Brigham Young Univ. Sci. Bul., Biol. Ser. 19, No. 2, 133 pp.
- Ayensu, E. S., and Coursey, D. G. 1972. Guinea yams--the botany, ethnobotany, use, and possible future of yams in West Africa. Econ. Bot. 26: 301-318.
- Backer, C. A., and Bakhuizen van den Brink, R. C., Jr. 1963-68. Flora of Java. 3 v. N. V. P. Noordhoff, Groningen, Netherlands.
- Bailey, L. H. 1949. Manual of cultivated plants. Rev. ed., 1116 pp. Macmillan Co., New York.
- Barclay, A. S. 1959. New considerations in an old genus: Datura. Bot. Mus. Leaflets 18: 245-272.
- Barnard, C. 1952. The duboisias of Australia. Econ. Bot. 6: 3-17.
- Bassett, I. J. 1973. The plantains of Canada. Canada Dept. Agr. Monog. 7, 47 pp.
- Bates, D. M. 1965. Notes on the cultivated Malvaceae. I. Hibiscus. Baileya 13: 57-130.
- \_\_\_\_\_. 1968. Notes on the cultivated Malvaceae. 2. Abelmoschus. Baileya 16: 99-112.
- Baum, B. R. 1967. Kalm's specimens of North American grasses--their evaluation for typification. Canad. Jour. Bot. 45: 1845-1852.
- \_\_\_\_\_. 1971. Proposal to conserve the "generic name" Triticale Müntzing. Taxon 20: 644-645.
- Beal, E. O. 1956. Taxonomic revision of the genus Nuphar Sm. of North America and Europe. Elisha Mitchell Sci. Soc. Jour. 72: 317-346.
- Berg, C. C. 1972. Olmedieae, Brosimeae (Moraceae). Flora Neotrop. Monog. 7: 1-228.
- Blackwell, W. H., Jr. 1972. The combination Peltandra virginica (L.) Schott and Endlicher. Rhodora 74: 516-518.
- Blake, S. T. 1968. A revision of Melaleuca leucodendron and its allies (Myrtaceae). Queensland Herb. Contrib. 1: 1-114.
- Bor, N. L. 1960. The grasses of Burma, Ceylon, India, and Pakistan. 767 pp. Pergamon Press, New York.
- \_\_\_\_\_. 1970. Gramineae. In Rechinger, K. H., Flora Iranica, 573 pp. Akad. Druck- u. Verlagsanst., Graz, Austria.
- Bowden, W. M. 1965. Cytotaxonomy of the species and interspecific hybrids of the genus Agropyron in Canada and neighboring areas. Canad. Jour. Bot. 43: 1421-1448.
- Brenan, J. P. M., and Melville, R. 1960. The Latin name of the black wattle. Kew Bul. 14: 37-39.
- Brizicky, G. K. 1963. The genera of Sapindales in the Southeastern United States. Arnold Arboretum Jour. 44: 462-501.
- Bullock, A. A. 1961. Sorghum vulgare Pers. Sorghum Newsletter 4: 75.
- Bunting, G. S., and Nicolson, D. H. 1963. The Alocasia plumbea confusion. Baileya 11: 142-146.

- Burbidge, N. T., and Gray, M. 1970. Flora of the Australian Capital Territory. 447 pp. Austral. Natl. Univ. Press, Canberra.
- Clapham, A. R., Tutin, T. G., and Warburg, E. F. 1962. Flora of the British Isles. Ed. 2, 1269 pp. Cambridge Univ. Press, Cambridge, England.
- Clausen, R. T. 1944. A botanical study of the yam beans (Pachyrrhizus). Cornell Univ. Agr. Expt. Sta. Mem. 264, 38 pp.
- Clayton, W. D. 1961. Proposal to conserve the generic name Sorghum Moench (Gramineae) versus Sorgum Adans. (Gramineae). Taxon 10: 242-243.
1968. The correct name of the common reed. Taxon 17: 168-169.
- Coursey, D. G. 1967. Yams. 230 pp. Longmans, Green and Co., Ltd., London.
- Critchfield, W. B., and Little, E. L., Jr. 1966. Geographic distribution of the pines of the world. U.S. Dept. Agr. Forest Serv. Misc. Pub. 991, 97 pp.
- Cuatrecasas, J. 1964. Cacao and its allies--a taxonomic revision of the genus Theobroma. U.S. Natl. Herb. Contrib. 35: 379-614.
- D'Arcy, W. G., and Eshbaugh, W. H. 1974. New World peppers (Capsicum-Solanaceae) north of Colombia: A résumé. Baileya 19: 93-105.
- Davis, P. H., ed. 1965-75. Flora of Turkey and the East Aegean Islands. 5 v. Edinburgh Univ. Press, Edinburgh, Scotland.
- DeLisle, D. G. 1963. Taxonomy and distribution of the genus Cenchrus. Iowa State Jour. Sci. 37: 259-351.
- de Wet, J. M. J., Gray, J. R., and Harlan, J. R. 1976. Systematics of Tripsacum (Gramineae). Phytologia 33: 203-227.
- Harlan, J. R., and Grant, C. A. 1971. Origin and evolution of teosinte (Zea mexicana (Schrad.) Kuntze). Euphytica 20: 255-265.
- and Huckabay, J. P. 1967. The origin of Sorghum bicolor. II. Distribution and domestication. Evolution 21: 787-802.
- de Wilde, W. J. J. O. 1972. Passiflora. In Steenis, C. G. G. J. van, ed., Flora Malesiana, ser. 1, v. 7., pt. 2, pp. 405-434. Wolters-Noordhoff, Groningen, Netherlands.
- de Wit, H. C. D. 1975. Typification of Leucaena leucocephala (Lam.) de Wit, Lysiloma latisiliquum (L.) Bth., and Acacia glauca (L.) Moench. Taxon 24: 349-352.
- Dore, W. G. 1969. Wild-rice. Canada Dept. Agr. Pub. 1393, 84 pp.
- Duke, J. A., and Terrell, E. E. 1974. Crop diversification matrix: Introduction. Taxon 23: 759-799.
- Edmonds, J. M. 1972. A synopsis of the taxonomy of Solanum Sect. Solanum (Maurella) in South America. Kew Bul. 27: 95-114.
- Ehrendorfer, F., ed. 1973. Liste der Gefäßpflanzen Mitteleuropas. 318 pp. Gustav Fischer, Stuttgart, Germany.
- Elias, T. S. 1972. The genera of Juglandaceae in the Southeastern United States. Arnold Arboretum Jour. 53: 26-51.
- Encke, F., and Buchheim, G. 1972. Zander--Handwörterbuch der Pflanzennamen. Ed. 10, 744 pp. Eugen Ulmer, Stuttgart, Germany.
- Eshbaugh, W. H. 1970. A biosystematic and evolutionary study of Capsicum baccatum (Solanaceae). Brittonia 22: 31-43.
- Exell, A. W. 1961. Abelmoschus, Malvaceae. In Exell, A. W., and Wild, H., eds., Flora Zambesiaca, v. 1, pt. 2, 581 pp. Crown Agents, London.
- Fernald, M. L. 1950. Gray's manual of botany. Ed. 8, 1632 pp. Amer. Book Co., New York.
- Fosberg, F. R. 1960. Introgression in Artocarpus (Moraceae) in Micronesia. Brittonia 12: 101-113.

1966. The correct name of the horseradish (Cruciferae). *Baileya* 14: 60.
- Fryxell, P. A. 1969. A classification of Gossypium L. (Malvaceae). *Taxon* 18: 585-591.
- Gillis, W. T. 1971. The systematics and ecology of poison-ivy and the poison-oaks (Toxicodendron, Anacardiaceae). *Rhodora* 73: 72-159, 161-237, 370-443, 465-540.
- and Stearn, W. T. 1974. Typification of the names of the species of Leucaena and Lysiloma in the Bahamas. *Taxon* 23: 185-191.
- Gleason, H. A. 1952. The new Britton and Brown illustrated flora of the Northeastern United States and adjacent Canada. V. 2, 655 pp. N.Y. Bot. Gard., New York.
- Goldblatt, P. 1974. Biosystematic studies in Papaver Section Oxytona. *Mo. Bot. Gard. Ann.* 61: 264-296.
- Goodspeed, T. H. 1954. The genus Nicotiana. *Chron. Bot.* 16: 1-536.
- Gould, F. W. 1967. The grass genus Andropogon in the United States. *Brittonia* 19: 70-76.
- Ali, M. A., and Fairbrothers, D. E. 1972. A revision of Echinochloa in the United States. *Amer. Midland Nat.* 87: 36-59.
- Graham, S. A. 1966. The genera of Araliaceae in the Southeastern United States. *Arnold Arboretum Jour.* 47: 126-136.
- Gunn, C. R. 1969. History and taxonomy of the purple moonflower, Ipomoea turbinata Lagasca y Segura. *Assoc. Off. Seed Anal. Proc.* 59: 116-123.
- Hamilton, R. A. 1969. The spelling of common names. In Canada Weed Committee, ed., Common and Botanical Names of Weeds in Canada. Canada Dept. Agr. Pub. 1397, 67 pp.
- Hanson, A. A. 1972. Grass varieties in the United States. U.S. Dept. Agr. Agr. Handb. 170, 124 pp.
- Hara, H., compiler. 1966. The flora of the eastern Himalaya. 744 pp. Tokyo Univ. Press, Tokyo, Japan.
1969. The correct author's name of Citrullus lanatus (Cucurbitaceae). *Taxon* 18: 346-347.
- Harlan, J. R., and de Wet, J. M. J. 1969. Sources of variation in Cynodon dactylon (L.) Pers. *Crop Sci.* 9: 774-778.
- and de Wet, J. M. J. 1972. A simplified classification of cultivated sorghum. *Crop Sci.* 12: 172-176.
- Heiser, C. B., Jr., and Pickersgill, B. 1969. Names for the cultivated Capsicum species (Solanaceae). *Taxon* 18: 277-283.
- and Pickersgill, B. 1975. Names for the bird peppers (Capsicum-Solanaceae). *Baileya* 19: 151-156.
- Hepper, F. N. 1963. Plants of the 1957-58 West African expedition: II. *Kew Bul.* 16: 398-407.
1974. Parasitic witchweed: Striga asiatica versus S. lutea (Scrophulariaceae). *Rhodora* 76: 45-47.
- Hermann, F. J. 1962. A revision of the genus Glycine and its immediate allies. U.S. Dept. Agr. Tech. Bul. 1268, 82 pp.
- Hill, A. F. 1942. Recent changes in the names of economic plants. *Bot. Mus. Leaflets* 10: 141-172.
- Hitchcock, A. S. 1951. Manual of grasses of the United States. Ed. 2, rev. by A. Chase. U.S. Dept. Agr. Misc. Pub. 200, 1051 pp.
- Hodge, W. H. 1953. The drug aloes of commerce, with special reference to the Cape species. *Econ. Bot.* 7: 99-129.

- Howard, R. A. 1961. The correct names for "Diospyros ebenaster." Arnold Arboretum Jour. 42: 430-436.
- \_\_\_\_ and Norlindh, T. 1962. The typification of Diospyros ebenum and Diospyros ebenaster. Arnold Arboretum Jour. 43: 94-102.
- Howell, J. T. 1973. A lectotype for the Hinds walnut. Madrono 22: 144.
- Hubbard, C. E. 1968. Grasses--a guide to their structure, identification, uses, and distribution in the British Isles. Rev. ed., 463 pp. Penguin Books, London.
- Hutchinson, J., and Dalziel, J. M. 1954 et seq. Flora of West Tropical Africa. Ed. 2, rev. by R. W. J. Keay and F. N. Hepper, eds. Crown Agents, London.
- Huttleston, D. G. 1970. The names of three commonly cultivated ornamental asparaguses (Liliaceae). Baileya 17: 58-63.
- Iltis, H. H. 1972. The taxonomy of Zea mays (Gramineae). Phytologia 23: 248-249.
- Isely, D. 1973. Leguminosae of the United States: I. Subfamily Mimosoideae. N.Y. Bot. Gard. Mem. 25 (1): 1-152.
- \_\_\_\_ 1975. Leguminosae of the United States: II. Subfamily Caesalpinioideae. N.Y. Bot. Gard. Mem. 25 (2): 1-228.
- Jarrett, F. M. 1959. Studies in Artocarpus and allied genera. I, II, III. Arnold Arboretum Jour. 40: 1-37, 113-155, 298-368.
- Johnston, M. C. 1962. The North American mesquites, Prosopis Sect. Algarobia (Leguminosae). Brittonia 14: 72-90.
- Jones, H. A., and Mann, L. K. 1963. Onions and their allies. 286 pp. Intersci. Pub., Inc., New York.
- Krukoff, B. A., and Barneby, R. C. 1974. Conspectus of species of the genus Erythrina. Lloydia 37: 332-459.
- Launert, E. 1971. Gramineae. In Fernandes, A., et al., eds., Flora Zambesiaca, v. 10, pt. 1, 152 pp. Crown Agents, London.
- Lawrence, G. H. M. 1949. Article 1. Discussions in botanical names of cultivated plants. Gentes Herb. 8: 3-76.
- \_\_\_\_ 1960a. Names of Passiflora hybrids. Baileya 8: 118-120.
- \_\_\_\_ 1960b. Identification of the cultivated passionflowers. Baileya 8: 121-132.
- Leenhouts, P. W. 1971. A revision of Dimocarpus (Sapindaceae). Blumea 19: 113-131.
- L. H. Bailey Hortorium staff. 1976. Hortus third. 1290 pp. Macmillan Co., Inc., New York.
- Li, Hui-Lin. 1942. The Araliaceae of China. Sargentia 2: 1-134.
- Little, E. L., Jr. 1953. Check list of native and naturalized trees of the United States (including Alaska). U.S. Dept. Agr. Agr. Handb. 41, 472 pp.
- \_\_\_\_ 1974. Proposal 146. Taxon 23: 878.
- Woodbury, R. O., and Wadsworth, F. H. 1974. Trees of Puerto Rico and the Virgin Islands. V. 2, 1024 pp. U.S. Dept. Agr. Agr. Handb. 449.
- Lock, J. M. 1976. Notes on some East African species of Aframomum (Zingiberaceae). Kew Bul. 31: 263-271.
- Lockwood, T. E. 1973. Generic recognition of Brugmansia. Bot. Mus. Leaflets 23: 273-284.
- Lonard, R. I., and Gould, F. W. 1974. The North American species of Vulpia (Gramineae). Madrono 22: 217-230.
- Lowden, R. M. 1973. Revision of the genus Pontederia L. Rhodora 75: 426-487.

- McClure, F. A. 1973. Genera of bamboos native to the New World (Gramineae: Bambusoideae). Ed. by T. R. Soderstrom. Smithsn. Inst. Contrib. Bot. 9, 148 pp.
- McVaugh, R. 1973. Report on proposals for conservation. Taxon 22: 155.
- Magness, J. R., Markle, G. M., and Compton, C. C. 1971. Food and feed crops of the United States. N.J. Agr. Expt. Sta. Bul. 828, 255 pp.
- Mansfeld, R. 1959. Vorläufiges Verzeichnis Landwirtschaftlich oder Gaertnerisch Kultivierter Pflanzenarten. Die Kulturpflanze Beih. 2, 659 pp.
- Maw, C. C. 1974. A note on Bromus unioloides and B. willdenowii (Gramineae). Kew Bul. 29: 431-434.
- Meyer, T., and Barkley, F. A. 1973. Revision del genero Schinopsis (Anacardiaceae). Lilloa 33: 207-258.
- Mohlenbrock, R. H. 1957. A revision of the genus Stylosanthes. Mo. Bot. Gard. Ann. 44: 299-355.
- Moore, H. E., Jr. 1963. An annotated checklist of cultivated palms. Principes 7: 119-184.
- \_\_\_\_ and Stearn, W. T. 1967. The identity of Achras zapota L. and the names for the sapodilla and the sapote. Taxon 16: 382-395.
- Morton, J. K. 1962. Cytotaxonomic studies on the West African Labiateae. Linn. Soc. London, Jour. Bot. 58: 231-283.
- Muller, C. H. 1940. A revision of the genus Lycopersicon. U.S. Dept. Agr. Misc. Pub. 382, 29 pp.
- Munz, P. A. 1968. Supplement to 'A California flora.' 224 pp. Univ. Calif. Press, Berkeley.
- \_\_\_\_ and Keck, D. D. 1968. A California flora. 1681 pp. Univ. Calif. Press, Berkeley.
- Nicolson, D. H. 1975. Paratautonyms, a comment on proposal 146. Taxon 24: 389-390.
- Payne, W. W. 1964. A reevaluation of the genus Ambrosia. Arnold Arboretum Jour. 45: 401-438.
- Phillipson, W. R. 1937. A revision of the British species of the genus Agrostis L. Linn. Soc. London, Jour. Bot. 51: 73-151.
- Pillans, N. S. 1950. A revision of Agathosma. Jour. So. African Bot. 1950: 55-183.
- Polhill, R. M., and Stearn, W. T. 1976. Linnaeus's notes on Plumier \* drawings with special reference to Mimosa latisiliqua. Taxon 25: 323-325.
- Prance, G. T., and da Silva, M. F. 1973. Caryocaraceae. Flora Neotrop. Monog. 12: 1-77.
- Purseglove, J. W. 1968. Tropical crops. Dicotyledons. 2 v. John Wiley and Sons, Inc., New York.
- \_\_\_\_ 1972. Tropical crops. Monocotyledons. 2 v. John Wiley and Sons, Inc., New York.
- Raven, P. H., Shetler, S. G., and Taylor, R. L. 1974. Nomenclature proposals to the Leningrad Congress. I. Taxon 23: 828-831.
- Rickett, H. W. 1965. The English names of plants. Torrey Bot. Club Bul. 92: 137-139.
- Robson, N. 1965. New and little known species from the Flora Zambesiaca area. XVI. Soc. Broteriana Bol. 39, ser. 2: 33-34.
- Rogers, D. J., and Appan, S. G. 1973. Manihot, Manihotoides (Euphorbiaceae). Flora Neotrop. Monog. 13: 1-272.

- Rowell, C. M., Jr. 1969. The taxonomy and phytogeography of the genus Prosopis L. In Schuster, J. L., ed., Literature on the Mesquite (Prosopis L.) of North America, an Annotated Bibliography, Spec. Rpt. 26, 84 pp. Internat'l. Cent. for Arid and Semi-Arid Land Studies, Tex. Tech. Univ., Lubbock.
- Saldanha, C. J., and Nicholson, D. H., eds. 1976. Flora of Hassan District, Karnataka, India. 915 pp. Amerind Pub. Co., New Delhi, India.
- Sauer, J. D. 1950. The grain amaranths: A survey of their history and classification. Mo. Bot. Gard. Ann. 37: 561-632.
- \_\_\_\_\_. 1964. Revision of Canavalia. Brittonia 16: 106-181.
- \_\_\_\_\_. 1967. The grain amaranths and their relatives: A revised taxonomic and geographical survey. Mo. Bot. Gard. Ann. 54: 103-137.
- Schmid, R. 1972. A resolution of the Eugenia-Syzygium controversy (Myrtaceae). Amer. Jour. Bot. 59: 423-436.
- Schubert, B. G., and Buchheim, G. 1975. Report of the Standing Committee on Stabilization of Specific Names. Taxon 24: 171-177.
- Schultze-Motel, J. 1966. Verzeichnis Forstlich Kultivierter Pflanzenarten. Die Kulturpflanze Beih. 4, 486 pp.
- Shaw, E. A., and Schubert, B. G. 1976. A reinterpretation of Leucaena and Lysiloma. Arnold Arboretum Jour. 57: 113-118.
- Shinners, L. H. 1954. Notes on north Texas grasses. Rhodora 56: 25-38.
- \_\_\_\_\_. 1956. Illegitimacy of the name Sorghum vulgare Pers. (Gramineae). Baileya 4: 141-142.
- Smith, A. W. 1972. A gardener's dictionary of plant names. Rev. and enlarged by W. T. Stearn and I. L. L. Smith. 391 pp. St. Martin's Press, New York.
- Stafleu, F. A., Bonner, C. E. B., McVaugh, R., et al., eds. 1972. International code of botanical nomenclature. 426 pp. Internat'l. Bur. Plant Taxon. and Nomencl., Utrecht, Netherlands.
- Storey, W. B. 1965. The ternifolia group of Macadamia species. Pacific Sci. 19: 507-514.
- \_\_\_\_\_. 1969. Macadamia. In Jaynes, R. A., ed., Handbook of North American Nut Trees, pp. 321-335. North. Nut Growers Assoc., Knoxville, Tenn.
- Swanson, J. R. 1966. A synopsis of relationships in Montioideae (Portulacaceae). Brittonia 18: 229-241.
- Swingle, W. T. 1943. The botany of Citrus and its wild relatives of the orange subfamily (family Rutaceae, subfamily Aurantioideae). Pp. 1-474, 953-1021. Univ. Calif. Press, Berkeley.
- Terrell, E. E. 1967. Meadow fescue: Festuca elatior L. or F. pratensis Hudson? Brittonia 19: 129-132.
- \_\_\_\_\_. 1968a. Notes on Festuca arundinacea and F. pratensis in the United States. Rhodora 70: 564-568.
- \_\_\_\_\_. 1968b. A taxonomic revision of the genus Lolium. U.S. Dept. Agr. Tech. Bul. 1392, 65 pp.
- \_\_\_\_\_. 1976. The correct names for pearl millet and yellow foxtail. Taxon 25: 297-304.
- \_\_\_\_\_. 1977. The name for the tomato. Taxon 26: (in press).
- \_\_\_\_\_. and Winters, H. F. 1974. Changes in scientific names for certain crop plants. HortScience 9: 324-325.
- Turrill, W. B., and Milne-Redhead, E., eds. 1952 et seq. Flora of Tropical East Africa. Crown Agents, London.

- Tutin, T. G., Heywood, V. H., Burges, N. A., et al., eds. 1964-76. *Flora Europaea*. 4 v. Cambridge Univ. Press, Cambridge, England.
- Vaughan, J. G. 1977. A multidisciplinary study of the taxonomy and origin of *Brassica* crops. *BioScience* 27: 35-40.
- Verdcourt, B. 1966. A proposal concerning *Glycine* L. *Taxon* 15: 34-36.
- 1970a. Studies in the Leguminosae-Papillonoideae for the 'Flora of Tropical East Africa': II. *Kew Bul.* 24: 235-307.
- 1970b. Studies in the Leguminosae-Papillonoideae for the 'Flora of Tropical East Africa': III. *Kew Bul.* 24: 380-447.
- 1970c. Studies in the Leguminosae-Papillonoideae for the 'Flora of Tropical East Africa': IV. *Kew Bul.* 24: 507-569.
- Vickery, J. W. 1975. Gramineae. In Johnson, L. A. S., *Flora of New South Wales*, pt. 2, pp. 137-306. New South Wales Dept. Agr., Sydney, Australia.
- Ward, D. B. 1974. On the scientific name of the longleaf pine. *Rhodora* 76: 20-24.
- Webb, D. A. 1967. Rosaceae. In Heywood, V. H., ed., *Flora Europaea Notulae Systematicae* No. 6. Feddes Report. 74: 24.
- Weed Science Society of America, Subcommittee on Standardization of Common and Botanical Names of Weeds. 1971. Report. Composite list of weeds. *Weed Sci.* 19 (4): 435-476.
- Westphal, E. 1975. The proposed retypification of *Dolichos* L.--a review. *Taxon* 24: 189-192.
- Whitaker, T. W., and Davis, G. N. 1962. Cucurbits--botany, cultivation, and utilization. 249 pp. Intersci. Pub., Inc., New York.
- Wilkes, H. G. 1967. Teosinte: The closest relative of maize. 159 pp. Bussey Inst., Harvard Univ., Cambridge, Mass.
- Williams, L. O. 1973. Bignoniaceae of tropical North America. *Fieldiana: Bot.* 36: 21-29.
- Wilson, K. A., and Wood, C. E., Jr. 1959. The genera of Oleaceae in the Southeastern United States. *Arnold Arboretum Jour.* 40: 369-384.
- Wood, C. E., Jr. 1959. The genera of Theaceae of the Southeastern United States. *Arnold Arboretum Jour.* 40: 413-419.
- Wyman, D. 1974. Wyman's gardening encyclopedia. 1222 pp. Macmillan Co., Inc., New York.
- Yates, H. O. 1966. Revision of grasses traditionally referred to *Uniola*. II. *Chasmanthium*. *Southwest. Nat.* 11: 415-455.

APPENDIX  
Taxonomic and Nomenclatural Notes

These notes provide references substantiating the choice of names and indicate which taxonomic treatments were followed. The notation "commun." following botanists' names (see acknowledgments) refers to either oral or written communication.

These abbreviations are included in the appendix for titles of frequently used references from the Literature Cited.

FB-----	Clapham et al. (1962)
FC-----	Munz and Keck (1968)
FC sup.-----	Munz (1968)
FE-----	Tutin et al. (1964-76)
FJam-----	Adams (1972)
FJava-----	Backer and Bakhuizen van den Brink (1963-68)
FT-----	Davis (1965-75)
FTEA-----	Turrill and Milne-Redhead (1952 et seq.)
FWTA-----	Hutchinson and Dalziel (1954 et seq.)
HT-----	L. H. Bailey Hortorium staff (1976)
ICBN-----	Stafleu et al. (1972)
Z-----	Encke and Buchheim (1972)

Abelmoschus: Exell 1961, Bates 1968, FE

Abies: Little 1953

Acacia: Brenan and Melville 1960, Purseglove 1968, Burbidge and Gray 1970,  
FTEA, Z, Isely 1973; common names for A. decurrens and A. mearnsii and  
author for A. nilotica follow Isely 1973.

Achillea ageratifolia: FE

Aconitum: FE; A. lycoctonum is wolfsbane in HT.

Aframomum: FWTA, Lock 1976

Agathosma: Pillans 1950

Agave: Gentry commun.

Agropyron: Bowden 1965; common names follow Hanson 1972.

Agrostis gigantea: Phillipson 1937, Hubbard 1968

Albizia: Generic spelling--Lawrence 1949, Isely 1973; A. falcata--FJava

Alhagi: FE, FT

Alliaria petiolata: FE, FT

Allium: Jones and Mann 1963, Magness et al. 1971, Purseglove 1972

Alnus: Little 1953

Alocasia macrorrhiza: Bunting and Nicolson 1963

Aloe: Lawrence 1949, Hodge 1953, Mansfeld 1959; A. barbadensis vs.

A. vera--correct name problematical

Amaranthus: Sauer 1950, 1967, commun.

Ambrosia: Payne 1964

Andropogon: Gould 1967

Arctium: FE  
Areca: Moore 1963  
Argyreia: HT  
Armoracia rusticana: Fosberg 1966  
Arrhenatherum elatius: Hubbard 1968  
Artocarpus: Lawrence 1949, Jarrett 1959, Fosberg 1960, commun.  
Arundinaria: McClure 1973  
Asparagus densiflorus: Hustleston 1970  
Atriplex patula: FC  
Beta: FE, Magness et al. 1971  
Bothriochloa: Gould 1967  
Bouteloua gracilis: Shinners 1954  
Brassica: Mostly following HT; B. juncea authors according to Mansfeld 1959 and Z; see also Sinapis.  
Bromus unioloides: FTEA, Launert 1971, Maw 1974  
Brosimum: Berg 1972  
Brugmansia: Lockwood 1973  
Butyrospermum: FWTA  
Cajanus cajan: Nicolson 1975  
Calocedrus: FC sup.  
Campsis radicans: Authors according to HT  
Canavalia: Sauer 1964  
Capsicum: Heiser and Pickersgill 1969, 1975, Eshbaugh 1970, D'Arcy and Eshbaugh 1974, Heiser commun.  
Carissa: FWTA, FJava, Z  
Carya illinoensis: Little 1953, Elias 1972, Terrell and Winters 1974  
Caryocar: Prance and Da Silva 1973  
Cassia: In part following FTEA  
Castilla: Berg 1972  
Catalpa: Schultze-Motel 1966  
Catha: Robson 1965  
Celosia: HT  
Cenchrus: DeLisle 1963  
Chasmanthium: Yates 1966  
Chloris: Anderson 1974  
Chlorophora: FWTA, Z  
Cinnamomum: Mansfeld 1959, FJava, Z, Nicolson commun., Schubert and Buchheim 1975  
Citrullus lanatus: Hara 1969  
Citrus: Swingle 1943; C. aurantiifolia according to HT  
Claytonia: Swanson 1966  
Coccinia: HT  
Coffea: FWTA  
Cola: FWTA  
Coleus parviflorus: FJava  
Consolida: FE  
Crotalaria: FJava, FTEA, FJam  
Cucumis: Whitaker and Davis 1962  
Cucurbita: Whitaker and Davis 1962  
Curcuma domestica vs. C. longa: Nicolson commun.; recent literature prefers former, but correct name problematical; C. zedoaria--Dress commun.  
Cymbopogon: Bor 1960

Cynodon dactylon var. aridus: Harlan and de Wet 1969  
Datura: Barclay 1959 and commun., Lockwood 1973; D. innoxia spelling--  
FE, FJam, FWTA, Z; FWTA states that innoxia is the original pre-Linnaean  
spelling.  
Daucus: FE  
Deschampsia cespitosa: Schubert and Buchheim 1975  
Dichondra: HT  
Dieffenbachia: HT  
Digitaria ciliaris: Bor 1970  
Dimocarpus: Leenhouts 1971, Schubert and Buchheim 1975  
Dioscorea: Coursey 1967, Ayensu and Coursey 1972; D. oppositifolia--  
Schubert and Buchheim 1975  
Diospyros digyna: Howard 1961, Howard and Norlindh 1962  
Dolichos lablab vs. Lablab purpureus: Verdcourt 1970b, Westphal 1975;  
until this controversy is settled, we are using the long established name.  
Duboisia: Barnard 1952  
Echinochloa crusgalli var. frumentacea: Gould et al. 1972; according to  
Vickery 1975, this name is not correct.  
Egeria: FB, FC  
Emilia: FJam  
Eragrostis minor: Schubert and Buchheim 1975; E. trichophora--FWTA  
Erodium: FE  
Eruca: FE  
Erythrina: Krukoff and Barneby 1974  
Erythrophleum: FTEA  
Erythroxylum: Generic spelling--Hill 1942, Terrell and Winters 1974  
Euonymus: Gender following HT  
Fagopyrum esculentum vs. F. sagittatum: Terrell and Winters 1974  
Festuca: Hubbard 1968; F. arundinacea, F. pratensis--Terrell 1967, 1968a  
Frangula: FB, FE  
Glycine: Lawrence 1949, Hermann 1962, Verdcourt 1966, 1970a, Schubert  
and Buchheim 1975  
Gossypium: Fryxell 1969, commun.  
Gunnera: FE  
Gymnema: FWTA  
Gymnocladus: Gender--Isely 1975  
Hibiscus: Bates 1965  
Howea: HT  
Ipomoea pes-caprae: FJam, Z; I. turbinata--Gunn 1969  
Iris: HT  
Jasminum: HT  
Juglans ailantifolia: Mansfeld 1959, Z; J. hindsii--Howell 1973  
Kigelia: FWTA  
Kochia: FE  
Lavandula: FE  
Lens culinaris: Lawrence 1949, Terrell and Winters 1974, Schubert and  
Buchheim 1975  
Leucaena leucocephala vs. L. latisiliqua: Gillis and Stearn 1974,  
de Wit 1975, Shaw and Schubert 1976, Polhill and Stearn 1976  
Ligustrum: Wilson and Wood 1959, HT  
Linaria: FE  
Lolium: Terrell 1968b

Lophophora williamsii: Hill 1942  
Lotus: FE  
Luffa: FJam, FWTA, Z, Schubert and Buchheim 1975  
Lycopersicon: Muller 1940; L. esculentum vs. L. lycopersicum--Little 1974,  
Nicolson 1975, Terrell 1977  
Macadamia: Storey 1965, 1969  
Macroptilium: Verdcourt 1970c, FJam  
Malpighia: FJam, Little et al. 1974  
Malus sylvestris: Mansfeld 1959, FB, FT, Z, Ehrendorfer 1973  
Malva: FE  
Mandragora: FE  
Manihot: Rogers and Appan 1973  
Manilkara zapota: Moore and Stearn 1967  
Matricaria: Recent treatments in FE, FT, HT are not in agreement; M.  
matricarioides--Schubert and Buchheim 1975  
Medicago: FE, FT  
Melaleuca: Blake 1968  
Melicoccus: Brizicky 1963  
Melilotus: M. alba, M. officinalis--Buchheim commun.  
Mentha: FE  
Mucuna: FJam, Z  
Musa: Purseglove 1972; M. X paradisiaca--FJava, Z  
Myrciaria: Mansfeld 1959  
Nicotiana: Goodspeed 1954  
Nuphar: Beal 1956  
Ocimum: FJava, FWTA  
Orbignya: HT  
Origanum: FE, HT  
Oryzopsis: The name O. miliacea (L.) Benth. & Hook. f. ex Aschers. &  
Schweinf. is shortened in part I, following ICBN Rec. 46C.  
Pachyrhizus: Clausen 1944; generic spelling--ICBN  
Panax: Li 1942, Hara 1966, Graham 1966, HT  
Panicum sumatrense: Bor 1960  
Papaver: Goldblatt 1974  
Parkia: FWTA  
Parmentiera aculeata: Williams 1973; P. cerifera spelling--FJava  
Passiflora: Lawrence 1960a, 1960b, de Wilde 1972  
Peltandra virginica: Blackwell 1972  
Pennisetum americanum: Terrell 1976  
Petroselinum crispum: FE, Schubert and Buchheim 1975  
Phalaris: Anderson 1961, FTEA  
Phragmites australis: Clayton 1968  
Pinus: Little 1953, Critchfield and Little 1966, FC, FE, Z; P. palustris--  
Ward 1974  
Plantago: Bassett 1973  
Platanus: HT  
Polypogon semiverticillatus: Bor 1970  
Polyscias: FJava  
Pontederia: Lowden 1973  
Pouteria: Moore and Stearn 1967  
Prosopis: Johnston 1962, Rowell 1969  
Prunus dulcis: Webb 1967

Psathyrostachys: Bor 1970  
Pueraria montana: Verdcourt 1966  
Quercus: Little 1953, FE, Z  
Rauvolfia: FJava  
Rhamnus: Gender masculine in FB, FE, Z, Smith 1972  
Rheum rhubarbarum: FE, HT  
Ribes: FE  
Rosa: FE, HT  
Rubus: Gleason 1952, Mansfeld 1959, FC, FE, Z, HT  
Salmalia: Saldanha and Nicolson 1976  
Salsola: Using established name pending more definitive data on the taxonomy  
Salvia splendens: HT  
Sambucus: Little 1953  
Schinopsis: Meyer and Barkley 1973  
Schizachyrium: Gould 1967  
Sesbania bispinosa: FTEA, FWTA  
Setaria glauca: Terrell 1976  
Sinapis: Recent European and Asian floras consider this a separate genus; see also Vaughan 1977.  
Solanum: S. americanum, S. sarrachoides--Edmonds 1972; S. burbankii--Heiser commun.  
Solenostemon: Morton 1962  
Sorghastrum nutans vs. S. avenaceum: Baum 1967, Schubert and Buchheim 1975  
Sorghum: S. bicolor nomenclature--Shinners 1956, Bullock 1961, Clayton 1961; De Wet and Huckabay 1967 and Harlan and de Wet 1972 have an alternative view of the taxonomy of the cultivated species.  
Spondias: FJam, Z  
Stachys affinis: HT  
Stellaria: FE  
Stewartia: Wood 1959  
Striga asiatica: Hepper 1974  
Strophanthus: Mansfeld 1959, Z  
Stylosanthes: Mohlenbrock 1957, FTEA  
Styrax: Z  
Synsepalum: HT  
Syzygium: Lawrence 1949, Schmid 1972  
Taraxacum officinale: Author--Buchheim commun.  
Tetragonia: FE  
Tetrapanax: Gender--FJava, Smith 1972  
Theobroma: Cuatrecasas 1964  
Toxicodendron: Gillis 1971  
Trachylobium: FTEA  
Trachyspermum: FJava  
Trapa: Mansfeld 1959  
Trifolium: FE, FT  
Tripsacum: de Wet et al. 1976  
X Triticosecale: Baum 1971, McVaugh 1973  
Triticum: Using established names pending more definitive data on the taxonomy  
Turbina: FJam  
Valerianella locusta: Raven et al. 1974

Vanilla planifolia: Hill 1942  
Vicia: FE, FT, Gunn commun.  
Vigna: Verdcourt 1970c  
Voandzeia: Hepper 1963  
Vulpia: Lonard and Gould 1974  
Zea: Wilkes 1967, de Wet et al. 1971, Iltis 1972  
Zizania: Dore 1969  
Zoysia tenuifolia: Author--Mansfeld 1959

☆U.S. GOVERNMENT PRINTING OFFICE:1986-490-920-40019













